

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Abies lowiana</i> (Gordon & Glendinning) A. Murray bis	California White Fir	T	.	Pinaceae
<i>Abronia latifolia</i> Eschsch.	Coastal or Yellow Sand-verbena	PH	.	Nyctaginaceae
<i>Abronia maritima</i> Nutt. ex S. Watson	Red or Sticky Sand-verbena, Beach Pancake	PH	.	Nyctaginaceae
<i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam.	Hybrid Sand-verbena	AH	.	Nyctaginaceae
<i>Abronia neurophylla</i> Standl.	Beach Sand-verbena	PH	.	Nyctaginaceae
<i>Abronia pogonantha</i> Heimerl	Desert Sand-verbena	AH	.	Nyctaginaceae
<i>Abronia turbinata</i> Torr. ex S. Watson	Turbinate Sand-verbena	A/PH	.	Nyctaginaceae
<i>Abronia umbellata</i> Lam. ssp. <i>umbellata</i>	Beach Sand-verbena	PH	.	Nyctaginaceae
<i>Abronia villosa</i> var. <i>aurita</i> (Abrams) Jeps.	Woolly Sand-verbena	AH	.	Nyctaginaceae
<i>Abutilon theophrasti</i> Medikus *	Velvet Leaf	AH	UPL	Malvaceae
<i>Acacia baileyana</i> F. Muell. *	Cootamundra Wattle	S/T	.	Fabaceae
<i>Acacia cultriformis</i> A. Cunn. ex G. Don *	Sickle-leaved Acacia	S	.	Fabaceae
<i>Acacia cyclops</i> G. Don *	Western Coastal Wattle	S	.	Fabaceae
<i>Acacia dealbata</i> Link *	Silver Wattle	T	.	Fabaceae
<i>Acacia longifolia</i> (Andrews) Willd. *	Golden Wattle	S/T	.	Fabaceae
<i>Acacia melanoxylon</i> R. Br. *	Australian or Tasmanian Blackwood	T	.	Fabaceae
<i>Acacia redolens</i> Maslin *	Bank Catclaw	S	.	Fabaceae
<i>Acacia retinodes</i> Schldl. *	Everblooming Acacia	T	.	Fabaceae
<i>Acacia saligna</i> (Labill.) H.L. Wendl. *	Golden Wreath Wattle	S/T	.	Fabaceae
<i>Acamptopappus sphaerocephalus</i> (Har. & Gray) Gray var. <i>sphaerocephalus</i>	Rayless Goldenhead	S	.	Asteraceae
<i>Acanthus mollis</i> L. *	Bear's Breeches	PH	.	Acanthaceae
<i>Acanthomintha ilicifolia</i> (A. Gray) A. Gray	San Diego Thornmint	AH	.	Lamiaceae
<i>Acanthomintha lanceolata</i> Curran	Lanceleaf Thornmint	AH	.	Lamiaceae
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst	Heartleaf Thornmint	AH	.	Lamiaceae
<i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (E.A. McGregor) Reveal	Abrams Oxytheca	AH	.	Polygonaceae
<i>Acanthoscyphus parishii</i> (Parry) Small var. <i>parishii</i>	Parish Oxytheca	AH	.	Polygonaceae
<i>Acer buergerianum</i> Miq. *	Trident Maple	T	?	Sapindaceae
<i>Acer macrophyllum</i> Pursh var. <i>macrophyllum</i>	Bigleaf Maple	T	FAC	Sapindaceae
<i>Acer negundo</i> var. <i>californicum</i> (Torrey & A. Gray) Sarg.	Box Elder	T	FACW	Sapindaceae
<i>Achillea filipenulina</i> Lam. *	Fernleaf Yarrow	PH	.	Asteraceae
<i>Achillea millefolium</i> var. <i>arenicola</i> (Heller) Nobs in Ferris	Common Island White Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson	California White Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> L. var. <i>millefolium</i>	White Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> var. <i>occidentale</i> DC.	Woolly White Yarrow	PH	FACU	Asteraceae
<i>Achillea millefolium</i> var. <i>pacifica</i> (Rydb.) G.N. Jones	Pacific White Yarrow	PH	FACU	Asteraceae
<i>Achyraea mollis</i> Schauer	Blow-Wives	AH	FAC	Asteraceae
<i>Acmispon americanus</i> (Nuttall) Rydb. var. <i>americanus</i>	Spanish Clover, American Birds-foot Trefoil	AH	UPL	Fabaceae
<i>Acmispon argophyllus</i> var. <i>argenteus</i> (Dunkle) Brouillet	Silver Deervetch	PH	.	Fabaceae
<i>Acmispon argophyllus</i> (A. Gray) Brouillet var. <i>argophyllus</i>	Silver Deervetch, Silky Lotus	PH	.	Fabaceae
<i>Acmispon argophyllus</i> var. <i>niveus</i> (E. Greene) Brouillet	Santa Cruz Island Silverhosackia	PH	.	Fabaceae
<i>Acmispon brachycarpus</i> (Bentham) D.D. Sokoloff	Hill Lotus, Short-podded Hosackia	AH	.	Fabaceae
<i>Acmispon dendroideus</i> (E. Greene) Brouillet var. <i>dendroideus</i>	Island Broom	PH	.	Fabaceae
<i>Acmispon dendroideus</i> var. <i>veatchii</i> (E. Greene) Brouillet	San Miguel Island Deerweed	PH	.	Fabaceae
<i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff	White Lotus	AH	.	Fabaceae
<i>Acmispon glaber</i> var. <i>brevialatus</i> (Ottley) Brouillet	Short Deerweed	PH	.	Fabaceae
<i>Acmispon glaber</i> (Vogel) Brouillet var. <i>glaber</i>	Deerweed, California Broom	PH	.	Fabaceae
<i>Acmispon grandiflorus</i> (Bentham) Brouillet var. <i>grandiflorus</i>	Large-flowered Lotus or Hosackia	PH	.	Fabaceae
<i>Acmispon heermannii</i> (Durand & Hilg.) Brouillet var. <i>heermannii</i>	Heermann Lotus or Hosackia	PH	.	Fabaceae
<i>Acmispon heermannii</i> var. <i>orbicularis</i> (A. Gray) Brouillet	Roundleaf Heermann Lotus or Hosackia	PH	.	Fabaceae
<i>Acmispon junceus</i> (Bentham) Brouillet var. <i>junceus</i>	Rush Hosackia	AH	.	Fabaceae
<i>Acmispon maritimus</i> (Nuttall) D.D. Sokoloff var. <i>maritimus</i>	Coastal Lotus or Hosackia	AH	.	Fabaceae
<i>Acmispon micranthus</i> (Torrey & A. Gray) Brouillet	Grab Hosackia or Lotus	AH	.	Fabaceae
<i>Acmispon nevadensis</i> var. <i>davidsonii</i> (E. Greene) Brouillet	Suphur-flowered Hosackia	PH	.	Fabaceae
<i>Acmispon nevadensis</i> (S. Watson) Brouillet var. <i>nevadensis</i>	Sierra Nevada Hosackia	PH	.	Fabaceae
<i>Acmispon parviflorus</i> (Bentham) D.D. Sokoloff	Tiny Lotus	AH	.	Fabaceae
<i>Acmispon procumbens</i> (E. Greene) Brouillet var. <i>procumbens</i>	Silky California Broom	PH	.	Fabaceae
<i>Acmispon prostratus</i> (Torrey & A. Gray) Brouillet	Nuttall's Lotus, Wire Bird's-foot Trefoil	AH	.	Fabaceae
<i>Acmispon strigosus</i> (Nuttall) Brouillet var. <i>strigosus</i>	Strigose Lotus or Hosackia	AH	.	Fabaceae
<i>Acmispon wrangelianus</i> (Fischer & C. Meyer) D.D. Sokoloff	Chile Lotus or Hosackia	AH	.	Fabaceae
<i>Acourtia microcephala</i> DC.	Sacapellote	PH	.	Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Acroptilon repens</i> (L.) DC. *	Russian Knapweed	AH	.	.	Asteraceae
<i>Actaea rubra</i> (Aiton) Wildenow	Red Banberry	S	FAC	.	Ranunculaceae
<i>Adenostoma fasciculatum</i> Hook. & Arn. var. <i>fasciculatum</i>	Chamise	S	.	.	Rosaceae
<i>Adenostoma sparsifolium</i> Torrey	Red Shank, Ribbon-bush	S	.	.	Rosaceae
<i>Adiantum aleuticum</i> (Rupr.) C.A. Paris	Western Five-finger Fern or Maidenhair	PF	FAC	.	Pteridaceae
<i>Adiantum capillus-veneris</i> L.	Southern Maidenhair, Venushair Fern	PF	FACW	.	Pteridaceae
<i>Adiantum jordanii</i> Müller Halle	California Maidenhair	PF	FAC	.	Pteridaceae
<i>Aegilops cylindrica</i> Host	Jointed Goatgrass	AG	.	.	Poaceae
<i>Aeonium arboreum</i> (L.) Webb & Berthel. var. <i>arboreum</i> *	Tree Aenium	S	.	.	Crassulaceae
<i>Aesculus californica</i> (Spach) Nutt.	California Buckeye	S/T	.	.	Sapindaceae
<i>Aesculus carnea</i> Hayne *	Red Horse-chestnut	S/T	.	.	Sapindaceae
<i>Aesculus hippocastanum</i> L. *	Buckeye	S/T	.	.	Sapindaceae
<i>Afrocarpus falcatus</i> (Thunb.) C.N. Page *	Outeniqua Yellowwood	T	.	.	Podocarpaceae
<i>Agastache urticifolia</i> (Bentham) Kuntze var. <i>urticifolia</i>	Nettleleaf Horsemint, Giant Hyssop	PH	FACU	.	Lamiaceae
<i>Agave americana</i> L. *	Century Plant	S	UPL	.	Agavaceae
<i>Agave attenuata</i> Salm-Dyck. *	Century Plant	S	.	.	Agavaceae
<i>Ageratina adenophora</i> (Spreng.) R.M. King & H. Rob. *	Sticky Snakeroot	PH	FACU	.	Asteraceae
<i>Agonis flexuosa</i> (Muhl. ex Willd.) Sweet	Peppermint Willow	T	?	.	Myrtaceae
<i>Agoseris elata</i> (Nuttall) E. Greene	Tall Mountain Dandelion	PH	FAC	.	Asteraceae
<i>Agoseris grandiflora</i> (Nutt.) Greene var. <i>grandiflora</i>	Bigflower [Mountain] Dandelion	PH	.	.	Asteraceae
<i>Agoseris heterophylla</i> var. <i>cryptopleura</i> Greene	Mountain Dandelion	AH	.	.	Asteraceae
<i>Agoseris heterophylla</i> (Nutt.) Greene var. <i>heterophylla</i>	Mountain Dandelion	AH	.	.	Asteraceae
<i>Agoseris retrorsa</i> (Bentham) E. Greene	Spear-leaved or Retrors Mountain	PH	.	.	Asteraceae
<i>Agropyron cristatum</i> ssp. <i>pectinatum</i> (M. Bieb.) Tzvelev *	Crested Wheatgrass	PG	.	.	Poaceae
<i>Agrostis capillaris</i> L. *	Colonial Bentgrass	PG	FAC	.	Poaceae
<i>Agrostis exarata</i> Trin.	Western or Spike Bentgrass	PG	FACW	.	Poaceae
<i>Agrostis gigantea</i> Roth *	Redtop	PG	FACW	.	Poaceae
<i>Agrostis hallii</i> Vasey	Hall's Bentgrass	PG	.	.	Poaceae
<i>Agrostis pallens</i> Trin.	Thingrass	PG	FACU	.	Poaceae
<i>Agrostis scabra</i> Willd.	Rough Bentgrass	PG	FAC	.	Poaceae
<i>Agrostis stolonifera</i> L. [var. <i>palustris</i> (Hudson) Pers.] *	Creeping Bentgrass	PG	FACW	.	Poaceae
<i>Ailanthus altissima</i> (Miller) Swingle *	Tree-of-Heaven	T	FACU	.	Hippocastinaceae
<i>Aira caryophyllea</i> L. *	Silver Hairgrass	AG	FACU	.	Poaceae
<i>Ajuga reptans</i> L. *	Common or Carpet Bugle	PH	.	.	Lamiaceae
<i>Albizia julibrissin</i> Durazz. *	Silk Tree, Mimosa Tree	T	.	.	Fabaceae
<i>Albizia lophantha</i> (Willd.) Benth. *	Plume Acacia	T/S	.	.	Fabaceae
<i>Alcea rosea</i> L. *	Hollyhock	BH	.	.	Malvaceae
<i>Alisma plantago-aquaticum</i> L.	Common or Broadleaf Water-plantain	PH	OBL	.	Alismataceae
<i>Allium amplexans</i> Torrey	Narrowleaf Onion	PG	.	.	Alliaceae
<i>Allium bisceptrum</i> S. Watson	Twincrest Onion	PG	.	.	Alliaceae
<i>Allium burlewii</i> A. Davidson	Burlew Onion	PG	.	.	Alliaceae
<i>Allium campanulatum</i> S. Watson	Sierra Onion	PG	.	.	Alliaceae
<i>Allium cepa</i> L. *	Onion	PG	.	.	Alliaceae
<i>Allium cratericola</i> Eastw.	Cratered Onion	PG	.	.	Alliaceae
<i>Allium denticulatum</i> (Traub) D. McNeal	Dentate Fringed Onion	PG	.	.	Alliaceae
<i>Allium diabloese</i> (Traub) D. McNeal	Diablo Onion	PG	.	.	Alliaceae
<i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i>	Fringed Onion	PG	.	.	Alliaceae
<i>Allium fimbriatum</i> var. <i>mohavense</i> Jepson	Mojave Onion	PG	.	.	Alliaceae
<i>Allium haemaetochiton</i> S. Watson	Red-skinned Onion	PG	.	.	Alliaceae
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Pinos Onion	PG	.	.	Alliaceae
<i>Allium howellii</i> Eastwood var. <i>howellii</i>	Howell's Onion	PG	.	.	Alliaceae
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion	PG	.	.	Alliaceae
<i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i>	Pitted Onion	PG	.	.	Alliaceae
<i>Allium monticola</i> Davidson	Mountain Onion	PG	.	.	Alliaceae
<i>Allium neapolitanum</i> Cirillo *	Onion	PG	.	.	Alliaceae
<i>Allium parryi</i> S. Watson	Parry Fringed Onion	PG	.	.	Alliaceae
<i>Allium peninsulare</i> Lemmon var. <i>peninsulare</i>	Peninsular Onion	PG	.	.	Alliaceae
<i>Allium praecox</i> Brandege	Early Onion	PG	.	.	Alliaceae
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion	PG	.	.	Alliaceae
<i>Allium sativum</i> L. *	Garlic	PG	.	.	Alliaceae
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion	PG	.	.	Alliaceae
<i>Allium vineale</i> L. ssp. <i>vineale</i> *	Wild Garlic	PG	FACU	.	Alliaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum	AH	.		Polemoniaceae
<i>Allophyllum gilioides</i> (Bentham) A.D. Grant & V. Grant ssp. <i>gilioides</i>	Straggling Gilia	AH	FAC		Polemoniaceae
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i> (A.A. Heller) Day	Violet Phlox	AH	FAC		Polemoniaceae
<i>Allophyllum glutinosum</i> (Bentham) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae
<i>Allophyllum integrifolium</i> (Brand) A.D. Grant & V. Grant	Sticky Allophyllum	AH	.		Polemoniaceae
<i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Brietung	Mountain Alder	S	FACW		Betulaceae
<i>Alnus rhombifolia</i> Nuttall	White Alder	T	FACW		Betulaceae
<i>Aloe</i> sp. *	Aloe	PG	.		Asphodelaceae
<i>Alopecurus aequalis</i> Sobol. var. <i>aequalis</i>	Short-awn Foxtail	PG	OBL		Poaceae
<i>Alopecurus carolinianus</i> Walter	Tufted Foxtail	AG	FACW		Poaceae
<i>Alopecurus geniculatus</i> L.	Water Foxtail	PG	OBL		Poaceae
<i>Alopecurus myosuroides</i> Huds.	Mousetail Foxtail	AG	FACW		Poaceae
<i>Alopecurus saccatus</i> Vasey	Pacific Foxtail	AG	OBL		Poaceae
<i>Alternanthera caracasana</i> Kunth *	Alternanthera	PH	.		Amaranthaceae
<i>Alyssum alyssoides</i> (L.) L. *	Alyssum	PH	.		Brassicaceae
<i>Alyssum desertorum</i> Stapf *	Desert Alyssum	PH?	.		Brassicaceae
<i>Amaranthus albus</i> L. *	Pigweed Amaranth	AH	FACU		Amaranthaceae
<i>Amaranthus blitoides</i> S. Watson	Prostrate Amaranth	AH	FACU		Amaranthaceae
<i>Amaranthus californicus</i> (Moq.) S. Watson	California Amaranth	AH	FACW		Amaranthaceae
<i>Amaranthus caudatus</i> L. *	Love-lies-bleeding	AH	.		Amaranthaceae
<i>Amaranthus cruentus</i> L. *	Blood Amaranth	AH	.		Amaranthaceae
<i>Amaranthus deflexus</i> L. *	Low Amaranth	AH	.		Amaranthaceae
<i>Amaranthus hybridus</i> L. *	Hybrid Amaranth	AH	.		Amaranthaceae
<i>Amaranthus palmeri</i> S. Watson ssp. <i>palmeri</i>	Palmer Amaranth	AH	FACU		Amaranthaceae
<i>Amaranthus powellii</i> ssp. <i>bouchonii</i> (Thell.) Costea & Carretero	Powell Amaranth	AH	.		Amaranthaceae
<i>Amaranthus powellii</i> S. Watson ssp. <i>powellii</i>	Powell Amaranth	AH	.		Amaranthaceae
<i>Amaranthus retroflexus</i> L. *	Red-root Amaranth, Rough Pigweed	AH	FACU		Amaranthaceae
<i>Amaryllis belladonna</i> L. *	Naked Lady	PG	.		Amaryllidaceae
<i>Amblyopappus pusillus</i> Hook. & Arn.	Dwarf or Coast Amblyopappus	AH	FACW		Asteraceae
<i>Ambrosia acanthicarpa</i> Hooker	Burweed, Annual Bur-sage	AH	.		Asteraceae
<i>Ambrosia ambrosioides</i> (Cav.) W.W. Payne	Big Bur-sage	S	.		Asteraceae
<i>Ambrosia artemisiifolia</i> L. *	Common Ragweed	AH	FACU		Asteraceae
<i>Ambrosia chamissonis</i> (Less.) E. Greene	Beach Bur	AH	.		Asteraceae
<i>Ambrosia confertiflora</i> DC.	Weak-leaved Burweed or Bur-sage	PH	.		Asteraceae
<i>Ambrosia psilostachya</i> var. <i>californica</i> (Rydb.) Blake	Western Ragweed	BH	FACU		Asteraceae
<i>Ambrosia salsola</i> (T. & G. ex G.) Strother & B.G. Baldwin var. <i>salsola</i>	Burrobrush	S	(FACU)		Asteraceae
<i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson	Alderleaf Serviceberry	S	FACU		Rosaceae
<i>Amelanchier pallida</i> E. Greene	Western Serviceberry	S	.		Rosaceae
<i>Amelanchier utahensis</i> Koehne	Utah Serviceberry	S	FACU		Rosaceae
<i>Ammannia coccinea</i> Rottb.	Long-leaved or Purple Ammannia	AH	OBL		Lythraceae
<i>Ammannia robusta</i> Heer & Regel	Grand Redstem	AH	OBL		Lythraceae
<i>Ammi majus</i> L. *	Bishop Weed	AH	.		Apiaceae
<i>Ammophila arenaria</i> (L.) Link *	European Beachgrass	PG	FACU		Poaceae
<i>Amorpha californica</i> Nuttall var. <i>californica</i>	California False Indigo	S	FAC		Fabaceae
<i>Amsinckia douglasiana</i> A. DC.	Douglas Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia eastwoodae</i> J.F. Macbr.	Elegant Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia intermedia</i> Fischer & C. Meyer	Rancher's Fire, Common Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia menziesii</i> (Lehm.) Nelson & J.F. Macbr. var. <i>menziesii</i>	Common or Menzeis Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia retrorsa</i> Suksd.	Rigid Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i>	Showy Fiddleneck	AH	FACU		Boraginaceae
<i>Amsinckia tessellata</i> Gray var. <i>gloriosa</i> (Suksd.) Hoover	Glorious Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia tessellata</i> Gray var. <i>tessellata</i>	Devil's Lettuce, Tessellate Fiddleneck	AH	.		Boraginaceae
<i>Amsinckia vermicosa</i> Hook. & Arn. var. <i>vermicosa</i>	Vernal Fiddleneck	AH	.		Boraginaceae
<i>Anaphalis margaritaceae</i> (L.) Benth. & Hooker F. ex C.B. Clarke	Pearly Everlasting	PH	FACU		Asteraceae
<i>Anchusa azurea</i> Mill. *	Garden Alkanet	PH	.		Boraginaceae
<i>Ancistrocarphus filagineus</i> Gray	Woolly Fishhooks	AH	.		Asteraceae
<i>Andropogon glomeratus</i> var. <i>pumilus</i> Vasey ex Dewey	Bushy Bluestem	PG	FACW		Poaceae
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell	Southwestern Bushy Bluestem	PG	FACW		Poaceae
<i>Androsace elongata</i> ssp. <i>acuta</i> (E. Greene) G. Robb.	Rock-jasmine	AH	.		Primulaceae
<i>Anemopsis californica</i> Hooker & Arnott var. <i>californica</i>	Yerba Mansa	PH	OBL		Saururaceae
<i>Anethum graveolens</i> L. *	Dill	AH	.		Apiaceae
<i>Anisocoma acaulis</i> Torrey & A. Gray	Scale Bud	AH	.		Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Anredera cordifolia</i> (Ten.) Steenis *	Mignonetta Vine, Madeira Vine	PV	.		Basellaceae
<i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray	Low Everlasting	PH	.		Asteraceae
<i>Anthemis cotula</i> L. *	Mayweed, Stinkweed, Dog-fennel	AH	FACU		Asteraceae
<i>Anthoxanthum occidentale</i> (Buckley) Veldkamp	California Sweet Grass	PG	.		Poaceae
<i>Anthriscus caucalis</i> M. Bieb. *	Bur-chervil	AH	.		Apiaceae
<i>Antirrhinum coulterianum</i> Benth. ssp. <i>coulterianum</i>	White Snapdragon	AH	.		Plantaginaceae
<i>Antirrhinum kelloggii</i> Greene	Kellogg Snapdragon	AV	.		Plantaginaceae
<i>Antirrhinum majus</i> L. *	Snapdragon	AH	.		Plantaginaceae
<u><i>Antirrhinum nuttallianum</i> Benth. ssp. <i>nuttallianum</i></u>	<u>Nuttall Snapdragon</u>	AH	.		Plantaginaceae
<i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson	Nuttall Snapdragon	AH	.		Plantaginaceae
<i>Antirrhinum ovatum</i> Eastwood	Oval-leaved Snapdragon	AH	.		Plantaginaceae
<i>Antirrhinum [multiflorum] thompsonii</i> D.J. Keil	Sticky Snapdragon	S	.		Plantaginaceae
<i>Aphanes occidentalis</i> (Nuttall) Rydb.	Dew-cup, Lady's Mantle	AH	.		Rosaceae
<i>Aphanisma blitoides</i> Moq.	Aphanisma	S	.		Chenopodiaceae
<i>Aphyllon californicum</i> ssp. <i>feudgei</i> (Munz) A.C. Schneid.	California Sagebrush Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon californicum</i> ssp. <i>grande</i> (Heckard) A.C. Schneid.	Coastal California Broomrape	PH	.		Orobanchaceae
<i>Aphyllon californicum</i> ssp. <i>jepsonii</i> (Munz) A.C. Schneid.	Jepson Sagebrush Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon epigalium</i> ssp. <i>notocalifornicum</i> Colwell & A.C. Schneid.	Southern Bedstraw Broom-rape	AH	.		Orobanchaceae
<i>Aphyllon fasciculatum</i> (Nuttall) Torr. & A. Gray	Clustered Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon parishii</i> ssp. <i>brachylobum</i> (Heckard) A.C. Schneid.	Short-lobed Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon parishii</i> (Jeps.) A.C. Schneid. ssp. <i>parishii</i>	Parish Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon uniflorum</i> (L.) Torr. & A. Gray	Naked Broomrape	PH	.		Orobanchaceae
<i>Aphyllon validum</i> (Jeps.) A.C. Schneid. ssp. <i>validum</i>	Rock Creek Broom-rape	PH	.		Orobanchaceae
<i>Aphyllon vallicolum</i> (Jepson) A.C. Schneid.	Hillside Broomrape	PH	.		Orobanchaceae
<i>Apiastrum angustifolium</i> Nuttall	Wild Celery, Mock Parsley	AH	UPL		Apiaceae
<i>Apium graveolens</i> L. *	Celery	PH	(FACW)		Apiaceae
<i>Apocynum androsaemifolium</i> L.	Bitter Dogbane	PH	UPL		Apocynaceae
<i>Apocynum cannabinum</i> L.	Indian Hemp	PH	FAC		Apocynaceae
<i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cann.</i>)	Bitter Dogbane	PH	FAC		Apocynaceae
<i>Aptenia cordifolia</i> (L. f.) N.E. Br. *	Apple Red Iceplant	PH	FAC		Aizoaceae
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine	PH	OBL		Ranunculaceae
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine	PH	FAC		Ranunculaceae
<i>Arachis hypogaea</i> L. *	Peanut	PH	.		Fabaceae
<i>Aralia californica</i> S. Watson	Elk Clover, Spikenard	S	FACW		Araliaceae
<i>Araujia sericifera</i> Brot. *	Bladder-flower	PV	.		Apocynaceae
<i>Arbutus menziesii</i> Pursh	Pacific Madrone	T	.		Ericaceae
<i>Arbutus unedo</i> L. *	Strawberry Tree	T	.		Ericaceae
<i>Arceuthobium campylopodum</i> Engelm.	Western Dwarf Mistletoe	PH	.		Viscaceae
<i>Arctium lappa</i> L. *	Great Burdock	BH	.		Asteraceae
<i>Arctostaphylos glandulosa</i> ssp. <i>cushingiana</i> (Eastw.) Keeley, Vasey & Parker	Cushing's Eastwood Manzanita	S	.		Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i> (Wells) Keeley, Vasey & Parker	San Gabriel Mountains Manzanita	S	.		Ericaceae
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita	S	.		Ericaceae
<i>Arctostaphylos glandulosa</i> Eastw. X <i>A. glauca</i> Lindley	Eastwood-Bigberry Manzanita Hybrid	S	.		Ericaceae
<i>Arctostaphylos glandulosa</i> ssp. <i>mollis</i> (J.E. Jones) P. Wells	Santa Ynez Mountains Manzanita	S	.		Ericaceae
<i>Arctostaphylos glauca</i> Lindley	Bigberry Manzanita	S	.		Ericaceae
<i>Arctostaphylos parryana</i> Lemmon ssp. <i>parryana</i>	Parry Manzanita	S	.		Ericaceae
<i>Arctostaphylos patula</i> Greene	Greenleaf Manzanita	S	.		Ericaceae
<i>Arctostaphylos pungens</i> H.B. & K.	Pungent Manzanita	S	.		Ericaceae
<i>Arctotis venusta</i> Norlindh	Blue-eyed African Daisy	AH	.		Asteraceae
<i>Argemone corymbosa</i> E. Greene ssp. <i>corymbosa</i>	Desert Prickly Poppy	PH	.		Papaveraceae
<i>Argemone munita</i> Durand & Hilgard ssp. <i>munita</i>	Prickly Poppy, Chicalote	AH	.		Papaveraceae
<i>Argemone munita</i> ssp. <i>rotundata</i> (Rydberg) G.B. Ownbey	Prickly Poppy, Chicalote	AH	.		Papaveraceae
<i>Argentina egedii</i> (Wormsk.) Rydb. ssp. <i>egedii</i>	Pacific Coast Cinquifol or Silverweed	PH	OBL		Rosaceae
<i>Aristida adscensionis</i> L.	Six-weeks Three-awn Grass	AG	.		Poaceae
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.	Poverty Three-awn Grass	PG	.		Poaceae
<i>Aristida purpurea</i> var. <i>nealleyi</i> (Vasey) K.W. Allred	Nealley Three-awn Grass	PG	.		Poaceae
<i>Aristida purpurea</i> var. <i>parishii</i> (A.S. Hitchc.) Allred	Parish's Threeawn	PG	.		Poaceae
<i>Aristida purpurea</i> Nuttall var. <i>purpurea</i>	Purple Three-awn Grass	PG	.		Poaceae
<i>Aristida purpurea</i> var. <i>wrightii</i> (A. Hitchc.) K.W. Allred	Parish Three-awn Grass	PG	.		Poaceae
<i>Aristida ternipes</i> var. <i>gentilis</i> (Henrard) J.S. Trent	Hook Three-awn Grass	PG	.		Poaceae
<i>Armoracia rusticana</i> P. Gaertner, B. Meyer & Scherbius *	Horse Radish	PH	.		Brassicaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Arnica discoidea</i> Benth.	Rayless or Discoid Arnica	PH	.	.	Asteraceae
<i>Arrhenatherum elatius</i> (L.) J. Presl & C. Presl *	Tall Oat Grass	PG	UPL	.	Poaceae
<i>Artemisia biennis</i> Willd. var. <i>biennis</i> *	Biennial Wormwood	BH	FACW	.	Asteraceae
<i>Artemisia californica</i> Less.	California Sagebrush	S	.	.	Asteraceae
<i>Artemisia douglasiana</i> Besser	Mugwort	PH	FAC	.	Asteraceae
<i>Artemisia dracunculus</i> L.	Tarragon, Dragon Tarragon	PH	(FACW)	.	Asteraceae
<i>Artemisia ludoviciana</i> ssp. <i>albula</i> (Wooton) Keck	White Sagebrush	PH	FACU	.	Asteraceae
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i> (Nuttall) Keck	White Sagebrush	PH	FACU	.	Asteraceae
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>	Silver or Western Mugwort	PH	FACU	.	Asteraceae
<u><i>Artemisia nesiotica</i> Raven</u>	<u>Island Sagebrush</u>	PH	.	.	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements	Parish Great Basin Sagebrush	S	.	.	Asteraceae
<i>Artemisia tridentata</i> Nuttall ssp. <i>tridentata</i>	Great Basin Sagebrush	S	.	.	Asteraceae
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Vasey Great Basin or Mountain Sagebrush	S	.	.	Asteraceae
<i>Artemisia vulgaris</i> L. *	Common Wormwood or Mugwort	PH	UPL	.	Asteraceae
<i>Arthrocnemum</i> [<i>Salicornia</i>] <i>subterminale</i> (Parish) Standley	Common or Parish Glasswort	S	FACW	.	Chenopodiaceae
<i>Arundo donax</i> L. *	Giant Reed	PG	FACW	.	Poaceae
<i>Asclepias californica</i> E. Greene ssp. <i>californica</i>	California Milkweed	AH	.	.	Apocynaceae
<i>Asclepias curassavica</i> L. *	Bloodflower Milkweed	AH	FAC	.	Apocynaceae
<i>Asclepias eriocarpa</i> Bentham	Kotolo, Indian Milkweed	PH	.	.	Apocynaceae
<i>Asclepias erosa</i> Torrey	Desert Milkweed	PH	.	.	Apocynaceae
<i>Asclepias fascicularis</i> Decne.	Narrowleaf Milkweed	PH	FAC	.	Apocynaceae
<i>Asclepias vestita</i> Hooker & Arnott	Woolly Milkweed	PH	.	.	Apocynaceae
<i>Asparagus asparagoides</i> (L.) W.F. Wight *	Smilax Asparagus	PH	.	.	Asparagaceae
<i>Asparagus officinalis</i> L. ssp. <i>officinalis</i> *	Asparagus	PH	FACU	.	Asparagaceae
<i>Asparagus setaceus</i> (Kunth) Jessop *	South African Asparagus	PG	.	.	Asparagaceae
<i>Asphodelus fistulosus</i> L. *	Asphodel	PG	.	.	Asphodelaceae
<i>Aspidotis californica</i> (Hooker) Nuttall ex Copeland	California Lace Fern	PF	.	.	Pteridaceae
<i>Asplenium vespertinum</i> Maxon	Western Spleenwort	PF	.	.	Aspleniaceae
<i>Astragalus bicristatus</i> A. Gray	Crested Milkvetch	PH	.	.	Fabaceae
<i>Astragalus brauntonii</i> Parish	Braunton Milkvetch	PH	.	.	Fabaceae
<u><i>Astragalus coccineus</i> Brandegee</u>	<u>Scarlet Milkvetch</u>	PH	.	.	Fabaceae
<i>Astragalus curtipes</i> A. Gray	San Luis Obispo or Morro Milkvetch	PH	.	.	Fabaceae
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>	Two-seeded Milkvetch	AH	.	.	Fabaceae
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jeps.	Dispersed Two-seeded Milkvetch	AH	.	.	Fabaceae
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.	South Coast Two-seeded Milkvetch	AH	.	.	Fabaceae
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.	San Luis Obispo Two-seeded Milkvetch	AH	.	.	Fabaceae
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch	PH	.	.	Fabaceae
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones	Parish Milkvetch	PH	.	.	Fabaceae
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed	PH	.	.	Fabaceae
<i>Astragalus gambelianus</i> E. Sheldon	Dwarf Locoweed	AH	.	.	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>frémontii</i> (A.Gray) S. Watson	Fremont Spotted Locoweed	PH	UPL	.	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>idriensis</i> M.E. Jones	Idria Freckled Locoweed	PH	UPL	.	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>nigralycis</i> M.E. Jones	Black-sepaled Freckled Locoweed	PH	UPL	.	Fabaceae
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch	PH	UPL	.	Fabaceae
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod	PH	.	.	Fabaceae
<i>Astragalus leucopsis</i> Torr. var. <i>leucopsis</i>	Coast Rattleweed	PH	.	.	Fabaceae
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray	Salinas Valley Milkvetch	PH	.	.	Fabaceae
<i>Astragalus miguelensis</i> Greene	San Miguel Milkvetch	PH	.	.	Fabaceae
<i>Astragalus nuttallii</i> (T. & G.) J.T. Howell var. <i>nuttallii</i>	Nuttall's Milkvetch	PH	.	.	Fabaceae
<i>Astragalus oxyphysis</i> Gray	Robust Milkvetch	PH	.	.	Fabaceae
<i>Astragalus pachypus</i> E. Greene var. <i>pachypus</i>	Thickpod Milkvetch	PH	.	.	Fabaceae
<i>Astragalus pomonensis</i> M.E. Jones	Pomona Locoweed	PH	.	.	Fabaceae
<i>Astragalus purshii</i> var. <i>tinctus</i> M.E. Jones	Pursh Woollypod	PH	.	.	Fabaceae
<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz	Ventura Marsh Milkvetch	PH	OBL	.	Fabaceae
<u><i>Astragalus traskiae</i> Eastwood</u>	<u>Trask Locoweed or Milkvetch</u>	PH	.	.	Fabaceae
<i>Astragalus trichopodus</i> var. <i>lonchus</i> (M.E. Jones) Barneby	Three-pod Milkvetch	PH	.	.	Fabaceae
<i>Astragalus trichopodus</i> var. <i>phoxus</i> (M.E. Jones) Barneby	Antisell Three-pod Milkvetch	PH	.	.	Fabaceae
<i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i>	Three-pod Milkvetch	PH	.	.	Fabaceae
<i>Astragalus whitneyi</i> A. Gray var. <i>whitneyi</i>	Whitney Locoweed	PH	.	.	Fabaceae
<i>Athyrium filix-femina</i> var. <i>californicum</i> Butters	Southwestern Lady Fern	PF	FAC	.	Dryopteridaceae
<i>Athyrium filix-femina</i> var. <i>cyclosorum</i> Ruprecht	Northwestern Lady Fern	PF	FAC	.	Dryopteridaceae
<i>Athysanus pusillus</i> (Hook.) Greene	Dwarf Athysanus	AH	.	.	Brassicaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status	Family	
<i>Athysanus unilateralis</i> (M.E. Jones) Jeps.	Ladiestongue Mustard	AH	.		Brassicaceae
<i>Atriplex argentea</i> var. <i>expansa</i> (S. Watson) S.L. Welsh & Reveal	Broad Silverscale	AH	FAC		Chenopodiaceae
<i>Atriplex argentea</i> var. <i>mohavensis</i> M.E. Jones	Mojave Silverscale	AH	FAC		Chenopodiaceae
<i>Atriplex canescens</i> (Pursh) Nuttall ssp. <i>canescens</i>	Fourwing or Hoary Saltbush	S	(FACU)		Chenopodiaceae
<i>Atriplex canescens</i> var. <i>laciniata</i> Parish in W.L. Jepson	Caleb Saltbush	S	(FACU)		Chenopodiaceae
<i>Atriplex coulteri</i> (Moq.) D. Dietr.	Coulter Saltbush	PH	FACU		Chenopodiaceae
<i>Atriplex fruticulosa</i> Jepson	Ball Saltbush	PH	FACW		Chenopodiaceae
<i>Atriplex lentiformis</i> ssp. <i>breweri</i> (S. Watson) H.M. Hall & Clements	Brewer Big Saltbush or Quailbrush	S	FAC		Chenopodiaceae
<i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i>	Big Saltbush, Quailbrush	S	FAC		Chenopodiaceae
<i>Atriplex leucophylla</i> (Moq.) D. Dietr.	Whiteleaf, Beach Saltbush or Seascale	PH	FAC		Chenopodiaceae
<i>Atriplex linearis</i> S. Watson	Narrowleaf Fourwing Saltbush	S	.		Chenopodiaceae
<i>Atriplex micrantha</i> Ledeb. *	Russian Saltbush	AH	.		Chenopodiaceae
<i>Atriplex nummularia</i> Lindl. *	Bluegreen Saltbush	S	.		Chenopodiaceae
<i>Atriplex pacifica</i> Nelson	South Coast Saltbush	AH	FACU		Chenopodiaceae
<i>Atriplex parishii</i> S. Watson var. <i>parishii</i>	<u>Parish Brittlescale</u>	AH	FAC		Chenopodiaceae
<i>Atriplex polycarpa</i> (Torrey) S. Watson	Common Saltbush, Allscale	S	FACU		Chenopodiaceae
<i>Atriplex prostrata</i> Boucher ex de Candolle	Thinleaf Orach	AH	FACW		Chenopodiaceae
<i>Atriplex rosea</i> L. *	Tumbling or Rose or Red Oracle, Redscale	AH	FACU		Chenopodiaceae
<i>Atriplex semibaccata</i> R.Br. *	Australian Saltbush	PH	FAC		Chenopodiaceae
<i>Atriplex serenana</i> var. <i>davidsonii</i> (Standley) Munz	Davidson Bractscale	AH	FAC		Chenopodiaceae
<i>Atriplex serenana</i> Nelson var. <i>serenana</i>	Bractscale	AH	FAC		Chenopodiaceae
<i>Atriplex spinifera</i> J.F. Macbr.	Spiny Saltbush	S	FAC		Chenopodiaceae
<i>Atriplex suberecta</i> I. Verd. *	Australian Annual Saltbush	AH	FACU		Chenopodiaceae
<i>Atriplex vesicaria</i> Heward ex Benth. *	Aboriginal Sagebrush	S	.		Chenopodiaceae
<i>Atriplex watsonii</i> Nelson ex Abrams	Matscale	PH	FACW		Chenopodiaceae
<i>Avena barbata</i> Link. *	Slender Wild Oat	AG	.		Poaceae
<i>Avena fatua</i> L. *	Wild Oat	AG	.		Poaceae
<i>Avena sativa</i> L. *	Cultivated Oat	AG	UPL		Poaceae
<i>Azolla filiculoides</i> Lam.	Duckweed Fern	AF	OBL		Azollaceae
<i>Azolla mexicana</i> C. Presl	Mexican Duckweed Fern	AF	(OBL)		Azollaceae
<i>Baccharis glutinosa</i> Pers.	Marsh Baccharis, Douglas False-willow	S	FACW		Asteraceae
<i>Baccharis malibuensis</i> Beauchamp & Henrickson	Malibu Baccharis	S	(FACW)		Asteraceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i> (DC.) C.G. Wolf	Coyote Brush	S	(FACU)		Asteraceae
<i>Baccharis pilularis</i> de Candolle ssp. <i>pilularis</i> *	Coyote Brush	S	.		Asteraceae
<i>Baccharis plummerae</i> Gray var. <i>plummerae</i>	Plummer Baccharis	S	.		Asteraceae
<i>Baccharis salicifolia</i> (Ruiz Lopez & Pavon) Pers. ssp. <i>salicifolia</i>	Mulefat, Seep-willow, Water-wally	S	FAC		Asteraceae
<i>Baccharis salicina</i> Torrey & A. Gray	Emory Baccharis	S	FACW		Asteraceae
<i>Baccharis sarothroides</i> A. Gray	Broom Baccharis	S	FACU		Asteraceae
<i>Bacopa monnieri</i> (L.) Wettst. *	Water-hyssop	AH	OBL		Plantaginaceae
<i>Bahiopsis laciniata</i> (A. Gray) E.E. Schill.	San Diego County Viguiera	S	.		Asteraceae
<i>Balsamorhiza deltoidea</i> Nuttall	Balsamroot, Chuchupate	PH	.		Asteraceae
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress	BH	FACW		Brassicaceae
<i>Barbarea verna</i> (Mill.) Asch. *	Early Wintercress	AH	?		Brassicaceae
<i>Barbarea vulgaris</i> W.T. Aiton *	Common Wintercress	BH	FAC		Brassicaceae
<i>Bassia hyssopifolia</i> (Pallas) Kuntze *	Five-hook, Smother-Weed	AH	FACU		Chenopodiaceae
<i>Batis maritima</i> L.	Saltwort, Beachwort	S	OBL		Bataceae
<i>Bebbia juncea</i> var. <i>aspera</i> Greene	Rush Sweetbush	S	.		Asteraceae
<i>Bellis perennis</i> L. *	English Daisy	PH	(FACW)		Asteraceae
<i>Berberis aquifolium</i> Pursh var. <i>aquifolium</i> *	Oregon Grape	S	.		Berberidiaceae
<i>Berberis aquifolium</i> Pursh var. <i>repens</i> (Lindl.) Scoggan	Creeping Oregon Grape	S	.		Berberidiaceae
<i>Berberis dictyota</i> Jeps.	Dull-leaf or Jepson Holly-leaved Barberrry	S	.		Berberidiaceae
<i>Berberis nevini</i> A. Gray et al.	Nevin's Barberrry	S	.		Berberidiaceae
<i>Berberis pinnata</i> ssp. <i>insularis</i> Munz	Island Barberrry	S	.		Berberidiaceae
<i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i>	Pinnate-leaved Barberrry	S	.		Berberidiaceae
<i>Bergia texana</i> (Hook.) Seud. ex Walp.	Texas Bergia	A/PH	OBL		Elatinaceae
<i>Berula erecta</i> (Huds.) Coville	Cutleaf Water-parsnip	PH	OBL		Apiaceae
<i>Beta macrocarpa</i> Guss. *	Beet	AH	(FACW)		Chenopodiaceae
<i>Beta vulgaris</i> ssp. <i>maritima</i> (L.) Arcangeli *	Common Beet	PH	(FACU)		Chenopodiaceae
<i>Bidens frondosa</i> L. var. <i>frondosa</i>	Sticktight	AH	FACW		Asteraceae
<i>Bidens laevis</i> (L.) Britton, Sterns & Pogg.	Bur-marigold	A/PH	OBL		Asteraceae
<i>Bidens pilosa</i> L. *	Common Beggar-ticks	AH	FAC		Asteraceae
<i>Bloomeria crocea</i> (Torrey) Cov. ssp. <i>crocea</i>	Goldenstars	PG	.		Themidaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Bloomeria crocea</i> var. <i>montana</i> (E. Greene) Ingram	Mountain Goldenstars	PG	.		Themidaceae
<i>Boechera arcuata</i> (Nutt.) Windham & Al-Shehbaz	Few-flowered Rock Cress	PH	.		Brassicaceae
<i>Boechera breweri</i> (S. Watson) Al-Shehbaz var. <i>breweri</i>	Brewer Rock Cress	PH	.		Brassicaceae
<i>Boechera californica</i> (Rollins) Windham & Al-Shehbaz	California Rockcress	PH	.		Brassicaceae
<i>Boechera perennans</i> (S. Watson) W.A. Weber	Perennial Rockcress	PH	.		Brassicaceae
<i>Boechera platysperma</i> (A. Gray) Al-Shehbaz	Pioneer Rockcress	PH	.		Brassicaceae
<i>Boechera pulchra</i> (M.E. Jones ex S. Watson) W.A. Weber	Desert Rock Cress	PH	.		Brassicaceae
<i>Boechera retrofracta</i> (Graham) A. Löve & D. Löve	Holboell Rock Cress	PH	.		Brassicaceae
<i>Boechera sparsiflora</i> (Nutt.) Dorn	Few-flowered Rock Cress	PH	.		Brassicaceae
<i>Boechera xylopoda</i> Windham & Al-Shehbaz	Desert Rock Cress	PH	.		Brassicaceae
<i>Boerhavia coccinea</i> Mill.	Scarlet Spiderling	PH	.		Nyctaginaceae
<i>Bolboschoenus glaucus</i> (Lam.) S.G. Sm. *	Slender Bulrush	PG	OBL		Cyperaceae
<i>Bolboschoenus maritimus</i> (L.) Palla X <i>Bolboschoenus robustus</i> (Pursh) Soják, Čas. Nár.	Hybrid Saltmarsh Bulrush	PG	OBL		Cyperaceae
<i>Bolboschoenus maritimus</i> var. <i>paludosus</i> (A. Nelson) T. Koyama	Saltmarsh Bulrush	PG	OBL		Cyperaceae
<i>Bolboschoenus robustus</i> (Pursh) Soják, Čas. Nár.	Seashore Bulrush	PG	OBL		Cyperaceae
<i>Bombycilaena californica</i> (Fisch. & C. Meyer) Holub var. <i>californica</i>	Slender Cottonweed	AH	(FACU)		Asteraceae
<i>Borago officinalis</i> L.*	Borage	AH	.		Boraginaceae
<i>Boschniakia strobilacea</i> Gray	California Ground Cone	PH	.		Orobanchaceae
<i>Bothriochloa barbinodis</i> (Lagasca) Herter	Cane Bluestem	PG	UPL		Poaceae
<i>Botrychium simplex</i> E. Hitchc. var. <i>simplex</i>	Least Moonwort, Little Grapefern	PF	FAC		Ophioglossaceae
<i>Bouteloua barbata</i> Lag. var. <i>barbata</i>	Sixweeks Grama	AG	.		Poaceae
<i>Bouteloua gracilis</i> (Kunth) Lag. ex Griffiths	Blue Grama, Eyelash Grama	PG	.		Poaceae
<i>Bowlesia incana</i> Ruiz Lopez & Pavon	Hoary Bowlesia	AH	FACU		Apiaceae
<i>Boykinia occidentalis</i> T. & G.	Santa Lucia Brookfoam	PH	FAC		Saxifragaceae
<i>Boykinia rotundifolia</i> C. Parry	Roundleaved Boykinia	PH	FACW		Saxifragaceae
<i>Brachypodium distachyon</i> (L.) Beauv. *	Short-pediceled Brome	AG	.		Poaceae
<i>Brassica juncea</i> (L.) Czernajew *	Chinese Mustard	AH	FACU		Brassicaceae
<i>Brassica napus</i> L. ssp. <i>napus</i> *	Rapeseed	A/BH	.		Brassicaceae
<i>Brassica nigra</i> (L.) Koch *	Black Mustard	AH	.		Brassicaceae
<i>Brassica oleracea</i> L. var. <i>oleracea</i> *	Cabbage	AH	.		Brassicaceae
<i>Brassica rapa</i> L. var. <i>rapa</i> *	Field Mustard	AH	FACU		Brassicaceae
<i>Brassica tournefortii</i> Gouan *	Mediterranean Mustard	AH	.		Brassicaceae
<i>Brickellia californica</i> (T. & G.) Gray	California Brickellbush	S	FACU		Asteraceae
<i>Brickellia californica</i> (T. & G.) Gray X <i>B. nevinii</i> Gray	California-Nevin Brickellbush Hybrid	S	FACU		Asteraceae
<i>Brickellia longifolia</i> S. Watson var. <i>longifolia</i>	Long-leaved Brickellbush	S	.		Asteraceae
<i>Brickellia nevinii</i> Gray	Nevin Brickellbush	S	.		Asteraceae
<i>Briza minor</i> L. *	Little Quakinggrass	AG	FAC		Poaceae
<i>Brodiaea coronaria</i> (Salisbury) Jepson ssp. <i>coronaria</i>	Crown Brodiaea	PG	FAC		Themidaceae
<i>Brodiaea elegans</i> Hoover ssp. <i>elegans</i>	Elegant Brodiaea	PG	FACU		Themidaceae
<i>Brodiaea jolonensis</i> Eastwood	Dwarf Brodiaea	PG	.		Themidaceae
<i>Brodiaea terrestris</i> ssp. <i>kernensis</i> (Hoover) Niehaus	Harvest Brodiaea	PG	.		Themidaceae
<i>Bromus arenarius</i> Labill. *	Australian Brome	AG	FACU		Poaceae
<i>Bromus arizonicus</i> (Shear) Stebbins	Arizona Brome	AG	.		Poaceae
<i>Bromus berterioanus</i> Colla *	Chilean Chess	PG	.		Poaceae
<i>Bromus carinatus</i> Hooker & Arnott var. <i>carinatus</i>	California Brome	PG	.		Poaceae
<i>Bromus carinatus</i> var. <i>marginatus</i> (Steud.) Barkworth & Anderton	Mountain Brome	PG	.		Poaceae
<i>Bromus catharticus</i> Vahl *	Rescue Grass	AG	.		Poaceae
<i>Bromus ciliatus</i> L.	Fringed Brome	PG	FAC		Poaceae
<i>Bromus diandrus</i> Roth. ssp. <i>diandrus</i> *	Ripgut Grass	AG	(FACU)		Poaceae
<i>Bromus erectus</i> Hudson *	Erect Brome	PG	.		Poaceae
<i>Bromus grandis</i> (Shear) A. Hitchc.	Tall or Grand Brome	PG	.		Poaceae
<i>Bromus hordeaceus</i> ssp. <i>divaricatus</i> (Bonnier & Layens) Kerguelen *	Soft Brome	AG	FACU		Poaceae
<i>Bromus hordeaceus</i> L. ssp. <i>hordeaceus</i> *	Soft Chess	AG	FACU		Poaceae
<i>Bromus inermis</i> Leyss. ssp. <i>inermis</i> *	Smooth Brome	PG	FACU		Poaceae
<i>Bromus laevipes</i> Shear	Woodland Brome	PG	.		Poaceae
<i>Bromus madritensis</i> L. ssp. <i>madritensis</i> *	Madrid Brome, Foxtail Chess	AG	UPL		Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> (L.) Husnot *	Red Brome	AG	UPL		Poaceae
<i>Bromus maritimus</i> (Piper) Hitchcock	Maritime Brome	PG	.		Poaceae
<i>Bromus orcuttianus</i> (Shear) A. Hitchc.	Orcutt Brome	PG	.		Poaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Bromus porteri</i> (J.M. Coult.) Nash	Nodding Brome	PG	.	Poaceae
<i>Bromus pseudolaevipes</i> Wagnon	Woodland Brome	PG	.	Poaceae
<i>Bromus sitchensis</i> Trin. *	<u>Sitka Brome</u>	PG	.	Poaceae
<i>Bromus stamineus</i> Desv. *	South American Brome	PG	.	Poaceae
<i>Bromus sterilis</i> L. *	Poverty Brome	AG	.	Poaceae
<i>Bromus tectorum</i> L. var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.	Poaceae
<i>Bupleurum lancifolium</i> Hornem. *	Lanceleaf Thorow	AH	?	Apiaceae
<i>Caesalpinia gilliesii</i> (Hook.) D. Dietr. *	Bird-of-Paradise	S/T	.	Fabaceae
<i>Caesalpinia spinosa</i> (Molina) Kuntz *	Tara	S	.	Fabaceae
<i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i>	American Searocket	AH	FACU	Brassicaceae
<i>Cakile maritima</i> Scop. ssp. <i>maritima</i> *	European Searocket	AH	FAC	Brassicaceae
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia	AH	.	Montiaceae
<i>Calandrinia menziesii</i> (Hook.) Torr. & A. Gray	Redmaids	AH	FACU	Montiaceae
<i>Calendula arvensis</i> L. *	<u>Field Marigold</u>	AH	.	Asteraceae
<i>Calendula officinalis</i> L. *	Pot Marigold	AH	.	Asteraceae
<i>California macrophylla</i> (H. & A.) Aldas., C. Navarro, P. Vargas, Ll. Saez & Aedo	Largeleaf Filaree	AH	.	Geraniaceae
<i>Callistemon viminalis</i> (Soland. ex Gaertn.) Cheel. *	Weeping Bottle Brush	S	(FAC)	Myrtaceae
<i>Callitriche marginata</i> Torrey	California Water-starwort, Wallow Starwort	PH	OBL	Plantaginaceae
<i>Callitropsis macrocarpa</i> (Hartweg) D.P. Little *	Monterey Cypress	T	.	Cupressaceae
<i>Calocedrus decurrens</i> (Torrey) Florin	Incense Cedar	T	.	Cupressaceae
<i>Calochortus albus</i> Benth	Fairy Lantern, Globe Lily	PG	.	Liliaceae
<i>Calochortus catalinae</i> S. Watson	Catalina Mariposa Lily	PG	.	Liliaceae
<i>Calochortus clavatus</i> S. Watson var. <i>clavatus</i>	Club-haired Mariposa Lily	PG	.	Liliaceae
<i>Calochortus clavatus</i> var. <i>gracilis</i> Ownby	Slender Club-haired Mariposa Lily	PG	.	Liliaceae
<i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz	Pale Yellow Mariposa Lily	PG	.	Liliaceae
<i>Calochortus coeruleus</i> (Kellogg) S. Watson	Beavertail-grass	PG	.	Liliaceae
<i>Calochortus fimbriatus</i> H.P. McDonald	Late-flowering Mariposa Lily	PG	.	Liliaceae
<i>Calochortus invenustus</i> E. Greene	Plain or Blushing Mariposa Lily	PG	.	Liliaceae
<i>Calochortus kennedyi</i> Porter var. <i>kennedyi</i>	Red Mariposa Lily	PG	.	Liliaceae
<i>Calochortus luteus</i> Lindley	Gold Nuggets	PG	.	Liliaceae
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily	PG	FACW	Liliaceae
<i>Calochortus plummerae</i> Greene	Plummer Mariposa Lily	PG	.	Liliaceae
<i>Calochortus rustvoldii</i> Callahan	Rustvold's Mariposa Lily	PG	.	Liliaceae
<i>Calochortus splendens</i> Benth.	Splendid or Lilac Mariposa Lily	PG	.	Liliaceae
<i>Calochortus venustus</i> Benth.	Butterfly Mariposa Lily	PG	.	Liliaceae
<i>Calyptridium monandrum</i> Nuttall	Common Calyptridium, Sand Cress	AH	.	Montiaceae
<i>Calyptridium monospermum</i> Greene	One-seeded Pussy Paws	AH	.	Montiaceae
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium	AH	.	Montiaceae
<i>Calyptridium</i> sp. nova	new Pussypaws	AH	.	Montiaceae
<i>Calyptridium umbellatum</i> (Torrey) Greene	Pussy Paws	AH	.	Montiaceae
<i>Calystegia longipes</i> (S. Watson) Brummitt	Morning-glory	PV	.	Convolvulaceae
<i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt	<u>Island Morning-glory</u>	PV	.	Convolvulaceae
<i>Calystegia macrostegia</i> ssp. <i>cyclostegia</i> (House) Brummitt	Coastal Scrub Morning-glory	PV	.	Convolvulaceae
<i>Calystegia macrostegia</i> ssp. <i>intermedia</i> (Abrams) Brummitt	Intermediate Morning-glory	PV	.	Convolvulaceae
<i>Calystegia macrostegia</i> (E. Greene) Brummitt ssp. <i>macrostegia</i>	Morning-glory	PV	.	Convolvulaceae
<i>Calystegia malacophylla</i> (E. Greene) Munz ssp. <i>malacophylla</i>	Sierra Morning-glory	PV	.	Convolvulaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i> (Jepson) Munz	Sierra Morning-glory	PV	.	Convolvulaceae
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoides</i> (Greene) Munz	Tehachapi Morning-glory	PV	.	Convolvulaceae
<i>Calystegia occidentalis</i> ssp. <i>fulrata</i> (Gray) Brummitt	Western Morning-glory	PV	.	Convolvulaceae
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt	Woolly Western Morning-glory	PV	.	Convolvulaceae
<i>Calystegia peirsonii</i> (Abrams) Brummitt	Peirson's Morning-glory	PV	.	Convolvulaceae
<i>Calystegia purpurata</i> (Greene) Brummitt ssp. <i>purpurata</i>	Purple Morning-glory	PV	.	Convolvulaceae
<i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt	Bingham Morning-glory	PV	FAC	Convolvulaceae
<i>Calystegia soldanella</i> (L.) R.Br.	Beach Morning-glory	PV	.	Convolvulaceae
<i>Camelina microcarpa</i> Andr. *	False Flax	A/BH	FACU	Brassicaceae
<i>Camissonia campestris</i> (E. Greene) Raven cf. ssp. <i>campestris</i>	Mojave Sun-cup	AH	.	Onagraceae
<i>Camissonia campestris</i> ssp. <i>obispoensis</i> Raven	San Luis Obispo Sun-cup	AH	.	Onagraceae
<i>Camissonia contorta</i> (Douglas) P.H. Raven	Contorted Primrose	AH	.	Onagraceae
<i>Camissonia kernensis</i> (Munz) P.H. Raven ssp. <i>kernensis</i>	Kern County Evening Primrose	AH	.	Onagraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Camissonia lacustris</i> P.H. Raven	Lakeside Primrose	AH	.		Onagraceae
<i>Camissonia strigulosa</i> (Fischer & C. Meyer) Raven	Strigose Primrose	AH	.		Onagraceae
<i>Camissoniopsis bistorta</i> (Torr. & A. Gray) W.L. Wagner & Hoch	California or Southern Sun-cups	AH	.		Onagraceae
<i>Camissoniopsis cheiranthifolia</i> (Sprengel) W.L. Wagner & Hoch ssp.	Beach Primrose	PH	.		Onagraceae
<i>Camissoniopsis cheiranthifolia</i> ssp. <i>suffruticosa</i> (S. Watson) W.L. Wagner & Hoch	Beach Primrose	PH	.		Onagraceae
<i>Camissoniopsis confusa</i> (P.H. Raven) W.L. Wagner & Hoch	Confusing Primrose	AH	.		Onagraceae
<i>Camissoniopsis hirtella</i> (E. Greene) W.L. Wagner & Hoch	Small-haired Primrose	AH	.		Onagraceae
<i>Camissoniopsis ignota</i> (Jepson) W.L. Wagner & Hoch	Small Primrose	AH	.		Onagraceae
<i>Camissoniopsis intermedia</i> (P.H. Raven) W.L. Wagner & Hoch	Intermediate Sun Cups	AH	.		Onagraceae
<i>Camissoniopsis luciae</i> (P.H. Raven) W.L. Wagner & Hoch	Santa Lucia Sun-cup	AH	.		Onagraceae
<i>Camissoniopsis micrantha</i> (Sprengel) W.L. Wagner & Hoch	Tiny Primrose	AH	.		Onagraceae
<i>Camissoniopsis pallida</i> (Abrams) W.L. Wagner & Hoch ssp. <i>pallida</i>	Pale Primrose	AH	.		Onagraceae
<i>Cannabis sativa</i> L.	Hemp, Marijuana	PH	FACU		Cannabaceae
<i>Campanula glomerata</i> L. *	Clustered Bellflower	AH	.		Campanulaceae
<i>Campanula rapunculoides</i> L. *	Creeping Bellflower	PH	.		Campanulaceae
<i>Capsella bursa-pastoris</i> (L.) Medikus var. <i>bursa-pastoris</i> *	Shepherd's Purse	AH	FACU		Brassicaceae
<i>Cardamine breweri</i> S. Watson var. <i>breweri</i>	Bitter-cress	PH	FACW		Brassicaceae
<i>Cardamine californica</i> (T. & G.) Greene var. <i>californica</i>	California Milkmaids	AH	.		Brassicaceae
<i>Cardamine oligosperma</i> Torrey & Gray	Few-seeded Bitter-cress	AH	FAC		Brassicaceae
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>	Toothwort	PH	FAC		Brassicaceae
<i>Cardaria chalepensis</i> (L.) Hand.-Mazz. *	Lens-podded Hoary Cress	PH	.		Brassicaceae
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.	Sand Mat	PH	.		Caryophyllaceae
<i>Carduus pycnocephalus</i> L. ssp. <i>pycnocephalus</i> *	Italian Thistle	AH	.		Asteraceae
<i>Carduus tenuiflorus</i> W. Curtis *	Plumeless Thistle	BH	.		Asteraceae
<i>Carex abrupta</i> Mackenzie	Abrupt-beaked Sedge	PG	FAC		Cyperaceae
<i>Carex alma</i> L. Bailey	Sturdy Sedge	PG	OBL		Cyperaceae
<i>Carex athrostachya</i> Olney	Slender-beaked Sedge	PG	FACW		Cyperaceae
<i>Carex aurea</i> Nuttall	Golden-fruited Sedge	PG	OBL		Cyperaceae
<i>Carex barbarae</i> Dewey	Santa Barbara Sedge	PG	FAC		Cyperaceae
<i>Carex bolanderi</i> Olney	Bolander Sedge	PG	FAC(W)		Cyperaceae
<i>Carex brainerdii</i> Mack.	Brainard Sedge	PG	.		Cyperaceae
<i>Carex densa</i> L. Bailey	Dense Sedge	PG	OBL		Cyperaceae
<i>Carex douglasii</i> Boott	Douglas Sedge	PG	FAC		Cyperaceae
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.	Short-grass Sedge	PG	(FACW)		Cyperaceae
<i>Carex fracta</i> Mackenzie	Fragile-sheathed Sedge	PG	FAC		Cyperaceae
<i>Carex globosa</i> Boott	Round-fruited Sedge	PG	.		Cyperaceae
<i>Carex hassei</i> L. Bailey	Hasse Sedge	PG	FACW		Cyperaceae
<i>Carex multicaulis</i> L. Bailey	Many-stemmed Sedge	PG	.		Cyperaceae
<i>Carex nebrascensis</i> Dewey	Nebraska Sedge	PG	OBL		Cyperaceae
<i>Carex pansa</i> L. Bailey	Sand Dune Sedge	PG	FACU		Cyperaceae
<i>Carex pellita</i> Muhl. ex Willd.	Woolly Sedge	PG	OBL		Cyperaceae
<i>Carex praegracilis</i> W. Boott	Clustered Field Sedge	PG	FACW		Cyperaceae
<i>Carex rossii</i> Boott	Ross Sedge	PG	.		Cyperaceae
<i>Carex schottii</i> Dewey	Schott Sedge	PG	OBL		Cyperaceae
<i>Carex senta</i> Boott	Rough Sedge	PG	OBL		Cyperaceae
<i>Carex serratodens</i> W. Boott	Sawtooth Sedge	PG	FACW		Cyperaceae
<i>Carex spissa</i> L. Bailey	San Diego Sedge	PG	FAC		Cyperaceae
<i>Carex subfusca</i> W. Boott	Brown Sedge	PG	FAC		Cyperaceae
<i>Carex triquetra</i> Boott	Triangular-fruited Sedge	PG	.		Cyperaceae
<i>Carex vulpinoidea</i> Michx. *	Brown Fox Sedge	PG	OBL		Cyperaceae
<i>Carpobrotus chilensis</i> (Molina) N.E. Br. *	Sea Fig	PH/S	FACU		Aizoaceae
<i>Carpobrotus edulis</i> (L.) N.E. Br. *	Hottentot Fig	PH/S	(FACU)		Aizoaceae
<i>Carthamus creticus</i> L. *	Smooth Distaff Thistle	AH	.		Asteraceae
<i>Carthamus tinctorius</i> L. *	Safflower	AH	.		Asteraceae
<i>Carya illinoensis</i> K. Koch *	Hickory	T.S	FAC		Juglandaceae
<i>Castilleja affinis</i> Hooker & Arnott ssp. <i>affinis</i>	Lay-and-Collie's Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja angustifolia</i> (Nuttall) G. Don	Desert Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard	Eastwood Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i> (Abrams) Chuang & Heckard	Martin Indian Paintbrush	PH	.		Orobanchaceae
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard	Wavyleaf Indian Paintbrush	PH	.		Orobanchaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard	Valley Tassels	AH	.	.	Orobanchaceae
<i>Castilleja campestris</i> (Benth.) Chuang & Heckard ssp. <i>campestris</i>	Field Owl's Clover	AH	FACW	.	Orobanchaceae
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>	Dense-flowered Owl's Clover	AH	.	.	Orobanchaceae
<i>Castilleja densiflora</i> ssp. <i>gracilis</i> (Benth.) Chuang & Heckard	Slender Dense-flowered Owl's Clover	AH	.	.	Orobanchaceae
<i>Castilleja exserta</i> (A.A. Heller) Chuang & Heckard ssp. <i>exserta</i>	Purple Owl's Clover	AH	.	.	Orobanchaceae
<i>Castilleja foliolosa</i> Hook. & Arn.	Woolly Indian Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja gyroloba</i> Pennell	Oak Flats Indian Paintbrush	PH	(FACU)	.	Orobanchaceae
<i>Castilleja lanata</i> Gray ssp. <i>hololeuca</i> (Greene) Chuang & Heckard	White-felted Indian Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja linariifolia</i> Benth.	Linaria-leaved Indian Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush	PH	FACW	.	Orobanchaceae
<i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i>	Annual Indian Paintbrush	AH	OBL	.	Orobanchaceae
<i>Castilleja minor</i> ssp. <i>spiralis</i> (Jeps.) Chuang & Heckard	Large-flowered Annual Indian Paintbrush	AH	OBL	.	Orobanchaceae
<i>Castilleja mollis</i> Pennell	Soft-leaved Indian Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja plagiotoma</i> A. Gray	Mojave Indian Paintbrush	PH	.	.	Orobanchaceae
	San Francisco Long-leaved Indian				
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja subinclusa</i> E. Greene ssp. <i>subinclusa</i>	Long-leaved or Jepson Indian Paintbrush	PH	.	.	Orobanchaceae
<i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard	Bristle Owl's Clover	AH	FAC	.	Orobanchaceae
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower	AH	.	.	Brassicaceae
<i>Caulanthus anceps</i> Payson	Lemmon Mustard	AH	.	.	Brassicaceae
<i>Caulanthus californicus</i> (S. Watson) Payson	California Jewelflower	AH	.	.	Brassicaceae
<i>Caulanthus coulteri</i> S. Watson var. <i>coulteri</i>	Coulter Jewelflower	AH	.	.	Brassicaceae
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower	AH	.	.	Brassicaceae
<i>Caulanthus inflatus</i> S. Watson	Desert Candle	AH	.	.	Brassicaceae
<i>Caulanthus lasiophyllus</i> (Hooker & Arnott) Payson	California Mustard	AH	.	.	Brassicaceae
<i>Caulanthus lemmonii</i> S. Watson	Lemmon Jewelflower	AH	.	.	Brassicaceae
<i>Ceanothus cordulatus</i> Kellogg	Mountain Whitethorn, Snow Bush	S	.	.	Rhamnaceae
<i>Ceanothus crassifolius</i> Torrey var. <i>crassifolius</i>	Snowball, Hoaryleaf Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus crassifolius</i> var. <i>planus</i> Abrams	Flatleaf Snowball	S	.	.	Rhamnaceae
<i>Ceanothus cuneatus</i> (Hooker) Nuttall ex Torr. & Gray var. <i>cuneatus</i>	Buck Brush, Wedgeleaf Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus cuneatus</i> var. <i>ramulosus</i> Greene	Coast Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus dentatus</i> T. & G.	Dwarf Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus integerrimus</i> Hooker & Arnott var. <i>integerrimus</i>	Deer Brush	S	.	.	Rhamnaceae
<i>Ceanothus integerrimus</i> var. <i>macrothyrsus</i> (Torr.) Benson	Umpqua Deer Brush	S/T	.	.	Rhamnaceae
<i>Ceanothus leucodermis</i> E. Greene	Chaparral Whitethorn	S	.	.	Rhamnaceae
<i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastwood) Munz	Island Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus megacarpus</i> Nuttall var. <i>megacarpus</i>	Bigpod Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus oliganthus</i> Nuttall var. <i>oliganthus</i>	Hoary Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover	Jim Brush	S	.	.	Rhamnaceae
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>	Wartleaf Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus pauciflorus</i> DC.	Few-flowered Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus perplexans</i> Trel.	Mojave Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus spinosus</i> Nuttall	Greabark Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus thrysiflorus</i> Eschsch. ssp. <i>thrysiflorus</i>	Blue Blossom Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus tomentosus</i> var. <i>olivaceus</i> Jepson	Woollyleaf Ceanothus	S	.	.	Rhamnaceae
<i>Ceanothus tomentosus</i> Parry var. <i>tomentosus</i>	Woollyleaf Ceanothus	S	.	.	Rhamnaceae
<i>Celtis reticulata</i> Torrey	Netleaf Hackberry	T.S	FAC	.	Cannabaceae
<i>Cenchrus echinatus</i> L. *	Southern Sandbur	AG	FACU	.	Poaceae
<i>Cenchrus longispinus</i> (Hackel) Fern. *	Mat Sandbur, Burgrass	AG	UPL	.	Poaceae
<i>Cenchrus spinifex</i> Cav.	Coastal Sandbur	PG	.	.	Poaceae
<i>Centaurea benedicta</i> (L.) L. * [<i>Cnicus benedictus</i> L.]	Blessed Thistle	AH	.	.	Asteraceae
<i>Centaurea calcitrapa</i> L.	Red or Purple Star-thistle	A/BH	.	.	Asteraceae
<i>Centaurea cineraria</i> L.	Dusty Miller	PH	.	.	Asteraceae
<i>Centaurea cyanus</i> L.	Bachelor's Button, Cornflower	AH	FACU	.	Asteraceae
<i>Centaurea diluta</i> Aiton *	North African Knapweed	AH	.	.	Asteraceae
<i>Centaurea melitensis</i> L.	Tocalote, Napa Thistle	AH	.	.	Asteraceae
<i>Centaurea solstitialis</i> L.	Yellow Star-thistle	AH	.	.	Asteraceae
<i>Centaurea stoebe</i> ssp. <i>micranthos</i> (Gugler) Hayek	Spotted Knapweed	BH	.	.	Asteraceae
<i>Centranthus ruber</i> (L.) DC.	Red Valerain	PH	.	.	Valerianaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland	
			Indicator	Family
Scientific Name	Common Name	Habit	Status	Family
<i>Centromadia fitchii</i> (A. Gray) E. Greene	Fitch Spikeweed	AH	FACU	Asteraceae
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin	Southern Tarplant	AH	FACW	Asteraceae
<i>Centromadia pungens</i> (Hooker & Arnott) E. Greene ssp. <i>pungens</i>	Common Spikeweed	AH	FAC	Asteraceae
<i>Centrostegia thurberi</i> var. <i>macrotheca</i> (J.T. Howell) Goodman	Thurber Spineflower	AH	.	Polygonaceae
<i>Centrostegia thurberi</i> Gray ex Benth. var. <i>thurberi</i>	Thurber Spineflower	AH	.	Polygonaceae
<i>Cephalanthera austiniiae</i> (A. Gray) Heller	Phantom Orchid	PH	.	Orchidaceae
<i>Cerastium fontanum</i> ssp. <i>vulgare</i> (Hartman) Greuter & Burdet *	Common Chickweed	AH	FACU	Caryophyllaceae
<i>Cerastium glomeratum</i> Thuill. *	Mouse-ear Chickweed	AH	UPL	Caryophyllaceae
<i>Ceratonia siliqua</i> L. *	Carob, St. John's Bread	T	.	Fabaceae
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail	PH	OBL	Ceratophyllaceae
<i>Cercocarpus betuloides</i> Torrey & A. Gray var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae
<i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little	Island Mountain Mahogany	S	.	Rosaceae
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren	Cut-leaved Mountain Mahogany	S	.	Rosaceae
<i>Cercocarpus ledifolius</i> Nuttall var. <i>ledifolius</i>	Mountain Mahogany	S	.	Rosaceae
<i>Chaenactis artemisiifolia</i> (Gray) Gray	White Pincushion	AH	.	Asteraceae
<i>Chaenactis fremontii</i> A. Gray	Desert Pincushion	AH	.	Asteraceae
<i>Chaenactis glabriuscula</i> DC. var. <i>glabriuscula</i>	Common Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall	Different-seeded Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall	Woolly Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray	Big-flowered Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall	Woolly Yellow Pincushion	AH	.	Asteraceae
<i>Chaenactis santolinoides</i> E. Greene	Perennial Pincushion	PH	.	Asteraceae
<i>Chaenactis stevioides</i> Hook. & Arn.	Desert Pincushion	AH	.	Asteraceae
<i>Chaenactis xantiana</i> Gray	Xantus Pincushion	AH	.	Asteraceae
<i>Chamaesyce albomarginata</i> (Torrey & A. Gray) Small	Rattlesnake Spurge	AH	.	Euphorbiaceae
<i>Chamaesyce maculata</i> (L.) Small *	Spotted Spurge	AH	UPL	Euphorbiaceae
<i>Chamaesyce melanadenia</i> (Torrey) Milsp.	Squaw Spurge	PH	.	Euphorbiaceae
<i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl.	Sonoran Spurge	AH	.	Euphorbiaceae
<i>Chamaesyce nutans</i> (Lag.) Small *	Eyebane	AH	FACU	Euphorbiaceae
<i>Chamaesyce ocellata</i> (Durand & Hilg.) Millsp. ssp. <i>ocellata</i>	Littleeye Spurge	AH	.	Euphorbiaceae
<i>Chamaesyce polycarpa</i> var. <i>hirtella</i> (Boiss.) Parish	Hairy Golondrina	PH	.	Euphorbiaceae
<i>Chamaesyce polycarpa</i> (Benth.) Millsp. var. <i>polycarpa</i>	Golondrina	PH	.	Euphorbiaceae
<i>Chamaesyce prostrata</i> (Ait.) Small *	Prostrate Spurge	AH	FACU	Euphorbiaceae
<i>Chamaesyce serpens</i> (H.B.K.) Small *	Matted Sandmat	AH	FACU	Euphorbiaceae
<i>Chamaesyce serpyllifolia</i> (Pers.) Small ssp. <i>serpyllifolia</i>	Thyme-leaved Spurge	AH	.	Euphorbiaceae
<i>Chamaesyce serpyllifolia</i> ssp. <i>hirtula</i> (S. Watson) Koutnik	Hairy Thyme-leaved Spurge	AH	.	Euphorbiaceae
<i>Cheilanthes clevelandii</i> D.C. Eaton.	Cleveland Lip-fern	PF	.	Pteridaceae
<i>Chenopodium album</i> L. *	Lamb's Quarters, Pigweed, White Goosefoot	AH	FACU	Chenopodiaceae
<i>Chenopodium atrovirens</i> Rydb.	Pigweed	AH	.	Chenopodiaceae
<i>Chenopodium berlandieri</i> var. <i>sinuatum</i> (Murr) Wahl	Pitseed Goosefoot	AH	(FAC)	Chenopodiaceae
<i>Chenopodium berlandieri</i> Moq. var. <i>zschackei</i> (Murr) Graebn.	Pitseed Goosefoot	AH	(FAC)	Chenopodiaceae
<i>Chenopodium californicum</i> (S. Watson) S. Watson	California Goosefoot, Soap Plant	PH	.	Chenopodiaceae
<i>Chenopodium chenopodioides</i> (L.) Aellen. *	South American Pigweed, Red Goosefoot	AH	FACW	Chenopodiaceae
<i>Chenopodium desiccatum</i> A. Nelson	Aridland Goosefoot	AH	.	Chenopodiaceae
<i>Chenopodium fremontii</i> S. Watson	Fremont Goosefoot	AH	FACU	Chenopodiaceae
<i>Chenopodium glaucum</i> L. var. <i>salinum</i> (Standley) B. Boivin *	Oakleaf Goosefoot	AH	FAC	Chenopodiaceae
<i>Chenopodium hians</i> Standl.	Masked or Mountain Goosefoot	AH	.	Chenopodiaceae
<i>Chenopodium leptophyllum</i> (Moquin-Tandon) Nuttall ex S. Watson	Narrowleaf Goosefoot	AH	FACU	Chenopodiaceae
<i>Chenopodium littoreum</i> Benet-Pierce & M.G. Simpson	Coastal Goosefoot	AH	.	Chenopodiaceae
<i>Chenopodium macrospermum</i> var. <i>halophilum</i> (Philippi) Standley *	Coast Goosefoot	AH	FACW	Chenopodiaceae
<i>Chenopodium missouriense</i> Aellen *	Missouri Lambsquarters	AH	.	Chenopodiaceae
<i>Chenopodium murale</i> L. *	Nettle-leaved Goosefoot	AH	FACU	Chenopodiaceae
<i>Chenopodium pratericola</i> Rydb.	Narrow-leaved Goosefoot	AH	.	Chenopodiaceae
<i>Chenopodium rubrum</i> var. <i>humile</i> (Hooker) S. Watson	Red Goosefoot	AH	FACW	Chenopodiaceae
<i>Chenopodium rubrum</i> L. var. <i>rubrum</i>	Red Goosefoot	AH	FACW	Chenopodiaceae
<i>Chenopodium strictum</i> Roth ssp. <i>strictum</i> *	Goosefoot	AH	(FACU)	Chenopodiaceae
<i>Chenopodium strictum</i> ssp. <i>glaucophyllum</i> (Aellen.) H.A. Wahl *	Whiteleaf Goosefoot	AH	(FACU)	Chenopodiaceae
<i>Chloris gayana</i> Kunth *	Rhodesgrass	PG	FACU	Poaceae
<i>Chloris virgata</i> Sw. *	Windmillgrass	AG	FACU	Poaceae
<i>Chlorogalum pomeridianum</i> (DC.) Kunth var. <i>pomeridianum</i>	Soap Plant	PG	.	Agavaceae
<i>Chlorophytum comosum</i> (Thunb.) Jacques 'Variegatum' *	Variegated Spider Plant	PG	(FACW)	Agavaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Chloropyron maritimum</i> (Nutt. ex Benth.) ssp. <i>maritimum</i>	Saltmarsh Birds-beak	AH	OBL		Orobanchaceae
<i>Chondrilla juncea</i> L. *	Rush Skeletonweed	PH	.		Asteraceae
<i>Chorispora tenella</i> (Pall.) de Candolle *	Common Blue Mustard	AH	.		Brassicaceae
<i>Chorizanthe blakleyi</i> Hardham	Blakley's Spineflower	AH	.		Polygonaceae
<i>Chorizanthe brevicornu</i> Torr. var. <i>brevicornu</i>	Brittle Spineflower	AH	.		Polygonaceae
<i>Chorizanthe clevelandii</i> C. Parry	Cleveland Spineflower	AH	.		Polygonaceae
<i>Chorizanthe douglasii</i> Benth.	Douglas Spineflower	AH	.		Polygonaceae
<i>Chorizanthe fimbriata</i> Nuttall var. <i>fimbriata</i>	Fringed Spineflower	AH	.		Polygonaceae
<i>Chorizanthe membranacea</i> Benth.	Pink Spineflower	AH	.		Polygonaceae
<i>Chorizanthe obovata</i> Goodman	Obovate Spineflower	AH	.		Polygonaceae
<i>Chorizanthe parryi</i> var. <i>fernandina</i> (S. Watson) Jeps.	San Fernando Valley Spineflower	AH	.		Polygonaceae
<i>Chorizanthe parryi</i> S. Watson var. <i>parryi</i>	Parry Spineflower	AH	.		Polygonaceae
<i>Chorizanthe procumbens</i> Nutt.	Prostrate Spineflower	AH	.		Polygonaceae
<i>Chorizanthe staticoides</i> Bentham	Turkish Rugging, Statice Spineflower	AH	.		Polygonaceae
<i>Chorizanthe uniaristata</i> T. & G.	One-awned Spineflower	AH	.		Polygonaceae
<i>Chorizanthe watsonii</i> T. & G.	Watson Spineflower	AH	.		Polygonaceae
<i>Chorizanthe wheeleri</i> S. Watson	Wheeler Spineflower	AH	.		Polygonaceae
<i>Chorizanthe xanti</i> S. Watson var. <i>xanti</i>	Xantus Spineflower	AH	.		Polygonaceae
<i>Chrysanthemum coronarium</i> L. *	Garland Chrysanthemum, Crown Daisy	AH	.		Asteraceae
<i>Chrysanthemum parthenium</i> Bernh.	Chrysanthemum, Feverfew	PH	.		Asteraceae
<i>Chrysothamnus viscidiflorus</i> (Hook.) Nutt. ssp. <i>viscidiflorus</i>	Yellow Rabbitbrush	S	.		Asteraceae
<i>Chylismia brevipes</i> (A. Gray) Small ssp. <i>brevipes</i>	Yellow Cups	AH	.		Onagraceae
<i>Cichorium intybus</i> L. *	Chicory	PH	.		Asteraceae
<i>Cicuta douglasii</i> (DC.) Coulter & Rose	Western Water-hemlock	PH	OBL		Apiaceae
<i>Cicuta maculata</i> var. <i>bolanderi</i> (S. Watson) G.A. Mulligan	Bolander's Water-hemlock	PH	OBL		Apiaceae
<i>Cirsium arvense</i> (L.) Scop. *	Canada or Creeping Thistle	PH	FACU		Asteraceae
<i>Cirsium brevistylum</i> Cronq.	Indian Thistle	BH	.		Asteraceae
<i>Cirsium occidentale</i> var. <i>californicum</i> (Gray) Keil & C. Turner	California Thistle	BH	.		Asteraceae
<i>Cirsium occidentale</i> (Nuttall) Jepson var. <i>occidentale</i>	Cobweb Thistle	BH	.		Asteraceae
<i>Cirsium occidentale</i> var. <i>venustum</i> (E. Greene) Jepson	Red or Venus Thistle	BH	.		Asteraceae
<i>Cirsium ochrocentrum</i> A. Gray var. <i>ochrocentrum</i> *	Yellowspine Thistle	PH	.		Asteraceae
<i>Cirsium scariosum</i> Nutt. var. <i>citrinum</i> (Petr.) D.J. Keil	Southern Meadow Thistle	BH	FAC		Asteraceae
<i>Cirsium vulgare</i> (Savi) Tenore *	Common or Bull Thistle	BH	FACU		Asteraceae
<i>Cistanthe maritima</i> (Nutt.) Hershk.	Seaside Redmaids	AH	.		Montiaceae
<i>Cistus creticus</i> L. *	Rock-rose	S	.		Cistaceae
<i>Cistus incanus</i> L. *	Hairy Rock-rose	S	.		Cistaceae
<i>Cistus ladanifer</i> L. *	Gum Cistus or Rock-rose	S	.		Cistaceae
<i>Cistus Xpurpureus</i> *	Orchid Rock-rose	S	.		Cistaceae
<i>Citrullus colocynthis</i> var. <i>lanatus</i> (Thumb.) Matsum & Nakai *	Watermelon	AH	UPL		Cucurbitaceae
<i>Cladium californicum</i> (S. Watson) O'Neill	Saw-grass	PH	OBL		Cyperaceae
<i>Clarkia affinis</i> Lewis & Lewis	Hairy Clarkia	AH	.		Onagraceae
<i>Clarkia arcuata</i> (Kellogg) Nelson & J.F. Macbr. *	Glandular Fairyfan	AH	.		Onagraceae
<i>Clarkia bottae</i> (Spach) Lewis & Lewis	Punchbowl Godetia	AH	.		Onagraceae
<i>Clarkia cylindrica</i> ssp. <i>clavicarpa</i> W. Davis	Cylindrical Godetia	AH	.		Onagraceae
<i>Clarkia cylindrica</i> (Jepson) H. Lewis & M. Lewis ssp. <i>cylindrica</i>	Cylindrical Godetia	AH	.		Onagraceae
<i>Clarkia dudleyana</i> (Abrams) J.F. Macbr.	Dudley Godetia	AH	.		Onagraceae
<i>Clarkia epilobioides</i> (Nutt.) A. Nels. & J.F. Macbr.	Willow-herb Godetia	AH	.		Onagraceae
<i>Clarkia heterandra</i> (Torrey) H. Lewis & Raven	California Gaura	AH	.		Onagraceae
<i>Clarkia modesta</i> Jeps.	Modest Clarkia	AH	.		Onagraceae
<i>Clarkia purpurea</i> ssp. <i>quadrivulnera</i> (Douglas) H. Lewis & M. Lewis	Four-spotted Purple Clarkia	AH	.		Onagraceae
<i>Clarkia purpurea</i> ssp. <i>viminea</i> (Douglas) Lewis & Lewis	Large Purple Clarkia	AH	.		Onagraceae
<i>Clarkia rhomboidea</i> Douglas	Rhomboid Clarkia	AH	.		Onagraceae
<i>Clarkia similis</i> Harlan Lewis & Ernst	Copy-cat Clarkia	AH	.		Onagraceae
<i>Clarkia speciosa</i> F.H. Lewis & M.R. Lewis ssp. <i>speciosa</i>	Redspot Clarkia	AH	.		Onagraceae
<i>Clarkia unguiculata</i> Lindley	Elegant Farwell-to-Spring or Clarkia	AH	.		Onagraceae
<i>Clarkia xantiana</i> Gray ssp. <i>xantiana</i>	Xantus Clarkia	AH	.		Onagraceae
<i>Claytonia exigua</i> T. & G. ssp. <i>exigua</i>	Small Miner's Lettuce	AH	.		Montiaceae
<i>Claytonia parviflora</i> Hook. ssp. <i>parviflora</i>	Small-flowered Miner's Lettuce	AH	FACU		Montiaceae
<i>Claytonia parviflora</i> ssp. <i>viridis</i> (Davidson) J.M. Miller & Chambers	Small-flowered Miner's Lettuce	AH	FACU		Montiaceae
<i>Claytonia perfoliata</i> ssp. <i>intermontana</i> J.M. Miller & K.L. Chambers	Great Basin Miner's Lettuce	AH	FAC		Montiaceae
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i> (Rydb.) J.M. Miller & Chambers	Miner's Lettuce	AH	FAC		Montiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Claytonia perfoliata</i> Donn ex Willd. ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC		Montiaceae
<i>Claytonia rubra</i> (J.T. Howell) Tidestrom ssp. <i>rubra</i>	Red Miner's Lettuce	AH	.		Montiaceae
<i>Clematis lasiantha</i> Nuttall	Pipestem Clematis	PV	.		Ranunculaceae
<i>Clematis ligusticifolia</i> Nuttall	Virgin's Bower, Old Man's Beard	PV	FAC		Ranunculaceae
<i>Clematis pauciflora</i> Nuttall	Ropevine	PV	.		Ranunculaceae
<i>Clinopodium douglasii</i> (Benth.) Kuntze	Yerba Buena	PH	FACU		Lamiaceae
<i>Clinopodium mimuloides</i> Kuntze	Monkeyflower Yerba Buena	PH/S	.		Lamiaceae
<i>Collinsia bartsifolia</i> var. <i> davidsonii</i> (Parish) V. Newsom	Davidson White Chinese Houses	AH	.		Plantaginaceae
<i>Collinsia callosa</i> Parish	Large-fruited Blue-eyed Mary	AH	.		Plantaginaceae
<i>Collinsia childii</i> A. Gray	Child Blue-eyed Mary	AH	.		Plantaginaceae
<i>Collinsia heterophylla</i> Buist var. <i>heterophylla</i>	Chinese Houses	AH	.		Plantaginaceae
<i>Collinsia parryi</i> A. Gray	Pary Blue-eyed Mary	AH	.		Plantaginaceae
<i>Collinsia parviflora</i> Lindley	Blue-eyed Mary, Blue Lips	AH	.		Plantaginaceae
<i>Collinsia torreyi</i> var. <i>wrightii</i> (S. Watson) I.M. Johnston	Wright Blue-eyed Mary	AH	.		Plantaginaceae
<i>Collomia grandiflora</i> Lindley	Large-flowered Collomia	AH	.		Polemoniaceae
<i>Collomia linearis</i> Nuttall	Narrow-leaved Collomia	AH	FACU		Polemoniaceae
<i>Collomia tinctoria</i> Kellogg	Yellow-staining Collomia	AH	.		Polemoniaceae
<i>Comarostaphylis diversifolia</i> ssp. <i>planifolia</i> (Jeps.) G.D. Wallace	Simpleleaf Summer Holly	S	.		Ericaceae
<i>Conioselinum pacificum</i> (S. Watson) J. Coulter & Rose	Pacific Hemlockparsley	PH	FAC		Apiaceae
<i>Conium maculatum</i> L. *	Poison Hemlock	BH	FACW		Apiaceae
<i>Conringia orientalis</i> (L.) Dumortier *	Rabbit's-ear, Treacle Mustard	AH	.		Brassicaceae
<i>Consolida ajacis</i> (L.) Schur *	Doubtful Knight's-spur	AH	.		Ranunculaceae
<i>Convolvulus arvensis</i> L. *	Bindweed	PV	.		Convolvulaceae
<i>Convolvulus simulans</i> Perry	Small-flowered Morning-glory	AV	.		Convolvulaceae
<i>Conyza bonariensis</i> (L.) Cronq. *	Flax-leaved Fleabane, South American	AH	FACU		Asteraceae
<i>Conyza canadensis</i> (L.) Cronq.	Horseweed	AH	FACU		Asteraceae
<i>Corallorhiza maculata</i> (Raf.) Raf. var. <i>maculata</i>	Spotted Coral Root	PH	UPL		Orchidaceae
<i>Cordylanthus nevinii</i> A. Gray	Nevin Bird's-Beak	AH	.		Orobanchaceae
<i>Cordylanthus rigidus</i> (Benth.) Jepson ssp. <i>rigidus</i>	Rigid Birds-beak	AH	.		Orobanchaceae
<i>Cordylanthus rigidus</i> ssp. <i>setigerus</i> Chuang & Heckard	Dark-tipped Rigid Bird's-Beak	AH	.		Orobanchaceae
<i>Coreopsis lanceolata</i> var. <i>villosa</i> Michx. *	Woolly Lanceleaf Stickleaf	PH	FACU		Asteraceae
<i>Corethrogyne filaginifolia</i> (Hook. & Arn.) Nutt. var. <i>filaginifolia</i>	California Cudweed-aster	PH	.		Asteraceae
<i>Coriandrum sativum</i> L. *	Coriandra, Cilantro	AH	.		Apiaceae
<i>Cornus glabrata</i> Bentham	Brown Dogwood	S	FACW		Cornaceae
<i>Cornus nuttallii</i> Audubon	Mountain Dogwood	T	FACU		Cornaceae
<i>Cornus sericea</i> ssp. <i>occidentalis</i> (Torrey & Gray) Fosberg	Western American Dogwood	S	.		Cornaceae
<i>Cornus sericea</i> L. ssp. <i>sericea</i>	American or Creek Dogwood	S	.		Cornaceae
<i>Cortaderia jubata</i> (Lemoine) Stapf *	Andean Pampas Grass	PG	FACU		Poaceae
<i>Cortaderia selloana</i> (Schultes) Aschers. & Graegner *	Pampas Grass	PG	FACU		Poaceae
<i>Cosmos bipinnatus</i> Cav. *	Garden Cosmos	AH	FACW		Asteraceae
<i>Cotoneaster pannosus</i> Franchet *	Cotoneaster	S	.		Rosaceae
<i>Cotula australis</i> (Sieber) Hooker f. *	Australian Brass-buttons	AH	FAC		Asteraceae
<i>Cotula coronopifolia</i> L. *	African Brass-buttons	AH	OBL		Asteraceae
<i>Cotyledon orbiculata</i> var. <i>oblonga</i> (Haw.) DC. *	Pig's Ear	S	.		Crassulaceae
<i>Crassula aquatica</i> (L.) Schönl.	Water Pigmy-Weed	AH	OBL		Crassulaceae
<i>Crassula connata</i> (Ruiz, Lopez & Pavon) A. Berger	Pygmy [Sand-]Weed	AH	FAC		Crassulaceae
<i>Crassula solieri</i> (C. Gay) F. Meigen *	Solier Vernal Pool Water Pygmy-weed	AH	OBL		Crassulaceae
<i>Crassula tillea</i> Lester-Garl. *	Water Pygmy-Weed	AH	FACU		Crassulaceae
<i>Crepis acuminata</i> Nuttall	Long-leaved Hawksbeard	PH	.		Asteraceae
<i>Crepis capillaris</i> (L.) Wallr. *	Smooth Hawksbeard	AH	FACU		Asteraceae
<i>Crepis occidentalis</i> Nuttall ssp. <i>occidentalis</i>	Western Hawksbeard	PH	.		Asteraceae
<i>Crepis occidentalis</i> ssp. <i>pumila</i> (Rydb.) Babcock & Stebbins	Western Hawksbeard	PH	.		Asteraceae
<i>Crepis setosa</i> Haller f. *	Bristly Hawksbeard	AH	.		Asteraceae
<i>Crepis vesicaria</i> ssp. <i>taraxicifolia</i> (Thuill.) Thell. *	Dandelion or Weedy Hawksbeard	AH	.		Asteraceae
<i>Cressa truxillensis</i> Kunth	Spreading Alkali-Weed	PH	FACW		Convolvulaceae
<i>Crocotanthemum scoparium</i> (Nutt.) Millsp.	Peak Rushrose	S	.		Cistaceae
<i>Croton californicus</i> Muell. Arg. var. <i>californicus</i>	California Croton	PH	.		Euphorbiaceae
<i>Crypsis schoenoides</i> (L.) Lam. *	Swamp Grass	AG	OBL		Poaceae
<i>Crypsis vaginiflora</i> (Forsskal) Opiz *	Prickle Grass	AG	OBL		Poaceae
<i>Cryptantha affinis</i> (A. Gray) E. Greene	Side-groved Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha barbiger</i> (A. Gray) E. Greene var. <i>barbiger</i>	Bearded Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha clevelandii</i> E. Greene var. <i>clevelandii</i>	Cleveland Forget-Me-Not	AH	.		Boraginaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Cryptantha clevelandii</i> var. <i>florosa</i> I.M. Johnston	Coastal Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha decipiens</i> (M.E. Jones) A.A.Heller	Gravel Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha echinella</i> E. Greene	Prickly Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha flaccida</i> (Lehm.) E. Greene	Flaccid Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha humilis</i> (A. Gray) Payson	Low Forget-Me-Not	PH	.		Boraginaceae
<i>Cryptantha intermedia</i> (A. Gray) E. Greene var. <i>intermedia</i>	Common Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha juniperensis</i> R.B. Kelley & M.G. Simpson	Rigid Nevada Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha leiocarpa</i> (Fischer & C. Meyer) E. Greene	Coast Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha maritima</i> (Greene) Greene	Seaside Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha microstachys</i> (A. Gray) E. Greene	Tejon Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha muricata</i> var. <i>denticulata</i> (Greene) I.M. Johnst.	Prickly-nut Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha muricata</i> var. <i>jonesii</i> (A. Gray) I.M. Johnston	Jones Prickly Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha muricata</i> (Hooker & Arnott) Nelson & Macbr. var. <i>muricata</i>	Showy Prickly Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha nemaclada</i> E. Greene	Colusa Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy var. <i>nevadensis</i>	Nevada Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha oxygona</i> (A. Gray) E. Greene	Sharp-not Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha pterocarya</i> (Torr.) E. Greene var. <i>pterocarya</i>	Wing-nut Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha rattanii</i> E. Greene	Rattan's Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha simulans</i> E. Greene	Pine Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha sparsiflora</i> (E. Greene) E. Greene	Few-flowered Forget-Me-Not	AH	.		Boraginaceae
<i>Cryptantha torreyana</i> (A. Gray) E. Greene var. <i>torreyana</i>	Torrey Forget-Me-Knot	AH	.		Boraginaceae
<u><i>Cryptantha traskiae</i> I.M. Johnston</u>	<u>Trask Forget-Me-Not</u>	AH	.		Boraginaceae
<i>Cucumis melo</i> var. <i>dudaim</i> (L.) Naudin *	Cantaloupe	AH	.		Cucurbitaceae
<i>Cucumis melo</i> L. var. <i>melo</i> *	Muskmelon, Cantaloupe	AH	.		Cucurbitaceae
<i>Cucumis myriocarpus</i> E. Mey. ex Naud. *	Gooseberry Gourd	AV	.		Cucurbitaceae
<i>Cucurbita ficifolia</i> Bouché *	Figleaf Gourd	PV	.		Cucurbitaceae
<i>Cucurbita foetidissima</i> Kunth	Calabazilla	PV	.		Cucurbitaceae
<i>Cucurbita palmata</i> S. Watson	Coyote Melon	PV	.		Cucurbitaceae
<i>Cucurbita pepo</i> L. var. <i>pepo</i> *	Field Pumpkin	AV	.		Cucurbitaceae
<i>Cuscuta californica</i> var. <i>breviflora</i> Engelm.	Short-flowered California Dodder	AV	.		Convolvulaceae
<i>Cuscuta californica</i> Hooker & Arnott var. <i>californica</i>	California Dodder	AV	.		Convolvulaceae
<i>Cuscuta californica</i> var. <i>papillosa</i> Yuncker	Papillose California Dodder	AV	.		Convolvulaceae
<i>Cuscuta campestris</i> Yuncker	Western Field Dodder	AV	.		Convolvulaceae
<i>Cuscuta denticulata</i> Engelm.	Desert dodder	AV	.		Convolvulaceae
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>	Pretty Dodder	AV	.		Convolvulaceae
<i>Cuscuta indecora</i> var. <i>neuropetala</i> (Engelmann) Hitchc.	Pretty Dodder	AV	.		Convolvulaceae
<i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i>	Pacific Saltmarsh Dodder	AV	(OBL)		Convolvulaceae
<i>Cuscuta salina</i> Engelm. in W.H. Brewer, S. Watson, & A. Gray	Saltmarsh Dodder	AV	(FACW)		Convolvulaceae
<i>Cuscuta subinclusa</i> Durand & Hilg.	Canyon Dodder	AV	.		Convolvulaceae
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz	Elegant Cycladenia	PH	.		Apocynaceae
<i>Cycloloma atriplicifolium</i> (Spreng.) J.M. Coult *	Saltbush Cycloloma	AH	FACU		Chenopodiaceae
<i>Cyclosporum leptophyllum</i> (Pers.) Britton & P. Wilson *	Fineleaf Celery	AH	.		Apiaceae
<i>Cylindropuntia californica</i> (Torr. & A. Gray) F.M. Knuth var. <i>californica</i>	Snake Cholla	S	.		Cactaceae
<i>Cylindropuntia californica</i> var. <i>parkeri</i> (J.M. Coulter) Pinkava	Cane or Snake Cholla	S	.		Cactaceae
<i>Cylindropuntia prolifera</i> (Engelm.) F.M. Knuth in C. Backeberge & F.M.	Coastal Cholla	S	.		Cactaceae
<i>Cynara cardunculus</i> L. ssp. <i>cardunculus</i> *	Cardoon, Thistle Artichoke	PH	.		Asteraceae
<i>Cynara cardunculus</i> subsp. <i>flavescens</i> Wiklund *	Cardoon, Thistle Artichoke	PH	.		Asteraceae
<i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i> *	Bermuda Grass	PG	FACU		Poaceae
<i>Cynosurus cristatus</i> L. *	Crested Dogtail	PG	FACU		Poaceae
<i>Cynosurus echinatus</i> L. *	Hedgehog Dogtail	AG	.		Poaceae
<i>Cyperus acuminatus</i> Torrey & Hooker	Short-pointed Umbrella-sedge	AG	OBL		Cyperaceae
<i>Cyperus eragrostis</i> Lam.	Umbrella-sedge	PG	FACW		Cyperaceae
<i>Cyperus erythrorhizos</i> Muhlenb.	Red-root Flatsedge	AG	OBL		Cyperaceae
<i>Cyperus esculentus</i> var. <i>leptostachyus</i> Boeckeler	Yellow Nutgrass, Chufa	PG	FACW		Cyperaceae
<i>Cyperus involvatus</i> Rottb. *	Alternate-leaf Flatsedge	PG	FACW		Cyperaceae
<i>Cyperus laevigatus</i> L.	Smooth Flatsedge	PG	FACW		Cyperaceae
<i>Cyperus niger</i> Ruiz Lopez & Pavon	Black Flatsedge	PG	FACW		Cyperaceae
<i>Cyperus odoratus</i> L.	Flatsedge	AG	FACW		Cyperaceae
<i>Cyperus rotundus</i> L. *	Purple Nutsedge	PG	FAC		Cyperaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Cyperus squarrosus</i> L.	Awned Flatsedge	PG	OBL	Cyperaceae
<i>Cyperus strigosus</i> L.	False Nutsedge	PG	FACW	Cyperaceae
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern	PF	FACU	Dryopteridaceae
<i>Cytisus scoparius</i> (L.) Link	Scotch Broom	S	.	Fabaceae
<i>Cytisus striatus</i> (Hill) Rothm. *	Portuguese Broom	S	.	Fabaceae
<i>Dactylis glomerata</i> L. *	Orchard Grass	PH	FACU	Poaceae
<i>Dactyloctenium aegyptium</i> (L.) Beauv. *	Crowfoot Grass	AG	.	Poaceae
<i>Danthonia unispicata</i> (Thurb.) Vasey	One-spike Oat Grass	PG	.	Poaceae
<i>Datisca glomerata</i> (C. Presl) Baillon	Durango Root	PH	FACW	Datisceae
<i>Datura stramonium</i> L. *	Jimson Weed	AH	.	Solanaceae
<i>Datura wrightii</i> Regel	Jimson Weed	AH	UPL	Solanaceae
<i>Daucus carota</i> L. *	Carrot, Queen Ann's Lace	AH	UPL	Apiaceae
<i>Daucus pusillus</i> Michaux	Southwestern Carrot, Yerba de la Vibora	AH	.	Apiaceae
<i>Deinandra clementina</i> (Brandege) B.G. Baldwin	Island or Catalina Tarplant	S	.	Asteraceae
<i>Deinandra fasciculata</i> (DC.) E. Greene	Fascicled Tarplant	AH	FACU	Asteraceae
<i>Deinandra kelloggii</i> (E. Greene) E. Greene	Kellogg Tarplant	AH	.	Asteraceae
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin	Santa Susana Tarplant	S	.	Asteraceae
<i>Deinandra paniculata</i> (A. Gray) Davidson & Moxley	Paniculate Tarplant	AH	FACU	Asteraceae
<i>Delosperma ecklonis</i> (Salm-Dyck) Schwantes var. <i>ecklonis</i> *	Bright Eyes Iceplant	S	.	Aizoaceae
<i>Delosperma litorale</i> (Kensit) L. Bolus *	Seaside Delosperma	S	FACU	Aizoaceae
<i>Delphinium cardinale</i> Hooker	Scarlet or Cardinal Larkspur	PH	.	Ranunculaceae
<i>Delphinium gracilentum</i> Greene	Coast Larkspur	PH	.	Ranunculaceae
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>	Gypsum Larkspur	PH	.	Ranunculaceae
<i>Delphinium hesperium</i> A. Gray ssp. <i>hesperium</i>	Western Larkspur	PH	FAC	Ranunculaceae
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling	Unexpected Larkspur	PH	.	Ranunculaceae
<i>Delphinium parishii</i> ssp. <i>pallidum</i> (Munz) M.J. Warnock	Pale-flowered Larkspur	PH	.	Ranunculaceae
<i>Delphinium parishii</i> A. Gray ssp. <i>parishii</i>	Parish's Larkspur	PH	.	Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling	Dune Larkspur	PH	.	Ranunculaceae
<i>Delphinium parryi</i> A. Gary ssp. <i>parryi</i>	Parry Larkspur	PH	.	Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>maritimum</i> (Davidson) M.J. Warnock	Maritime Larkspur	PH	.	Ranunculaceae
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur	PH	.	Ranunculaceae
<i>Delphinium patens</i> ssp. <i>hepaticoideum</i> Ewan	Spreading Larkspur	PH	.	Ranunculaceae
<i>Delphinium patens</i> ssp. <i>montanum</i> (Munz) Ewan	Mountain Spreading Larkspur	PH	.	Ranunculaceae
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling	Umbrella Larkspur	PH	.	Ranunculaceae
<i>Dendromecon rigida</i> Benthams ssp. <i>rigida</i>	Bush Poppy	S	.	Papaveraceae
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i>	Tufted Hairgrass	PG	FACW	Poaceae
<i>Deschampsia danthanooides</i> (Trin.) Munro ex Benthams	Annual Hairgrass	AG	FACW	Poaceae
<i>Deschampsia elongata</i> (Hooker) Benthams	Slender Hairgrass	PG	FACW	Poaceae
<i>Descurainia adenophora</i> (Wooton & Standley) O.E. Schulz in H.G.A. Engler	Desert Tansy Mustard	BH	FACU	Brassicaceae
<i>Descurainia californica</i> (A. Gray) O.E. Schulz	California Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia incisa</i> (A. Gray) Britton ssp. <i>incisa</i>	Richardson Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>brachycarpa</i> (Richardson) Detling	Short-pod Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detling	Naked Western Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>halictorum</i> (Cockerell) Detl.	Western Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl.	Menzies Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia pinnata</i> ssp. <i>ochroleuca</i> (Wooton) Detling	Yellow Tansy Mustard	AH	.	Brassicaceae
<i>Descurainia sophia</i> (L.) Webb *	Tansy Mustard	AH	.	Brassicaceae
<i>Dianthus plumarius</i> L. ssp. <i>plumarius</i> *	Feathered Pink	AH	.	Caryophyllaceae
<i>Dicentra pauciflora</i> S. Watson	Few-flowered Bleeding Heart	PH	.	Fumariaceae
<i>Dichanthelium acuminatum</i> ssp. <i>fasciculatum</i> (Torr.) Freckmann & Lelong	Hairy Panicgrass	PG	FAC	Poaceae
<i>Dichelostemma capitatum</i> Alph. Wood ssp. <i>capitatum</i>	Blue Dicks	PG	FACU	Themidaceae
<i>Dichelostemma congestum</i> (Sm.) Kunth	Ookow	PG	.	Themidaceae
<i>Dichondra micrantha</i> Urb. *	Dichondra	PH	.	Convolvulaceae
<i>Dichondra occidentalis</i> House	Western Dichondra	PH	.	Convolvulaceae
<i>Dieteria canescens</i> (Pursh) Torr. var. <i>canescens</i>	Hoary-Aster	BH	.	Asteraceae
<i>Dieteria canescens</i> var. <i>leucanthemifolia</i> (Greene) D.R. Morgan & R.L. Hartm.	Whiteleaf Hoary-Aster	BH	.	Asteraceae
<i>Dieteria canescens</i> var. <i>shastensis</i> (A. Gray) D.R. Morgan & R.L. Hartm.	Shasta Hoary-Aster	BH	.	Asteraceae
<i>Digitaria ciliaris</i> (Retz.) Koeler var. <i>ciliaris</i> *	Southern Crabgrass	AG	FACU	Poaceae
<i>Digitaria ischaemum</i> (Schreber) Muhlenberg *	Smooth Crabgrass	PG	FACU	Poaceae
<i>Digitaria sanguinalis</i> (L.) Scop. *	Hairy Crabgrass	PG	FACU	Poaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Dimorphotheca ecklonis</i> DC. *	Blue & White Daisybush	S	.		Asteraceae
<i>Dimorphotheca fruticosa</i> (L.) DC. *	Trailing African Daisy	S	.		Asteraceae
<i>Dimorphotheca sinuata</i> DC. *	Cape-Marigold, African Daisy	AH	.		Asteraceae
<i>Diplacus bigelovii</i> (Gray) Nesom var. <i>bigelovii</i>	Bigelow Monkeyflower	AH	.		Phrymaceae
<i>Diplacus bolanderi</i> (A. Gray) Nesom	Bolander Monkeyflower	AH	.		Phrymaceae
<i>Diplacus brevipes</i> (Benth.) Nesom	Short or Wide-throat Monkeyflower	AH	.		Phrymaceae
<i>Diplacus calycinus</i> Eastw.	Fuzzy Bush Monkeyflower	S	.		Phrymaceae
<i>Diplacus congdonii</i> (B.L. Robinson) Nesom	Congdon Monkeyflower	AH	FAC		Phrymaceae
<i>Diplacus constrictus</i> (A.L. Grant) Nesom	Narrow-throated Monkeyflower	AH	.		Phrymaceae
<i>Diplacus constrictus</i> (A.L. Grant) Nesom X <i>Diplacus johnstonii</i> (A.L. Grant) Nesom	Hybrid Narrow-throated Monkeyflower	AH	.		Phrymaceae
<i>Diplacus fremontii</i> (Benth.) Nesom var. <i>fremontii</i>	Fremont Monkeyflower	AH	.		Phrymaceae
<i>Diplacus johnstonii</i> (A.L. Grant) Nesom	Johnston Monkeyflower	AH	.		Phrymaceae
<i>Diplacus longiflorus</i> (Nuttall) A. Grant var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	FACU		Phrymaceae
<i>Diplacus parviflorus</i> Greene	Bush Monkeyflower	S	FACU		Phrymaceae
<i>Diplacus puniceus</i> Nuttall [<i>Mimulus</i> p.]	Red Bush Monkeyflower	S	.		Phrymaceae
<i>Diplacus rattanii</i> (A. Gray) Nesom	Rattan's Monkeyflower	AH	.		Phrymaceae
<i>Diplacus rutilus</i> (A. Grant) McMinn	Red Sticky Bush Monkeyflower	S	.		Phrymaceae
<i>Diploxys muralis</i> (L.) de Candolle *	Wall-mustard	A/PH	.		Brassicaceae
<i>Disphyma crassifolium</i> (L.) L. Bolus *	Iceplant	PH	.		Aizoaceae
<i>Distichlis littoralis</i> (Engelm.) H.L. Bell & Columbus	Shoregrass	PG	OBL		Poaceae
<i>Distichlis spicata</i> (L.) E. Greene	Saltgrass	PG	FAC		Poaceae
<i>Dithyrea maritima</i> (A. Davids.) Davidson	Beach Spectacle-pod	PH	.		Brassicaceae
<i>Dittrichia graveolens</i> (L.) W. Greuter *	Stinkwort	AH	.		Asteraceae
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene	Alpine Shooting Star	PH	FACU		Primulaceae
<i>Dolichandra unguis-cati</i> (L.) Miers *	Cats Claw Creeper	PV	?		Bignoniaceae
<i>Downingia bella</i> Hoover	Hoover Downingia	AH	OBL		Lobeliaceae
<i>Downingia pulchella</i> (Lindl.) Torrey	Flat-face Downingia	AH	OBL		Lobeliaceae
<i>Draba cuneifolia</i> T. & G. var. <i>cuneifolia</i>	Wedgeleaf Draba	AH	.		Brassicaceae
<i>Draba verna</i> L.	Vernal Whitlow-grass	AH	.		Brassicaceae
<i>Drosanthemum floribundum</i> (Haw.) Schwantes *	Dew Flower Iceplant	PH	.		Aizoaceae
<i>Drymocallis glandulosa</i> (Lindley) Rydberg var. <i>glandulosa</i>	Sticky Cinquifol	PH	FAC		Rosaceae
<i>Drymocallis glandulosa</i> var. <i>reflexa</i> (E. Greene) Erter	Greene Cinquifol	PH	FAC		Rosaceae
<i>Drymocallis glandulosa</i> var. <i>viscida</i> (Parish) Erter	Sticky Cinquifol	PH	FAC		Rosaceae
<i>Drymocallis glandulosa</i> var. <i>wrangelliana</i> (Fisch. & Avé-Lall.) Erter	Wrangell's Cinquifol	PH	FAC		Rosaceae
<i>Drymocallis lactea</i> (Greene) Rydb. var. <i>lactea</i>	Sierra Nevada Sticky Cinquifol	PH	FAC		Rosaceae
<i>Dryopteris arguta</i> (Kaulfuss) Maxon	Golpe	PF	.		Dryopteridaceae
<i>Dudleya abramsii</i> ssp. <i>parva</i> (Rose & Davids.) J. Bartel	Conejo Live-forever	PH	.		Crassulaceae
<i>Dudleya arizonica</i> Rose	Chalky Live-forever	PH	.		Crassulaceae
<i>Dudleya blochmaniae</i> (Eastw.) Moran ssp. <i>blochmaniae</i>	Blochman Live-forever	PH	.		Crassulaceae
<i>Dudleya caespitosa</i> (Haw.) Britt. & Rose	Sea Lettuce	PH	.		Crassulaceae
<i>Dudleya cymosa</i> ssp. <i>agourensis</i> K. Nakai	Agoura Hills Live-forever	PH	.		Crassulaceae
<i>Dudleya cymosa</i> (Lem.) Britton & Rose ssp. <i>cymosa</i>	Canyon Live-forever	PH	.		Crassulaceae
<i>Dudleya cymosa</i> ssp. <i>marcescens</i> Moran	Marcescent Live-forever	PH	.		Crassulaceae
<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> (Britt.) Moran	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae
<i>Dudleya cymosa</i> ssp. <i>pumila</i> (Rose) K. Nakai	Santa Monica Mtns. Live-forever	PH	.		Crassulaceae
<i>Dudleya farinosa</i> (Lindl.) Britton & Rose	Farinose Live-forever	PH	.		Crassulaceae
<i>Dudleya lanceolata</i> (Nuttall) Britton & Rose	Lanceleaf Live-forever, Rock Lettuce	PH	.		Crassulaceae
<i>Dudleya pulverulenta</i> (Nuttall) Britton ssp. <i>pulverulenta</i>	Chalky Live-forever	PH	.		Crassulaceae
<i>Dudleya verityi</i> N. Nakai	Verity Live-forever	PH	.		Crassulaceae
<i>Dudleya virens</i> ssp. <i>insularis</i> (Rose) Moran	Island Green Live-forever	PH	.		Crassulaceae
<i>Dudleya virens</i> (Rose) Moran ssp. <i>virens</i>	Bright Green Live-forever	PH	.		Crassulaceae
<i>Dysphania ambrosioides</i> (L.) Mosykin & Clemants	Mexican Tea	PH	FAC		Chenopodiaceae
<i>Dysphania botrys</i> (L.) Mosykin & Clemants *	Jerusalem Oak, Feather Geranium	AH	FACU		Chenopodiaceae
<i>Dysphania multifida</i> (L.) Mosyakin & Clemants *	Cut-leaf Goosefoot	AH	.		Chenopodiaceae
<i>Dysphania pumilio</i> (R. Br.) Mosyakin & Clemants *	Tasmanian Goosefoot	AH	.		Chenopodiaceae
<i>Eastwoodia elegans</i> Brandege	Yellow Mock Aster	S	.		Asteraceae
<i>Echinochloa colona</i> (L.) Link *	Awnless Barnyard Grass	AG	FAC		Poaceae
<i>Echinochloa crus-galli</i> (Kunth) Schultes var. <i>crus-galli</i> *	Barnyard Grass	AG	FACW		Poaceae
<i>Echinochloa crus-galli</i> (L.) P. Beauv. var. <i>crus-pavonis</i>	Barnyard Grass	AG/BG	FACW		Poaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Echinochloa esculenta</i> (A. Braun) H. Scholz *	Japanese Millet	AG	UPL	Poaceae	
<i>Echinochloa muricata</i> var. <i>microstachya</i> Wiegand	Small-flowered Barnyard Grass	AG	FACW	Poaceae	
<i>Echinochloa oryzoides</i> (Ard.) Fritsch	Rice Barnyard Grass	AH	OBL	Poaceae	
<i>Echinodorus berteroi</i> (Spreng.) Fassett	Bur Head	AG	OBL	Alismataceae	
<i>Echium candicans</i> L.f. *	Pride-of-Madeira	S	.	Boraginaceae	
<i>Echium plantagineum</i> L. *	Salvation Jane, Patterson's Curse	S	.	Boraginaceae	
<i>Eclipta prostrata</i> (L.) L.	False Daisy	AH	FAC	Asteraceae	
<i>Ehrendorferia chrysantha</i> (Hooker & Arnott) Rylander	Golden Eardrops	PH	.	Fumariaceae	
<i>Ehrendorferia ochroleuca</i> (Engelm.) Fukuhara	White Eardrops, Yellow Dicentra	PH	.	Fumariaceae	
<i>Ehrharta calycina</i> Sm. *	Perennial Veldtgrass	PG	.	Poaceae	
<i>Ehrharta erecta</i> Lam. *	Erect Veldtgrass	PG	.	Poaceae	
<i>Eichhornia crassipes</i> (Mart.) Solms *	Water Hyacinth	PG	OBL	Pontederiaceae	
<i>Elatine brachysperma</i> Gray	Slender Waterwort	AH	OBL	Elatinaceae	
<i>Elatine californica</i> Gray	California Waterwort	AH	OBL	Elatinaceae	
<i>Elatine rubella</i> Rydb.	Waterwort	AH	OBL	Elatinaceae	
<i>Eleocharis acicularis</i> (L.) Roemer & Schultes var. <i>acicularis</i>	Slender Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis acicularis</i> var. <i>gracilenscens</i> Svenson	Graceful Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis bella</i> (Piper) Svenson	Bella Spikerush	PG	FACW	Cyperaceae	
<i>Eleocharis bernardina</i> Munz & Johnston	Few-flowered Clubrush	PG	FACW	Cyperaceae	
<i>Eleocharis erythropoda</i> Steud.	Bald Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis macrostachya</i> Britt.	Common Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis montevidensis</i> Kunth	Sand Spikerush	PG	FACW	Cyperaceae	
<i>Eleocharis parishii</i> Britt.	Parish Spikerush	PG	FACW	Cyperaceae	
<i>Eleocharis parvula</i> (Roemer & Schultes) Link	Colorado Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz	Few-flowered Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis rostellata</i> (Torrey) Torrey	Beaked Spikerush	PG	OBL	Cyperaceae	
<i>Eleocharis suksdorfiana</i> Beauv.	Suksdorf's Spikerush	PG	OBL	Cyperaceae	
<i>Eleusine coracana</i> ssp. <i>africana</i> (Kennedy-O'Bryne) Hilu & de Wet *	African Finger Millet	AG	.	Poaceae	
<i>Eleusine indica</i> (L.) Gaertn. *	India Goosegrass	AG	UPL	Poaceae	
<i>Elodea canadensis</i> Rich.	Common Waterweed	PG	OBL	Hydrocharitaceae	
<i>Elymus caput-medusae</i> L.*	Medusa Head	PG	.	Poaceae	
<i>Elymus cinereus</i> Scribn. & Merr.	Great Basin Wildrye	PG	.	Poaceae	
<i>Elymus condensatus</i> J. Presl	Giant Wildrye	PG	FACU	Poaceae	
<i>Elymus elymoides</i> (Raf.) Swezey ssp. <i>elymoides</i>	Bottlebrush Squirreltail	PG	FACU	Poaceae	
<i>Elymus glaucus</i> Buckl. ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU	Poaceae	
<i>Elymus glaucus</i> ssp. <i>jepsonii</i> (Burt Davy) Gould	Jepson Blue or Woodland Wildrye	PG	FACU	Poaceae	
<i>Elymus hispidus</i> (Opiz) Melderis *	Intermediate Wheatgrass	PG	.	Poaceae	
<i>Elymus multisetus</i> (J.G. Smith) Burt Davy	Bottlebrush Squirreltail	PG	.	Poaceae	
<i>Elymus ponticus</i> (Podp.) N. Snow *	Tall Wheatgrass	PG	.	Poaceae	
<i>Elymus repens</i> (L.) Gould *	Quackgrass	PG	FAC	Poaceae	
<i>Elymus smithii</i> (Rdb.) Gould	Western Wheat Grass	PG	.	Poaceae	
<i>Elymus stebbinsii</i> (Scribner & J.G. Smith) Gould	Wheatgrass	PG	.	Poaceae	
<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i> (Link) Gould	Slender Wheatgrass	PG	.	Poaceae	
<i>Elymus trachycaulus</i> (Link) Shinn. ssp. <i>trachycaulus</i>	Slender Wheatgrass	PG	FACU	Poaceae	
<i>Elymus triticoides</i> Buckl. ssp. <i>triticoides</i>	Creeping Wildrye	PG	FAC	Poaceae	
<i>Elymus Xgouldii</i> J.P. Sm. & Columbus	Gould's Wildrye	PG	(FACU)	Poaceae	
<i>Elymus Xhanseni</i> Scribn.	Hansen's Wildrye	PG	(FACU)	Poaceae	
<i>Elytrigia elongata</i> (Host) Nevski *	Tall Wheatgrass	AG	.	Poaceae	
<i>Elytrigia intermedia</i> (Host) Nevski ssp. <i>intermedia</i> *	Intermediate Wheatgrass	PG	.	Poaceae	
<i>Emex spinosa</i> (L.) Campdera *	Devil's Thorn, Spiny Emex	AH	.	Polygonaceae	
<i>Emmenanthe penduliflora</i> Benth var. <i>penduliflora</i>	Whispering Bells	AH	.	Hydrophyllaceae	
<i>Emmenanthe penduliflora</i> var. <i>rosea</i> Brand	Rose Whispering Bells	AH	.	Hydrophyllaceae	
<i>Encelia actoni</i> Elmer	Acton Brittlebush	S	.	Asteraceae	
<i>Encelia californica</i> Nuttall	California Bush Sunflower	S	.	Asteraceae	
<i>Encelia farinosa</i> Torrey & A. Gray	Brittlebush, Incienso	S	.	Asteraceae	
<i>Encelia frutescens</i> (Gray) Gray	Brittlebush, Incienso	S	.	Asteraceae	
<i>Encelia virginiana</i> Nelson	Brittlebush	S	.	Asteraceae	
<i>Enemion occidentale</i> (H. & A.) J.R. Drummond & Hutchinson	Western Meadow-rue or Rue-anemone	PH	.	Ranunculaceae	
<i>Ephedra californica</i> S. Watson	California Desert Tea, Cañatillo	S	.	Ephedraceae	
<i>Ephedra nevadensis</i> S. Watson	Nevada Ephedra or Mormon-tea	S	.	Ephedraceae	
<i>Ephedra viridis</i> Coville	Green Ephedra or Mormon-tea	S	.	Ephedraceae	
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb	AH	.	Onagraceae	

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Epilobium campestre</i> (Jeps.) Hoch & W.L. Wagner	Smooth Spike-primrose	AH	OBL		Onagraceae
<i>Epilobium canum</i> (Greene) Raven ssp. <i>canum</i>	California Fuchsia	PH	.		Onagraceae
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia	PH	.		Onagraceae
<i>Epilobium ciliatum</i> Raf. ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW		Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> (Lehm.) P. Hoch & Raven	Sticky Northern Willow-herb	AH	FACW		Onagraceae
<i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven	Dense-flowered Spike-primrose	AH	FACW		Onagraceae
<i>Epilobium foliosum</i> (Torrey & A. Gray) Suksd.	Leafy Spike-primrose	AH	.		Onagraceae
<i>Epilobium glaberrimum</i> Barbey ssp. <i>glaberrimum</i>	Waxy Willow-herb	AH	FACW		Onagraceae
<i>Epilobium halleanum</i> Hausskn.	Gland Willow-herb	PH	FACW		Onagraceae
<i>Epilobium minutum</i> Lindley ex Lehm.	Chaparral Willowherb	AH	FACU		Onagraceae
<i>Epilobium oregonense</i> Hausskn.	Oregon Willowherb	AH	OBL		Onagraceae
<i>Epilobium torreyi</i> (S. Watson) P. Hoch & Raven [<i>Bousduvalia stricta</i>]	Brook Spike-primrose	AH	FACW		Onagraceae
<i>Epipactis gigantea</i> Hook.	Stream Orchid	PH	OBL		Orchidaceae
<i>Equisetum arvense</i> L.	Common or Field Horsetail	PF	FAC		Equisetaceae
<i>Equisetum hyemale</i> L. var. <i>affine</i> (Engelm.) Calder & R.L. Taylor	Common or Giant Scouring Rush	PF	FACW		Equisetaceae
<i>Equisetum laevigatum</i> A. Braun	Smooth Scouring-Rush	PF	FACW		Equisetaceae
<i>Equisetum telmateia</i> ssp. <i>braunii</i> (Milde) R.L. Hauke	Giant Horsetail	PF	FACW		Equisetaceae
<i>Equisetum Xferrissii</i> Clute	Ferris Horsetail	PF	FACW		Equisetaceae
<i>Eragrostis barrelieri</i> Daveau *	Mediterranean Lovegrass	AG	.		Poaceae
<i>Eragrostis cilianensis</i> (All.) Janchen *	Stinkgrass	AG	FACU		Poaceae
<i>Eragrostis hypnoides</i> (Lam.) Britton, Sterns & Poggenb.	Teel Lovegrass	AG	OBL		Poaceae
<i>Eragrostis lehmanniana</i> Nees *	Lehmann's Lovegrass	PG	.		Poaceae
<i>Eragrostis mexicana</i> (Hornem.) Link var. <i>mexicana</i>	Mexican Lovegrass	AG	FACU		Poaceae
<i>Eragrostis mexicana</i> var. <i>virescens</i> (C. Presl) Koch & E. Sanchez	Orcutt Lovegrass	AG	FACU		Poaceae
<i>Eragrostis pectinacea</i> var. <i>miserrima</i> (Fourn.) Reeder	Spreading Tufted Lovegrass	AG	FAC		Poaceae
<i>Eragrostis pectinacea</i> (Michx.) Nees var. <i>pectinacea</i>	Tufted Lovegrass	AG	FAC		Poaceae
<i>Eragrostis superba</i> Peyr. *	Wilman Lovegrass	PG	.		Poaceae
<i>Eremogone kingii</i> var. <i>glabrescens</i> (S. Watson) Dorn	King's Sandwort	PH	.		Caryophyllaceae
<i>Eremogone macradenia</i> (S. Watson) Ikonn. var. <i>macradenia</i>	Mojave Sandwort	PH	.		Caryophyllaceae
<i>Eremalche exilis</i> (A. Gray) E. Greene	White-flowered Mallow	AH	.		Malvaceae
<i>Eremalche parryi</i> ssp. <i>kernensis</i> (C. Wolf) D. Bates	Kern Mallow	AH	.		Malvaceae
<i>Eremalche parryi</i> (E. Greene) E. Greene ssp. <i>parryi</i>	Parry Mallow	AH	.		Malvaceae
<i>Eremocarpus setiger</i> (Hooker) Bentham	Dove Weed, Turkey Mullein	AH	.		Euphorbiaceae
<i>Eremocarya micrantha</i> (Torr.) Greene var. <i>micrantha</i> [<i>Cryptantha m.</i> var.]	Eremocarya	AH	.		Boraginaceae
<i>Eremocarya micrantha</i> var. <i>lepidia</i> MacBr. [<i>Cryptantha m.</i> var. <i>l.</i>]	Mountain Red-root Eremocarya	AH	.		Boraginaceae
<i>Eremothera boothii</i> ssp. <i>decorticans</i> (Hooker & Arnott) W.L. Wagner &	Booth Shreading Primrose	AH	.		Onagraceae
<i>Eremothera boothii</i> ssp. <i>desertorum</i> (Munz) W.L. Wagner & Hoch	Desert Shredding Primrose	AH	.		Onagraceae
<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i> (Craig) H. Mason	Mountain Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i> (Benth.) H. Mason	Elongate Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum densifolium</i> ssp. <i>mohavense</i> (Craig) H. Mason	Mojave Woolly Star	PH	.		Polemoniaceae
<i>Eriastrum eremicum</i> (Jeps.) H. Mason ssp. <i>eremicum</i>	Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum filifolium</i> (Nutt.) Woot. & Standl.	Narrowleaf Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum hooveri</i> (Jepson) H. Mason	Hoover Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum pluriflorum</i> (A.A. Heller) H. Mason ssp. <i>pluriflorum</i>	Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum pluriflorum</i> ssp. <i>sherman-hoytae</i> (T.T. Craig) H. Mason	Mrs. Hoyt's Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum sapphirinum</i> ssp. <i>brevibracteatum</i> De Groot	Ambiguous Short-bracted Sapphire Woolly	AH	.		Polemoniaceae
<i>Eriastrum sapphirinum</i> ssp. <i>dasyanthem</i> (Brand) H. Mason	Shaggy-flowered Saphire Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum sapphirinum</i> (Eastwood) H. Mason ssp. <i>sapphirinum</i>	Sapphire Woolly Star	AH	.		Polemoniaceae
<i>Eriastrum signatum</i> D. Gowen	Moroon-spotted Woolly Star	AH	.		Polemoniaceae
<i>Ericameria arborescens</i> (A. Gray) E. Greene	Golden-fleece	S	.		Asteraceae
<i>Ericameria cooperi</i> (Gray) H.M. Hall var. <i>cooperi</i>	Cooper Goldenbush	S	.		Asteraceae
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>	Wedgeleaf Goldenbush	S	.		Asteraceae
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall	Spatulate-leaved Goldenbush	S	.		Asteraceae
<i>Ericameria ericoides</i> (Less.) Jeps. ssp. <i>ericoides</i>	Heatherleaf Goldenbush	S	.		Asteraceae
<i>Ericameria linearifolia</i> (DC.) Urb. & Wussow	Interior Goldenbush, Stenotopsis	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>bernardina</i> (H.M. Hall) G.L. Nesom & G.I. Baird	San Bernardino Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>hololeuca</i> (A.Gray) G.L. Nesom & G.I. Baird	White Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>mohavensis</i> (Greene) G.L. Nesom & G.I. Baird	Mojave Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria nauseosa</i> var. <i>oreophila</i> (A. Nelson) G.L. Nesom & G.I. Baird	Common Rubber Rabbitbrush	S	.		Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Ericameria nauseosa</i> var. <i>speciosa</i> (Nutt.) G.L. Nesom & G.I. Baird	White-stemmed Rubber Rabbitbrush	S	.		Asteraceae
<i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom	Goldenbush	S	.		Asteraceae
<i>Ericameria parryi</i> var. <i>aspera</i> (Greene) G.L. Nesom & G.I. Baird	Parry Rabbitbrush	S	.		Asteraceae
<i>Ericameria parryi</i> var. <i>nevadensis</i> (A.Gray) G.L. Nesom & G.I. Baird	Nevada Rabbitbrush	S	.		Asteraceae
<i>Ericameria pinifolia</i> (Gray) H.M. Hall	Pine Goldenbush, Pinebush	S	.		Asteraceae
<i>Ericameria teretifolia</i> (Durand & Hilgard) Jeps.	Round-leaved Rabbitbrush	S	.		Asteraceae
<i>Erigeron breweri</i> var. <i>covillei</i> (Greene) G. Neswom	Fleabane Daisy	PH	.		Asteraceae
<i>Erigeron divergens</i> Torr. & A. Gray	Spreading Fleabane	A/BH	.		Asteraceae
<i>Erigeron foliosus</i> Nuttall var. <i>foliosus</i>	Leafy Fleabane or Daisy	PH	.		Asteraceae
<i>Erigeron foliosus</i> var. <i>franciscensis</i> G.L. Nesom	San Francisco Leafy Fleabane or Daisy	PH	.		Asteraceae
<u><i>Erigeron glaucus</i> Ker-Gawler</u>	Seaside Daisy	PH	FACU		Asteraceae
<i>Erigeron philadelphicus</i> L. var. <i>philadelphicus</i>	Philadelphia fleabane	PH	FACU		Asteraceae
<i>Erigeron sumatrensis</i> Retz. [<i>Conyza floribunda</i> Kunth] *	Many-flowered Horseweed	AH	.		Asteraceae
<i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey	California Yerba Santa	S	.		Namaceae
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa	S	.		Namaceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i> Brand	Thickleaf Yerba Santa	S	.		Namaceae
<i>Eriodictyon traskiae</i> ssp. <i>smithii</i> Munz	Smith's Yerba Santa	S	.		Namaceae
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>	Yerba Santa	S	.		Namaceae
<i>Eriogonum angulosum</i> Benth.	Angle-stemmed Buckwheat	AH	.		Polygonaceae
<u><i>Eriogonum arborescens</i> Greene</u>	<u>Arborescent Buckwheat</u>	S	.		Polygonaceae
<i>Eriogonum baileyi</i> S. Watson var. <i>baileyi</i>	Bailey Buckwheat	AH	.		Polygonaceae
<i>Eriogonum brachyanthum</i> Coville	Shortflower Wild Buckwheat	AH	.		Polygonaceae
<i>Eriogonum cinereum</i> Bentham	Ash or Gray Coast Buckwheat	S	.		Polygonaceae
<i>Eriogonum cithariforme</i> var. <i>agninum</i> (E. Greene) Reveal	Santa Ynez Wild Buckwheat	AH	.		Polygonaceae
<i>Eriogonum cithariforme</i> S. Watson var. <i>cithariforme</i>	Cithara Buckwheat	AH	.		Polygonaceae
<i>Eriogonum clavatum</i> Small	Hoover Little Trumpet	AH	.		Polygonaceae
<i>Eriogonum covilleanum</i> Eastw.	Coville Buckwheat	AH	.		Polygonaceae
<i>Eriogonum crocatum</i> Davidson	Conejo or Saffron Buckwheat	S	.		Polygonaceae
<i>Eriogonum davidsonii</i> E. Green	Davidson Buckwheat	AH	.		Polygonaceae
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal	Flat-crown Buckwheat	AH	.		Polygonaceae
<i>Eriogonum elegans</i> Greene	Elegant Buckwheat	AH	.		Polygonaceae
<i>Eriogonum elongatum</i> Bentham var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	.		Polygonaceae
<i>Eriogonum fasciculatum</i> Bentham var. <i>fasciculatum</i>	California Buckwheat	S	.		Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> (Nuttall) Abrams	Leafy California Buckwheat	S	.		Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>polifolium</i> (A. DC.) Torrey & A. Gray	Hoary California Buckwheat	S	.		Polygonaceae
<i>Eriogonum gracile</i> Bentham var. <i>gracile</i>	Slender Woolly Buckwheat	AH	.		Polygonaceae
<i>Eriogonum gracillimum</i> S. Watson	Slender Buckwheat	AH	.		Polygonaceae
<u><i>Eriogonum grande</i> Greene var. <i>grande</i></u>	<u>Island Buckwheat</u>	S	.		Polygonaceae
<u><i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz</u>	<u>Red-flowered Island Buckwheat</u>	S	.		Polygonaceae
<u><i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal</u>	<u>San Nicolas Island Buckwheat</u>	S	.		Polygonaceae
<i>Eriogonum heermannii</i> Durand & Hilg. var. <i>heermannii</i>	Heerman Buckwheat	S	.		Polygonaceae
<i>Eriogonum hirtiflorum</i> S. Watson	Hairy-flowered Buckwheat	AH	.		Polygonaceae
<i>Eriogonum inerme</i> var. <i>hispidulum</i> Goodman	Goodman's Unarmed Wild Buckwheat	AH	.		Polygonaceae
<i>Eriogonum inerme</i> (S. Watson) Jeps. var. <i>inerme</i>	Unarmed Buckwheat	AH	.		Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>alpigenum</i> (Munz & Johnston) Munz & Johnston	Alpine Kennedy Buckwheat	PH	.		Polygonaceae
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat	PH	.		Polygonaceae
<i>Eriogonum kennedyi</i> Porter ex S. Watson var. <i>kennedyi</i>	Kennedy Buckwheat	PH	.		Polygonaceae
<i>Eriogonum latifolium</i> Smith	Coast Buckwheat, Tibinagua	PH	.		Polygonaceae
<i>Eriogonum maculatum</i> A.A. Heller	Buckwheat	AH	.		Polygonaceae
<i>Eriogonum molestum</i> Greene	Pine Buckwheat	AH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>auriculatum</i> (Benth.) J. P. Tracy ex Jeps.	Ear-shaped Wild Buckwheat	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>pauciflorum</i> S. Watson	Tibinagua	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.	Hairy-flowered Barestem Buckwheat	PH	.		Polygonaceae
<i>Eriogonum nudum</i> var. <i>westonii</i> (S. Stokes) J.T. Howell	Weston Barestem Buckwheat	PH	.		Polygonaceae
<i>Eriogonum ordii</i> S. Watson	Ord Buckwheat	AH	.		Polygonaceae
<i>Eriogonum ovalifolium</i> Nuttall var. <i>ovalifolium</i>	Cushion Wild Buckwheat	S	.		Polygonaceae
<i>Eriogonum parvifolium</i> Smith var. <i>parvifolium</i>	Dune Buckwheat	S	.		Polygonaceae
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat	S	.		Polygonaceae
<i>Eriogonum pusillum</i> T. & G.	Puny Buckwheat	AH	.		Polygonaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Eriogonum roseum</i> Durand & Hilg.	Rose Buckwheat	AH	.		Polygonaceae
<i>Eriogonum saxatile</i> S. Watson	Rock Buckwheat	AH	.		Polygonaceae
<i>Eriogonum spergulinum</i> ssp. <i>reddingianum</i> (Jones) J.T. Howell	Spurry Buckwheat	PH	.		Polygonaceae
<i>Eriogonum spergulinum</i> A. Gray ssp. <i>spergulinum</i>	Spurry Buckwheat	AH	.		Polygonaceae
<i>Eriogonum thurberi</i> Torrey	Thurber's Wild Buckwheat	AH	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (Torrey & A. Gray) Jepson	Sulphur Buckwheat	S	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal	Sulphur Buckwheat	S	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal	Sulphur Buckwheat	S	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>munzii</i> Reveal	Munz Yellow Buckwheat	S	.		Polygonaceae
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes	Sulphur Buckwheat	S	.		Polygonaceae
<i>Eriogonum vimineum</i> Benth.	Wicker Buckwheat	AH	.		Polygonaceae
<i>Eriogonum viridescens</i> A. Heller	Green Buckwheat	AH	.		Polygonaceae
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.	Sheathed Wright Buckwheat	S	.		Polygonaceae
<i>Eriogonum wrightii</i> var. <i>subscaposum</i> S. Watson	Short-scape Wright Buckwheat	S	.		Polygonaceae
<i>Eriogonum wrightii</i> var. <i>trachyonum</i> (Benth.) Jeps.	Rough-node Bastardsage	S	.		Polygonaceae
<i>Eriogonum wrightii</i> Benth. var. <i>wrightii</i>	Wright's Bastardsage	S	.		Polygonaceae
<i>Eriophyllum ambiguum</i> (A. Gray) A. Gray var. <i>ambiguum</i>	Ambiguous Woolly Daisy	AH	.		Asteraceae
<i>Eriophyllum confertiflorum</i> (DC.) A. Gray var. <i>confertiflorum</i>	Golden Yarrow	PH	.		Asteraceae
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (Greene) Jeps.	Tansyleaf Golden Yarrow	PH	.		Asteraceae
<i>Eriophyllum jepsonii</i> Greene	Jepson Woolly Yarrow	AH	.		Asteraceae
<i>Eriophyllum lanatum</i> var. <i>hallii</i> Constance	Fort Tejon Yarrow	PH	.		Asteraceae
<i>Eriophyllum pringlei</i> A. Gray	Pringle Golden Yarrow	AH	.		Asteraceae
<i>Eriophyllum staechadifolium</i> Lagasca	Seaside Woolly Sunflower	S	.		Asteraceae
<i>Erodium botrys</i> (Cav.) Bertol. *	Broadleaf Filaree	AH	FACU		Geraniaceae
<i>Erodium bracycarpum</i> (Godron) Thell. *	Short-beaked Filaree	AH	.		Geraniaceae
<i>Erodium cicutarium</i> (L.) L'Her. *	Redstem Filaree	AH	.		Geraniaceae
<i>Erodium moschatum</i> (Burm. F.) L'Her. var. <i>moschatum</i> *	Whitestem Filaree	AH	.		Geraniaceae
<i>Eryngium armatum</i> (S. Watson) J.M. Coult. & Rose	Coastal Button-celery	PH	?		Apiaceae
<i>Eryngium vaseyi</i> J. Coulter & Rose	Coyote Thistle or Button-celery	PH	FACW		Apiaceae
<i>Erysimum capitatum</i> (Dougl.) E. Greene var. <i>capitatum</i>	Western Wallflower	AH/BH	.		Brassicaceae
<i>Erysimum insulare</i> Greene	Island Wallflower	AH/BH	.		Brassicaceae
<i>Erysimum moniliforme</i> Eastwood	Yellow Wallflower	BH	.		Brassicaceae
<i>Erysimum suffrutescens</i> (Abrams) Rossbach	Island Wallflower	AH/BH	.		Brassicaceae
<i>Erythranthe</i> [<i>Mimulus</i>] <i>androsacea</i> (Greene) N.S. Fraga	Naked Sepal Monkeyflower	AH	.		Phrymaceae
<i>Erythranthe cardinalis</i> (Douglas ex Benth.) Spach	Scarlet Monkeyflower	PH	FACW		Phrymaceae
<i>Erythranthe grandis</i> (Greene) Nesom	Grand Streamside Monkeyflower	PH	OBL		Phrymaceae
<i>Erythranthe guttata</i> (Fischer ex DC.) Nesom [<i>Mimulus guttatus</i> DC.]	Common Streamside Monkeyflower	A/PH	OBL		Phrymaceae
<i>Erythranthe microphylla</i> (Benth.) Nesom	Small-leaved Monkeyflower	AH	?		Phrymaceae
<i>Erythranthe moniliformis</i> (Greene) Nesom	Musk Monkeyflower	PH	FACW		Phrymaceae
<i>Erythranthe nasuta</i> (Greene) Nesom	Long-nosed Monkeyflower	AH	?		Phrymaceae
<i>Erythranthe tilingii</i> (Regel) Nesom	Tiling's Monkeyflower	PH	OBL		Phrymaceae
<i>Erythronium revolutum</i> Sm.	Coastal Fawn Lily	PB	FAC		Liliaceae
<i>Eschscholzia caespitosa</i> Bentham ssp. <i>caespitosa</i>	Tufted Poppy	BH	.		Papaveraceae
<i>Eschscholzia californica</i> Chamisso in C.G.D. ssp. <i>californica</i>	California Poppy	AH	.		Papaveraceae
<i>Eschscholzia hypecoides</i> Bentham	Gypsum Poppy	AH	.		Papaveraceae
<i>Eschscholzia lemmonii</i> ssp. <i>kernensis</i> (Munz) C. Clark	Tejon Poppy	AH	.		Papaveraceae
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>	Lemmon Poppy	AH	.		Papaveraceae
<i>Eschscholzia minutiflora</i> S. Watson	Tiny-flowered Poppy	AH	.		Papaveraceae
<i>Eschscholzia ramosa</i> (Greene) Greene	Island Poppy	AH	.		Papaveraceae
<i>Etriplex californica</i> (Moq.) E.H. Zacharias	California Saltbush	S	.		Chenopodiaceae
<i>Eucalyptus camaldulensis</i> Dehnhardt *	River Red Gum	T	FAC		Myrtaceae
<i>Eucalyptus cladocalyx</i> F. Muell. *	Sugar Gum	T	.		Myrtaceae
<i>Eucalyptus globulus</i> Labill. var. <i>globulus</i> *	Tasmanian Blue Gum	T	.		Myrtaceae
<i>Eucalyptus polyanthemos</i> Schauer *	Silver Dollar Gum	T	.		Myrtaceae
<i>Eucalyptus sideroxylon</i> A. Cunn. ex Woolls *	Red Ironbark	T	.		Myrtaceae
<i>Eucalyptus tereticornis</i> Smith *	Forest Red Gum	T	.		Myrtaceae
<i>Eucrypta chrysanthemifolia</i> (Benth.) Greene var. <i>chrysanthemifolia</i>	Eucrypta	AH	.		Hydrophyllaceae
<i>Eulobus californicus</i> Torrey & A. Gray	Mustard Primrose	AH	.		Onagraceae
<i>Euphorbia characias</i> L. ssp. <i>characias</i> *	Mediterranean Spurge	S	.		Euphorbiaceae
<i>Euphorbia crenulata</i> Engelm.	Chinese Caps	AH	.		Euphorbiaceae
<i>Euphorbia cyathophora</i> Murray *	Painted Leaf	AH	UPL		Euphorbiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Euphorbia dendroides</i> L. *	Woody Spurge	S	.	.	Euphorbiaceae
<i>Euphorbia lathyris</i> L. *	Caper or Gopher Spurge, Gopher Plant	AH	.	.	Euphorbiaceae
<i>Euphorbia marginata</i> Pursh *	Snow on the Mountain	AH	UPL	.	Euphorbiaceae
<i>Euphorbia myrsinites</i> L. *	Creeping Spurge	PH	.	.	Euphorbiaceae
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>	Wood Spurge	AH	.	.	Euphorbiaceae
<i>Euphorbia peplus</i> L. *	Petty Spurge	AH	.	.	Euphorbiaceae
<i>Euphorbia pulcherrima</i> Willd. ex Klotszch *	Poinsettia	S	UPL	.	Euphorbiaceae
<i>Euphorbia rigida</i> M. Bieb. *	Gopher Spurge	PH	.	.	Euphorbiaceae
<i>Euphorbia spathulata</i> Lam.	Warty or Spoonleaf Spurge	AH	FAC	.	Euphorbiaceae
<i>Euphorbia terracina</i> var. <i>terracina</i> *	False Caper	PH	.	.	Euphorbiaceae
<i>Eustoma exaltatum</i> (L.) Don	Catchfly Gentian	PH	OBL	.	Gentianaceae
<i>Euthamia occidentalis</i> Nuttall	Western Goldenrod	PH	FACW	.	Asteraceae
<i>Extriplex californica</i> (Moq.) E.H. Zacharias	California Saltbush	S	FAC	.	Chenopodiaceae
<i>Fallopia baldschuanica</i> (Regel) Holub *	Bukhara Fleecflower	PV	.	.	Polygonaceae
<i>Fallopia convolvulus</i> (L.) A. Löve *	Black Bindweed	AV	FACU	.	Polygonaceae
<i>Feijoa sellowiana</i> (O. Berg) O. Berg *	Pineapple Guava	S	.	.	Myrtaceae
<i>Festuca arundinacea</i> Schreber *	Tall or Alta Fescue	PG	(FAC)	.	Poaceae
<i>Festuca elmeri</i> Scribn. & Merr.	Coast Fescue	PG	.	.	Poaceae
<i>Festuca pratensis</i> Huds. *	Meadow Fescue	PG	(FACU)	.	Poaceae
<i>Festuca rubra</i> L.	Red Fescue	PG	FAC	.	Poaceae
<i>Ficus carica</i> L. *	Common Edible Fig	T	FACU	.	Moraceae
<i>Ficus rubiginosa</i> Desf ex Venten. var. <i>australis</i> or <i>pubescens</i> *	Rustyleaf Fig	T	(FACW)	.	Moraceae
<i>Fimbristylis thermalis</i> S. Watson	Hot-Springs Fimbristylis	PG	OBL	.	Cyperaceae
<i>Foeniculum vulgare</i> P. Mill. *	Sweet Fennel	PH	(FACU)	.	Apiaceae
<i>Forestiera pubescens</i> Nutt.	Desert Olive, Dwarf Swamp Privet	S	FACU	.	Oleaceae
<i>Fragaria chiloensis</i> (L.) Mill. *	Beach Strawberry	PH	FACU	.	Rosaceae
<i>Fragaria vesca</i> L.	Wood Strawberry	PH	UPL	.	Rosaceae
<i>Frangula californica</i> (Eschsch.) A. Gray ssp. <i>californica</i>	California Coffeeberry	S	.	.	Rhamnaceae
<i>Frangula californica</i> ssp. <i>cuspidata</i> (Greene) Kartesz & Gandhi	Cuspid California Coffeeberry	S	.	.	Rhamnaceae
<i>Frangula californica</i> ssp. <i>tomentella</i> (Benth.) Kartesz & Gandhi	Hoary Coffeeberry	S	.	.	Rhamnaceae
<i>Frankenia salina</i> (Molina) I.M. Johnston	Alkali Heath	PH	FACW	.	Frankeniaceae
<i>Frasera neglecta</i> H.M. Hall	Pine Green Gentian	PH	.	.	Gentianaceae
<i>Fraxinus dipetala</i> Hooker & Arnott	California Flowering Ash	T	.	.	Oleaceae
<i>Fraxinus latifolia</i> Bentham	Oregon Ash	S	FACW	.	Oleaceae
<i>Fraxinus uhdei</i> (Wenz.) Lingelsh. *	Shamel Ash	T	(FACW)	.	Oleaceae
<i>Fraxinus velutina</i> Torrey	Velvet or Arizona Ash	T	FAC	.	Oleaceae
<i>Fremontodendron californicum</i> (Torrey) Coville ssp. <i>californicum</i>	California Flannel Bush	S	.	.	Malvaceae
<i>Fritillaria agrestis</i> E. Greene	Stink Bells	PH	FAC	.	Liliaceae
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>	Chocolate Lily, Mission Bells	PH	.	.	Liliaceae
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary	PH	.	.	Liliaceae
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary	PH	.	.	Liliaceae
<i>Fuchsia hybrida</i> Voss. *	Hybrid Fuchsia	S	.	.	Onagraceae
<i>Fumaria officinalis</i> L. *	Fumitory	AH	.	.	Fumariaceae
<i>Fumaria parviflora</i> Lam. *	Fineleaf Fumitory	AH	.	.	Fumariaceae
<i>Funastrum cynanchoides</i> var. <i>hartwegii</i> (Vail) Krings	Climbing Milkweed	PV	FACU	.	Apocynaceae
<i>Gaillardia aristata</i> Pursh *	Blanketflower	PH	FACU	.	Asteraceae
<i>Gaillardia pulchella</i> Fong. var. <i>pulchella</i> *	Blanket Wheel	PH	FACU	.	Asteraceae
<i>Gaillardia Xgrandiflora</i> Van Houtte *	Fire Wheel	PH	FACU	.	Asteraceae
<i>Galinsoga parviflora</i> Cav. *	Gallant Soldier	AH	UPL	.	Asteraceae
<i>Galium andrewsii</i> A. Gray ssp. <i>andrewsii</i>	Pine Mat, Phlox-leaved Bedstraw	PH	.	.	Rubiaceae
<i>Galium andrewsii</i> ssp. <i>intermedium</i> Dempster & Stebb.	Intermediate Pine Mat, Phlox-leaved	PH	.	.	Rubiaceae
<i>Galium angustifolium</i> Nuttall ssp. <i>angustifolium</i>	Chaparral or Narrow-leaved Bedstraw	S	.	.	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb.	Channel Islands Bedstraw	S	.	.	Rubiaceae
<i>Galium angustifolium</i> ssp. <i>gabrielense</i> (Munz & I.M. Johnst.) Dempster & Stebb.	San Antonio Canyon Bedstraw	PH	.	.	Rubiaceae
<i>Galium aparine</i> L.	Goose Grass, Catchseed Bedstraw, Cleavers	AH	FACU	.	Rubiaceae
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw	AH	.	.	Rubiaceae
<i>Galium bolanderi</i> A. Gray	Bolander Bedstraw	PH	.	.	Rubiaceae
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>	California Bedstraw	PH	.	.	Rubiaceae
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw	PH	.	.	Rubiaceae
<i>Galium cliffonsmithii</i> (Dempster) Dempster & Stebb.	Santa Barbara Bedstraw	PH	.	.	Rubiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Galium hallii</i> Munz & I.M. Johnston	Nodding Bedstraw	PH	.		Rubiaceae
<i>Galium jepsonii</i> Hilend & J.T. Howell	Jepson's Bedstraw	PH	.		Rubiaceae
<i>Galium nuttallii</i> A. Gray ssp. <i>nuttallii</i>	San Diego or Climbing Bedstraw	S	.		Rubiaceae
<i>Galium parisiense</i> L. *	Wall Bedstraw	AH	UPL		Rubiaceae
<i>Galium porrigens</i> Dempster var. <i>porrigens</i>	Climbing Bedstraw	PV	.		Rubiaceae
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand	Coastal Bedstraw	PH	FACW		Rubiaceae
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw	PH	FACU		Rubiaceae
<i>Gamochaeta ustulata</i> (Nutt.) Holub	Gamochaeta	BH	.		Asteraceae
<i>Garrya elliptica</i> Lindley	Silk-tassel Bush	S	.		Garryaceae
<i>Garrya flavescens</i> S. Watson ssp. <i>flavescens</i>	Silk-tassel Bush	S	.		Garryaceae
<i>Garrya flavescens</i> ssp. <i>pallida</i> (Eastwood) Dahling	Pallid Silk-tassel Bush	S	.		Garryaceae
<i>Garrya veatchii</i> Kellogg	Veatch's Silk-tassel Bush	S	.		Garryaceae
<i>Gastridium phleoides</i> (Nees & Meyen) C.E. Hubb. *	Nit Grass	AG	FACU		Poaceae
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szweykowski	Diffuse Gayophytum	AH	.		Onagraceae
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski	Hybrid Gayophytum	AH	.		Onagraceae
<i>Gayophytum humile</i> A.L. Juss.	Low Gayophytum	AH	FAC		Onagraceae
<i>Gayophytum oligospermum</i> H. Lewis & J. Szweykowski	Southern California Mountain Gayophytum	AH	.		Onagraceae
<i>Gayophytum racemosum</i> Torrey & A. Gray	Black-foot Gayophytum	AH	.		Onagraceae
<i>Gazania linearis</i> (Thunb.) Druce *	Gazania	PH	.		Asteraceae
<i>Genista monspessulana</i> (L.) L. Johnson *	French Broom	S	.		Fabaceae
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium	PH	FAC		Geraniaceae
<i>Geranium carolinianum</i> L.	Cransebill, Carolina Geranium	AH	.		Geraniaceae
<i>Geranium core-core</i> Steud. *	Argentinian Cranesbill	PH	.		Geraniaceae
<i>Geranium dissectum</i> L. *	Dissected Geranium	AH	.		Geraniaceae
<i>Geranium molle</i> L. *	Annual Cranesbill	AH	.		Geraniaceae
<i>Geranium pusillum</i> Burm. f. *	Small Geranium	AH	.		Geraniaceae
<i>Geranium retrorsum</i> L'Her. *	Annual Cranesbill	AH	.		Geraniaceae
<i>Geranium richardsonii</i> Fischer & Trautv.	Mountain Geranium	PH	FACW		Geraniaceae
<i>Geranium rotundifolium</i> L. *	Rotund Geranium	AH	.		Geraniaceae
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill	AH	FAC		Geraniaceae
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia	AH	.		Polemoniaceae
<i>Gilia achilleifolia</i> ssp. <i>multicaulis</i> (Benth.) V. & A. Grant	Many-stemmed California Gilia	AH	.		Polemoniaceae
<i>Gilia aliquanta</i> A. D. Grant & V. E. Grant	Puff-calyx Gilia	AH	.		Polemoniaceae
<i>Gilia angelensis</i> V. Grant	Angel Gilia	AH	.		Polemoniaceae
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E. Grant	Southwestern Gilia	AH	.		Polemoniaceae
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia	AH	.		Polemoniaceae
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i> (E. Greene) V. Grant	Blue Field Gilia	AH	.		Polemoniaceae
<i>Gilia capitata</i> ssp. <i>capitata</i>	Blue Field Gilia	AH	.		Polemoniaceae
<i>Gilia capitata</i> ssp. <i>staminea</i> (Greene) V.E. Grant	Bluehead Gilia	AH	.		Polemoniaceae
<i>Gilia clivorum</i> (Jeps.) V. Grant	Purplespot Gilia	AH	.		Polemoniaceae
<i>Gilia interior</i> (Mason & A. Grant) A. Grant	Slender-flowered Gilia	AH	.		Polemoniaceae
<i>Gilia jacens</i> A. Grant & V. Grant	Purple-flowered Breccia Gilia	AH	.		Polemoniaceae
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant	Cuyama Gilia	AH	.		Polemoniaceae
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant	Davy Broad-flowered Gilia	AH	.		Polemoniaceae
<i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i>	Broad-flowered Gilia	AH	.		Polemoniaceae
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant	Gabriel Trumpet	AH	.		Polemoniaceae
<i>Gilia malior</i> A.G. Day & V.E. Grant	Scrub Gilia	AH	.		Polemoniaceae
<i>Gilia minor</i> A.D. Grant & V.E. Grant	Little Gilia	AH	.		Polemoniaceae
<i>Gilia modocensis</i> Eastwood	Modoc Gilia	AH	.		Polemoniaceae
<i>Gilia nevinii</i> Gray	Nevin Gilia	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>bizonata</i> A. & V. Grant	Desert Gilia	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A. & V. Grant	Volcanic Gilia	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>lanosa</i> Hrusa	Woollystem Volcanic Gilia	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>	Volcanic Gilia	AH	.		Polemoniaceae
<i>Gilia ochroleuca</i> ssp. <i>vivida</i> (A. & V. Grant) A. & V. Grant	Vivid Volcanic Gilia	AH	.		Polemoniaceae
<i>Gilia sinuata</i> Benth.	Sinuata Gilia	AH	.		Polemoniaceae
<i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i>	Greater Yellowthroat Gilia	AH	.		Polemoniaceae
<i>Gilia tetrabreccia</i> A. & V. Grant	Mount Piños Gilia	AH	.		Polemoniaceae
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant	Desert Gilia	AH	.		Polemoniaceae
<i>Gilia tricolor</i> ssp. <i>diffusa</i> (Congdon) H. Mason & A.D. Grant	Birds-eye or Tricolor Gilia	AH	.		Polemoniaceae
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>	Southern Bluecup	AH	FAC		Campanulaceae
<i>Glebionis coronaria</i> (L.) Spach *	Garland Chrysanthemum	PH	.		Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Glechoma hederacea</i> L. *	Ground Ivy	PH	FACU		Lamiaceae
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	American Licorice	PH	FAC		Fabaceae
<i>Glyptopleura marginata</i> D. Eaton	Sculpted-fruit	AH	.		Asteraceae
<i>Gnaphalium palustre</i> Nuttall	Lowland Cudweed	AH	FACW		Asteraceae
<i>Grayia spinosa</i> (Hook.) Moq.	Hop-Sage	S	.		Chenopodiaceae
<i>Greenocharis circumsissa</i> (Hook. & Arn.) Ryd. var. <i>circumsissa</i> [<i>Cryptantha</i>]	Greenocharis	AH	.		Boraginaceae
<i>Grevillea robusta</i> A. Cunn. ex R. Br. *	Silk Oak	T	UPL		Proteaceae
<i>Grindelia camporum</i> var. <i>bracteosa</i> (J.T. Howell) M.A. Lane	Bracted Gumplant	S	FACW		Asteraceae
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>	Great Valley Gumplant	S	FACW		Asteraceae
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant	S/PH	FACW		Asteraceae
<i>Grindelia latifolia</i> Kellogg ssp. <i>latifolia</i>	Coastal Gumplant	S	(FACW)		Asteraceae
<i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane	Island Gumplant	S	FACW		Asteraceae
<i>Guizotia abyssinica</i> (L. f.) Cass. *	Ramtilia	PH	.		Asteraceae
<i>Gutierrezia californica</i> (DC.) Torrey & A. Gray	California Matchweed, Snakeweed	S	.		Asteraceae
<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	Broom Snakeweed, Matchweed	S	.		Asteraceae
<i>Gypsophila paniculata</i> L. *	Baby's Breath	PH	.		Caryophyllaceae
<i>Halimium lasianthum</i> (Lam.) Spach ssp. <i>lasianthum</i> *	Lisbon False Sun-rose	S	.		Cistaceae
<i>Hazardia cana</i> (A. Gray) E. Greene	San Clemente Island Hazardia	S	.		Asteraceae
<i>Hazardia detonsa</i> (Greene) Greene	Island Goldenbush	S	.		Asteraceae
<i>Hazardia squarrosa</i> var. <i>grindelioides</i> (DC.) W. Clark	Sawtooth Goldenbush	S	.		Asteraceae
<i>Hazardia squarrosa</i> var. <i>obtusata</i> (Greene) Jepson	Prickly Sawtooth Goldenbush	S	.		Asteraceae
<i>Hazardia squarrosa</i> (Hooker & Arnold) E. Greene var. <i>squarrosa</i>	Sawtooth Goldenbush	S	.		Asteraceae
<i>Hazardia stenolepis</i> (H.M. Hall) Hoover	Narrow-scaled Goldenbush	S	.		Asteraceae
<i>Hedera canariensis</i> Willd. *	Algerian Ivy	PV	.		Araliaceae
<i>Hedera helix</i> L. *	English Ivy	PV	FACU		Araliaceae
<i>Hedera hibernica</i> (G. Kirchn.) Bean *	Atlantic or Irish Ivy	PV	.		Araliaceae
<i>Hedypnois rhagadioloides</i> (L.) F.W. Schmidt *	Crete Hedypnois	AH	(FAC)		Asteraceae
<i>Helenium bigelovii</i> Gray	Bigelow Sneezeweed	PH	FACW		Asteraceae
<i>Helenium puberulum</i> DC.	Rosilla	A/PH	FACW		Asteraceae
<i>Helianthus annuus</i> L.	Common Sunflower	AH	FACU		Asteraceae
<i>Helianthus californicus</i> DC.	California Sunflower	PH	OBL		Asteraceae
<i>Helianthus ciliaris</i> DC. *	Blueweed	PH	FAC		Asteraceae
<i>Helianthus gracilentus</i> Gray	Wild Mountain or Slender Sunflower	PH	.		Asteraceae
<i>Helianthus inexpectatus</i> D.J. Keil and Elvin	Newhall Sunflower	PH	(OBL)		Asteraceae
<i>Helianthus nuttallii</i> ssp. <i>parishii</i> (A. Gray) Heiser	Los Angeles Sunflower	PH	FACW		Asteraceae
<i>Helianthus tuberosus</i> L.	Jerusalem Artichoke	PH	FACU		Asteraceae
<i>Heliotropium amplexicaule</i> L.	Fragrant Heliotrope	PH	.		Heliotropiaceae
<i>Heliotropium curassavicum</i> var. <i>oculatum</i> (A. Heller) Tidestr.	Alkali Heliotrope, Chinese Pusley	PH	FACU		Heliotropiaceae
<i>Helminthotheca echioides</i> (L.) Holub	Bristly Ox-tongue	AH	FACU		Asteraceae
<i>Hemizonella minima</i> (A. Gray) A. Gray	Hemizonella	AH	.		Asteraceae
<i>Hemizonia congesta</i> DC. subsp. <i>congesta</i>	Congested-headed Hayfield Tarweed	AH	?		Asteraceae
<i>Hemizonia congesta</i> subsp. <i>luzulifolia</i> (DC.) Babc. & H.M. Hall	Wood Rush-leaved Hayfield Tarweed	AH	.		Asteraceae
<i>Herniaria hirsuta</i> ssp. <i>cinerea</i> (DC.) Coutinho	Hairy Herniawort	AH	.		Caryophyllaceae
<i>Hesperexav acaulis</i> var. <i>robustior</i> Morefield	Robust Dwarf Evax	AH	.		Asteraceae
<i>Hesperexav sparsiflora</i> var. <i>brevifolia</i> (A. Gray) Morefield	Shortleaved Evax	AH	.		Asteraceae
<i>Hesperexav sparsiflora</i> (A. Gray) Greene var. <i>sparsiflora</i>	Erect Evax	AH	.		Asteraceae
<i>Hesperochiron californicus</i> (Benth.) S. Watson	California Hesperochiron	PH	FACU		Hydrophyllaceae
<i>Hesperochiron pumilus</i> (Griseb.) Porter	Hesperochiron	PH	FAC		Hydrophyllaceae
<i>Hesperocnide tenella</i> Torrey	Western Nettle	AH	.		Urticaceae
<i>Hesperolinon micranthum</i> (A. Gray) Small	Dwarf Flax	AH	.		Linaceae
<i>Hesperomecon linearis</i> (Bentham) E. Greene	Western Poppy	AH	.		Papaveraceae
<i>Hesperoyucca whipplei</i> ssp. <i>cespitosa</i> (M.E. Jones) A.L. Haines	Clumping Our Lord's Candle	S	.		Agavaceae
<i>Hesperoyucca whipplei</i> ssp. <i>intermedia</i> A.L. Haines	Intermediate Our Lord's Candle	S	.		Agavaceae
<i>Hesperoyucca whipplei</i> ssp. <i>percursa</i> (A.L. Haines) J.M. Webber	Our Lord's Candle	S	.		Agavaceae
<i>Hesperoyucca whipplei</i> Torrey ssp. <i>whipplei</i>	Our Lord's Candle	S	.		Agavaceae
<i>Heterocodon rariflorum</i> Nuttall	Western Pearl-flower	AH	FACW		Campanulaceae
<i>Heteromeles arbutifolia</i> (Lindley) Roemer	Toyon, Christmas Holly, Hollywood	S	.		Rosaceae
<i>Heterotheca grandiflora</i> Nuttall	Telegraph Weed	PH	.		Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple	Camphor False Goldenaster	PH	.		Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (Benth.) Semple	Sessileflower False Goldenaster	PH	.		Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i> (Greene) Semple	Sessileflower False Goldenaster	PH	.		Asteraceae
<i>Heterotheca sessiliflora</i> (Nutt.) Shinnors ssp. <i>sessiliflora</i>	Sessileflower False Goldenaster	PH	.		Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Heterotheca subaxillaris</i> ssp. <i>latifolia</i> (Buckley) Semple	False Goldenaster	A/BH	.		Asteraceae
<i>Heterotheca villosa</i> var. <i>hispidula</i> (Hook.) V. Harms	Woolly Goldenaster	PH	.		Asteraceae
<i>Heuchera abramsii</i> Rydberg	Abrams Alumroot	PH	.		Saxifragaceae
<i>Heuchera caespitosa</i> Eastw.	Urn-flowered Alumroot	PH	.		Saxifragaceae
<i>Heuchera elegans</i> Abrams	Elegant Urn-flowered Alumroot	PH	.		Saxifragaceae
<i>Heuchera maxima</i> Greene	Island Alumroot	PH	.		Saxifragaceae
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed	PH	(FAC-)		Asteraceae
<i>Hieracium argutum</i> Nuttall	Southern California Hawkweed	PH	.		Asteraceae
<i>Hieracium horridum</i> Fries	Shaggy or Woolly Hawkweed	PH	.		Asteraceae
<i>Hirschfeldia incana</i> (L.) Lagr.-Fossat *	Summer Mustard	PH	(FACU)		Brassicaceae
<i>Hoffmannseggia glauca</i> (Ortega) Eifert	Pig-nut, Hog Potato	S	FACU		Fabaceae
<i>Hoita macrostachya</i> (DC.) Rydb.	Leather Root, California Tea	PH	OBL		Fabaceae
<i>Hoita orbicularis</i> (Lindley) Rydb.	Round-leaved Hoita	PH	OBL		Fabaceae
<i>Holcus lanatus</i> L. *	Common Velvet Grass	PG	FAC		Poaceae
<i>Hollisteria lanata</i> S. Watson	Hollisteria	AH	.		Polygonaceae
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant	AH	.		Asteraceae
<i>Holodiscus discolor</i> (Pursh) Maxim. var. <i>discolor</i>	Oceanspray, Cream Bush	S	FACU		Rosaceae
<i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps.	Rock Spiraea	S	FACU		Rosaceae
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>	Meadow Barley	AG	FACW		Poaceae
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i> (Covas & Stebb.) v. Bothner et al.	California Barley	AG	FACW		Poaceae
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.	Low Barley	AG	FACW		Poaceae
<i>Hordeum intercedens</i> Nevski	Vernal Barley	AG	FAC		Poaceae
<i>Hordeum jubatum</i> L. ssp. <i>jubatum</i>	Foxtail Barley	A/PG	FAC		Poaceae
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i> (Parl.) Thell. *	Mediterranean Barley	AG	FAC		Poaceae
<i>Hordeum murinum</i> ssp. <i>glaucum</i> (Steudel) Tzvelev *	Summer Barley	AG	FACU		Poaceae
<i>Hordeum murinum</i> ssp. <i>leporinum</i> (Link) Arcang. *	Hare Barley	AG	FACU		Poaceae
<i>Hordeum murinum</i> L. ssp. <i>murinum</i> *	Winter Barley	AG	FACU		Poaceae
<i>Hordeum vulgare</i> L. var. <i>vulgare</i> *	Common Barley	AG	.		Poaceae
<i>Hordeum vulgare</i> var. <i>trifurcatum</i> (Schlecht) Alefeld *	Beardless Barley	AG	.		Poaceae
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>	Wedgeleaf Horkelia	PH	.		Rosaceae
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck	Fuzzy Horkelia	PH	.		Rosaceae
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia	PH	(FACU)		Rosaceae
<i>Hornungia procumbens</i> (L.) Hayek	Desert Hutchinsia	AH	FAC		Brassicaceae
<i>Hosackia crassifolia</i> Bentham var. <i>crassifolia</i>	Broad-leaved Hosackia	PH	.		Fabaceae
<i>Hosackia oblongifolia</i> var. <i>cuprea</i> (E. Greene) Brouillet	Stream Trefoil	PH	OBL		Fabaceae
<i>Hosackia oblongifolia</i> Bentham var. <i>oblongifolia</i>	Narrow-leaved Hosackia, Stream Trefoil	PH	OBL		Fabaceae
<i>Hosackia stipularis</i> Bentham var. <i>stipularis</i>	Balsam Lotus	PH	.		Fabaceae
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea	A/PH	.		Asteraceae
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea	PH	.		Asteraceae
<i>Hulsea vestita</i> ssp. <i>parryi</i> (A. Gray) Wilken	Parry's Sunflower	PH	.		Asteraceae
<i>Humulus lupulus</i> L.	Hops	PH	FACU		Cannabaceae
<i>Hydrocotyle ranunculoides</i> L.f.	False-crowfoot Pennywort	PH	OBL		Araliaceae
<i>Hydrocotyle umbellata</i> L.	Marsh Pennywort	PH	OBL		Araliaceae
<i>Hydrocotyle verticillata</i> Thunb.	Marsh Pennywort	PH	OBL		Araliaceae
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter	St. John's Wort	PH	(FACW)		Clusiaceae
<i>Hypochaeris glabra</i> L.	Smooth Cat's-ear	AH	.		Asteraceae
<i>Hypochaeris radicata</i> L.	Hairy or Rough Cat's-ear	BH	.		Asteraceae
<i>Imelia carinata</i> (Schousboe) Sch. Bip. *	Painted Daisy	AH	.		Asteraceae
<i>Imperata brevifolia</i> Vasey	Satintail	PG	FAC		Poaceae
<i>Ipheion uniflorum</i> (Graham) Raf. *	Argentine Starflower	PG	.		Alliaceae
<i>Ipomoea indica</i> (Burm. f.) Merr.	Oceanblue Morning-glory	PV	FAC		Convolvulaceae
<i>Iris douglasiana</i> Herbert in W.J. Hooker and G.A.W. Arnott	Mountain Iris	PG	(FACU)		Iridaceae
<i>Iris germanica</i> L. *	Bearded Iris	PG	.		Iridaceae
<i>Iris hartwegii</i> ssp. <i>australis</i> (Parish) L.W. Lenz	Hartweg's Southern Iris	PG	FACU		Iridaceae
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris]	PG	FACW		Iridaceae
<i>Iris pseudacorus</i> L. *	Yellow Iris	PG	OBL		Iridaceae
<i>Isocoma acradenia</i> var. <i>bracteosa</i> (E. Greene) G.L. Nesom	Desert Goldenbush	S	FACU		Asteraceae
<i>Isocoma menziesii</i> (Hook. & Arn.) G. Nesom var. <i>menziesii</i>	Coastal Goldenbush	S	FAC		Asteraceae
<i>Isocoma menziesii</i> var. <i>sedoides</i> (E. Greene) G. Nesom	Coastal Goldenbush	S	FAC		Asteraceae
<i>Isocoma menziesii</i> var. <i>vernonioides</i> (Nuttall) G. Nesom	Coastal Goldenbush	S	FAC		Asteraceae
<i>Isoetes howellii</i> Engelm. var. <i>howellii</i>	Howell Quillwort	PF	OBL		Isoetaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Isoetes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer	Small Howell Quillwort	PF	OBL	Isoetaceae
<i>Isoetes nuttallii</i> A. Braun	Nuttall Quillwort	PF	OBL	Isoetaceae
<i>Isoetes orcuttii</i> A.A. Eaton	Orcutt Quillwort	PF	OBL	Isoetaceae
<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	Low Clubrush	AH	OBL	Cyperaceae
<i>Iva axillaries</i> ssp. <i>robustior</i> (Hooker) Bassett	Poverty Weed, Small-flowered Sumpweed	PH	FAC	Asteraceae
<i>Iva hayesiana</i> A. Gray	San Diego Marsh-elder	S	FACW	Asteraceae
<i>Ivesia santolinoides</i> A.Gray	Mousetail Ivesia	PH	.	Rosaceae
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed	PH	.	Rosaceae
<i>Jacaranda mimosifolia</i> D. Don *	Blue Jacaranda	T	?	Bignoniaceae
<i>Jaumea carnosa</i> (Less.) Gray	Fleshy Jaumea	PH	OBL	Asteraceae
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	Yosemite Tarplant	AH	FACU	Asteraceae
<i>Jepsonia malvifolia</i> (Greene) Small	Island Jepsonia	PH	.	Saxifragaceae
<i>Johnstonella micromeres</i> (A. Gray) Hasenstab & M.G. Simpson [<i>Cryptantha</i>	Minute-flowered Forget	AH	.	Boraginaceae
<i>Juglans californica</i> S. Watson	Southern California Black Walnut	T	FACU	Juglandaceae
<i>Juglans hindsii</i> Jepson ex R.E. Sm.*	Hinds Black Walnut	T	FAC	Juglandaceae
<i>Juglans regia</i> L. ssp. <i>regia</i> *	English Walnut	T	.	Juglandaceae
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush	PG	FACW	Juncaceae
<i>Juncus balticus</i> var. <i>ater</i> (Rydberg) Snogerup	Rocky Mountain Rush	PG	FACW	Juncaceae
<i>Juncus balticus</i> Willd. ssp. <i>balticus</i>	Baltic Rush	PG	FACW	Juncaceae
<i>Juncus balticus</i> ssp. <i>vallicola</i> Rydb.	Valley Baltic Rush	PG	FACW	Juncaceae
<i>Juncus breweri</i> Engelm.	Brewer Rush	PG	FACW	Juncaceae
<i>Juncus bryoides</i> F.J. Hermann	Moss Rush	AG	OBL	Juncaceae
<i>Juncus bufonius</i> L. var. <i>bufonius</i>	Common Toad Rush	AG	FACW	Juncaceae
<i>Juncus bufonius</i> var. <i>congestus</i> Wahlenb.	Congested Common Toad Rush	AG	FACW	Juncaceae
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Herm.	Western Toad Rush	AG	FACW	Juncaceae
<i>Juncus confusus</i> Cov.	Colorado Rush	PG	FAC	Juncaceae
<i>Juncus covillei</i> Piper	Coville's Rush	PG	FACW	Juncaceae
<i>Juncus dubius</i> Engelm.	Mariposa Rush	PG	FACW	Juncaceae
<i>Juncus effusus</i> ssp. <i>austrocalifornicus</i> H.L. Lint ex Zita	Pacific Rush	PG	FACW	Juncaceae
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	Swordleaf or Three-stamen Rush	PG	FACW	Juncaceae
<i>Juncus falcatus</i> E. Meyer var. <i>falcatus</i>	Sickleleaf Rush	PG	FACW	Juncaceae
<i>Juncus lescurii</i> Bolander	Salt or San Francisco Rush	PG	FACW	Juncaceae
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush	PG	OBL	Juncaceae
<i>Juncus macrophyllus</i> Cov.	Large-leaf Rush	PG	FACW	Juncaceae
<i>Juncus mexicanus</i> Willd. ex Schultes & Schultes.f.	Mexican Rush, Wire Grass	PG	FACW	Juncaceae
<i>Juncus nevadensis</i> S. Watson var. <i>nevadensis</i>	Sierra Rush	PG	FACW	Juncaceae
<i>Juncus occidentalis</i> (Coville) Wiegand	Western Rush	PG	FACW	Juncaceae
<i>Juncus orthophyllus</i> Cov.	Straight-leaf Rush	PG	FACW	Juncaceae
<i>Juncus oxymiris</i> Engelm.	Iris-leaved or Pointed Rush	PG	FACW	Juncaceae
<i>Juncus patens</i> E. Meyer	Spreading Rush	PG	FACW	Juncaceae
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	Brown-fruited Rush	PG	FACW	Juncaceae
<i>Juncus phaeocephalus</i> Engelm. var. <i>phaeocephalus</i>	Brown-fruited Rush	PG	FACW	Juncaceae
<i>Juncus rugulosus</i> Engelm.	Wrinkled Rush	PG	OBL	Juncaceae
<i>Juncus textilis</i> Buchenau	Indian or Basket Rush	PG	FACW	Juncaceae
<i>Juncus tiehmii</i> Ertter	Nevada Rush	PG	FACW	Juncaceae
<i>Juncus torreyi</i> Coville	Torrey's Rush	PG	FACW	Juncaceae
<i>Juncus triformis</i> Engelm.	Yosemite Dwarf Rush	AG	FACW	Juncaceae
<i>Juncus xiphioides</i> E. Meyer	Iris-leaved Rush	PG	OBL	Juncaceae
<i>Juniperus californica</i> Carrière	California Juniper	S	.	Cupressaceae
<i>Juniperus occidentalis</i> Hook.	Western Juniper	T	.	Cupressaceae
<i>Keckiella breviflora</i> (Lindley) I.M. Johnston var. <i>breviflora</i>	Stubflower Penstemon, Gaping Beardtongue	S	.	Plantaginaceae
<i>Keckiella breviflora</i> var. <i>glabrisepala</i> (D.D. Keck) N.H. Holmgren	Naked Stubflower Penstemon, Gaping	S	.	Plantaginaceae
<i>Keckiella cordifolia</i> (Benth) I.M. Johnston	Heart-leaved Bush Penstemon	S	.	Plantaginaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i> (Munz & Johnston) N. Holmgren	Blue-stemmed Bush Penstemon	S	.	Plantaginaceae
<i>Kickxia elatine</i> (L.) Dumort. *	Arrowleaf Fluellin	AH	UPL	Plantaginaceae
<i>Kickxia spuria</i> (L.) Dumort. *	Fluellin	AH	.	Plantaginaceae
<i>Kniphofia uvaria</i> (L.) Oken *	Red Hot Poker	S	.	Asphodelaceae
<i>Kochia scoparia</i> (L.) Schrader *	Common Kochia	AH	.	Chenopodiaceae
<i>Koeleria macrantha</i> (Ledeb.) J.A. Schultes	Junegrass	PG	.	Poaceae
<i>Koeleria paniculata</i> Laxm. var. <i>paniculata</i> *	Goldenrain Tree	T	.	Sapindaceae
<i>Krascheninnikovia lanata</i> (Pursh) A.D.J. Meeuse & Smit	Winter Fat	S	.	Chenopodiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Lactuca ludoviciana</i> (Nuttall) DC. *	Wild Lettuce	BH	FAC		Asteraceae
<i>Lactuca saligna</i> L. *	Willow Lettuce	BH	UPL		Asteraceae
<i>Lactuca sativa</i> L. *	Lettuce	AH	(FAC)		Asteraceae
<i>Lactuca serriola</i> L. *	Prickly Wild Lettuce	AH	FACU		Asteraceae
<i>Laënmecia coulteri</i> (A. Gray) G.L. Nesom	Coulter Horseweed	AH	FAC		Asteraceae
<i>Lagophylla ramosissima</i> Nutt. ssp. <i>ramosissima</i>	Branched Lagophylla, Common Hareleaf	AH	.		Asteraceae
<i>Lamarckia aurea</i> (L.) Moench *	Goldentop	AG	FACU		Poaceae
<i>Lamium amplexicaule</i> L. *	Henbit, Dead Nettle	AH	.		Lamiaceae
<i>Lampranthus aurantiacus</i> (DC.) Schwantes *	Trailing Ice Plant	S	.		Aizoaceae
<i>Landoltia punctata</i> (G. Mey.) Les & D.J. Crawford	Dotted Duckmeat	AG	OBL		Araceae
<i>Lastarriaea coriacea</i> (Goodman) Hoover	Lastarriaea	AH	.		Polygonaceae
<i>Lasthenia californica</i> Lindley ssp. <i>californica</i>	California Goldfields	AH	FACU		Asteraceae
<i>Lasthenia coronaria</i> (Nutt.) Ornduff	Crown-pappus Goldfields	AH	.		Asteraceae
<i>Lasthenia ferrisiae</i> Ornduff	Ferris Goldfields	AH	OBL		Asteraceae
<i>Lasthenia fremontii</i> (A. Gray) E. Greene	Fremont Goldfields	AH	OBL		Asteraceae
<i>Lasthenia glaberrima</i> A. DC.	Rayless or Smooth Goldfields	AH	OBL		Asteraceae
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i> (Gray) Ornduff	Rayless Goldfields	AH	OBL		Asteraceae
<i>Lasthenia gracilis</i> (DC.) Greene	Common Goldfields	AH	(FACU)		Asteraceae
<i>Lasthenia microglossa</i> (A. DC.) E. Greene	Small-rayed Goldfields	AH	.		Asteraceae
<i>Lathyrus latifolius</i> L. *	Perennial Sweet Pea	PV	.		Fabaceae
<i>Lathyrus odoratus</i> L. *	Sweet Pea	AV	.		Fabaceae
<i>Lathyrus tingitanus</i> L. *	Tangier Pea	AV	.		Fabaceae
<i>Lathyrus vestitus</i> ssp. <i>alefeldii</i> (T.G. White) Broich	Alefeld's Pacific Peavine	PV	.		Fabaceae
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> (S. Watson) C. Hitchc.	White-petaled Pacific Peavine	PV	.		Fabaceae
<i>Lathyrus vestitus</i> ssp. <i>laetiflorus</i> (Greene) Broich	Pacific Peavine	PV	.		Fabaceae
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Naked-pod Pacific Peavine	PV	.		Fabaceae
<i>Lathyrus vestitus</i> Nuttall ssp. <i>vestitus</i>	Pacific Peavine	PV	.		Fabaceae
<i>Layia glandulosa</i> (Hook.) Hook. & Arn. ssp. <i>glandulosa</i>	White Layia	AH	.		Asteraceae
<i>Layia glandulosa</i> ssp. <i>lutea</i> Keck	Yellow Layia	AH	.		Asteraceae
<i>Layia heterotricha</i> (DC.) Hooker & Arnott	Pale-yellow Layia	AH	FAC		Asteraceae
<i>Layia hieracioides</i> (DC.) Hooker & Arnott	Tall Layia	AH	.		Asteraceae
<i>Layia leucopappa</i> D.D. Keck	Comanche Point Layia	AH	.		Asteraceae
<i>Layia pentachaeta</i> ssp. <i>albida</i> Keck	White Tidy Tips	AH	.		Asteraceae
<i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray	Tidy Tips	AH	.		Asteraceae
<i>Lemna aequinoctialis</i> Welw.	Lesser Duckweed	AG	OBL		Araceae
<i>Lemna gibba</i> L.	Gibbose Duckweed	AG	OBL		Araceae
<i>Lemna minor</i> L.	Duckweed	AG	OBL		Araceae
<i>Lemna minuta</i> Kunth	Tiny Duckweed	AG	OBL		Araceae
<i>Lemna turionifera</i> Landolt	Duckweed	AG	OBL		Araceae
<i>Lemna valdiviana</i> Philippi	Big Duckweed	AG	OBL		Araceae
<i>Leontodon taraxacoides</i> Vill. ssp. <i>taraxacoides</i> *	Hairy Hawkbit	AG	(FACU)		Asteraceae
<i>Lepechinia calycina</i> (Bentham) Epling	Pitcher Sage	S	.		Lamiaceae
<i>Lepechinia fragrans</i> (E. Greene) Epling	Fragrant Pitcher Sage	S	.		Lamiaceae
<i>Lepechinia rossii</i> S. Boyd & O. Mistretta	Ross' Pitcher Sage	S	.		Lamiaceae
<i>Lepidium appelianum</i> Al-Shehbaz [<i>Cardaria pubescens</i>] *	White-top	PH	UPL		Brassicaceae
<i>Lepidium campestre</i> (L.) R.Br. *	Peppergrass	A/BH	.		Brassicaceae
<i>Lepidium chalepense</i> L. *	Lens-podded Hoary Cress	PH	?		Brassicaceae
<i>Lepidium densiflorum</i> Schrad.	Dense-flowered Peppergrass	A/BH	?		Brassicaceae
<i>Lepidium dictyotum</i> A. Gray	Veiny Peppergrass	AH	FAC		Brassicaceae
<i>Lepidium didymum</i> L. *	Wart Cress	AH	.		Brassicaceae
<i>Lepidium draba</i> L. *	Heart-podded Hoary Cress	PH	(FACU)		Brassicaceae
<i>Lepidium lasiocarpum</i> Nutt. var. <i>lasiocarpum</i>	Hairy-pod Peppergrass	AH	.		Brassicaceae
<i>Lepidium latifolium</i> L. *	Broadleaf Peppergrass	PH	FAC		Brassicaceae
<i>Lepidium nitidum</i> Torrey & A. Gray	Common Peppergrass	AH	FAC		Brassicaceae
<i>Lepidium oblongum</i> Small	<u>Oblong Peppergrass</u>	AH	.		Brassicaceae
<i>Lepidium perfoliatum</i> L. *	Clasping Peppergrass	BH	FACU		Brassicaceae
<i>Lepidium pinnatifidum</i> Ledebour *	Featherleaf Peppergrass	AH	.		Brassicaceae
<i>Lepidium strictum</i> (S. Watson) Rattan	Prostrate Peppergrass	AH	.		Brassicaceae
<i>Lepidium virginicum</i> var. <i>menziesii</i> (de Candolle) Thell.	Hairy Poorman's Peppergrass	AH	FACU		Brassicaceae
<i>Lepidium virginicum</i> var. <i>robinsonii</i> (Thell.) C.L. Hitchc.	Robinson's Poorman's Peppergrass	AH	FACU		Brassicaceae
<i>Lepidospartum squamatum</i> (A. Gray) A. Gray	Scalebroom	S	FACU		Asteraceae
<i>Leptochloa fusca</i> ssp. <i>fascicularis</i> (Lam.) N. Snow	Bearded Sprangletop	AG	(OBL)		Poaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Leptochloa fusca</i> ssp. <i>uninervia</i> (J. Presl) N. Snow	Mexican Sprangletop	PG	(FACW)	Poaceae
<i>Leptosiphon androsaceus</i> Benth	Baby Tears	AH	.	Polemoniaceae
<i>Leptosiphon aureus</i> (Nuttall) E. Greene ssp. <i>aureus</i>	Desert Gold	AH	.	Polemoniaceae
<i>Leptosiphon bicolor</i> Nuttall	Bicolored Linanthus	AH	.	Polemoniaceae
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	Short-stemmed Linanthus	AH	.	Polemoniaceae
<i>Leptosiphon ciliatus</i> (Benth.) Jepson	Whisker Brush	AH	.	Polemoniaceae
<i>Leptosiphon liniflorus</i> (Benth.) J.M. Porter & L.A. Johnson	Linanthus	AH	.	Polemoniaceae
<i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson	Tehachapi Linanthus	AH	.	Polemoniaceae
<i>Leptosiphon parviflorus</i> Benth	Yellow Linanthus	AH	.	Polemoniaceae
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson	Continental Pygmy Linanthus	AH	.	Polemoniaceae
<i>Leptospermum laevigatum</i> (Sol. ex Gaertn.) F. Muell. *	Australian Tea Tree	S/T	.	Myrtaceae
<i>Leptosyne bigelovii</i> (A.Gray) A.Gray	Bigelow Coreopsis	AH	.	Asteraceae
<i>Leptosyne californica</i> Nutt.	California Coreopsis	AH	.	Asteraceae
<i>Leptosyne calliopsidea</i> (DC.) A.Gray	Leafy-stemmed Coreopsis	AH	.	Asteraceae
<i>Leptosyne gigantea</i> Kellogg	Giant Coreopsis	S	.	Asteraceae
<i>Lessingia glandulifera</i> A. Gray var. <i>glandulifera</i>	Sticky or San Francisco or Valley Lessingia	AH	.	Asteraceae
<i>Lessingia glandulifera</i> var. <i>peirsonii</i> (J.T. Howell) Markos	Peirson Lessingia	AH	.	Asteraceae
<i>Lessingia leptoclada</i> A. Gray	Sierra Lessingia	AH	.	Asteraceae
<i>Lessingia nemaclada</i> Greene	Slenderstem Lessingia	AH	.	Asteraceae
<i>Lessingia pectinata</i> var. <i>tenuipes</i> (J.T. Howell) Markos	Sticky Lessingia	AH	.	Asteraceae
<i>Lessingia tenuis</i> (Gray) Cov.	Tenuous Lessingia	AH	.	Asteraceae
<i>Leucanthemum maximum</i> (Ramond) DC. *	White-flower Daisy	PH	.	Asteraceae
<i>Leucanthemum vulgare</i> Lam. *	Ox-eye Daisy, Whiteweed	PH	.	Asteraceae
<i>Leucojum vernum</i> L. *	Spring Snowflakes	PG	.	Amaryllidaceae
<i>Lewisia nevadensis</i> (A. Gray) Robinson	Sierra Nevada Bitterroot	PH	(FAC)	Montiaceae
<i>Lewisia pygmaea</i> (A. Gray) Robinson	Pygmy Bitterroot	PH	FACU	Montiaceae
<i>Lewisia rediviva</i> ssp. <i>minor</i> (Rydb.) Munz	Small Bitterroot	PH	.	Montiaceae
<i>Ligustrum lucidum</i> W.T. Aiton f. *	Glossy Privet	S	.	Oleaceae
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	Ocellated Humboldt Lily	PH	.	Liliaceae
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i>	Leopard Lily	PH	FACW	Liliaceae
<i>Limonium arborescens</i> Kuntze *	Sea Lavender	PH	(FAC)	Plumbaginaceae
<i>Limonium californicum</i> (Boiss.) A.A. Heller	Marsh Rosemary	PH	FACW	Plumbaginaceae
<i>Limonium otolepis</i> (Schrenk) Kuntze *	Saltmarsh Sea Lavender	PH	.	Plumbaginaceae
<i>Limonium perezii</i> (Stapf) F.T. Hubbard *	Perez's Sea Lavender	PH	.	Plumbaginaceae
<i>Limonium sinuatum</i> (L.) Mill. *	Wavyleaf Sea Lavender	PH	FACW	Plumbaginaceae
<i>Limosella acaulis</i> Sesse & Mocino	Tufted Mudwort	AH	OBL	Plantaginaceae
<i>Limosella aquatica</i> L.	Mudwort	AH	OBL	Plantaginaceae
<i>Linanthus bigelovii</i> (Gray) Greene	Bigelow Linanthus	AH	.	Polemoniaceae
<i>Linanthus californicus</i> (Hook. & Arn.) J.M. Porter & L.A. Johnson	Prickly Phlox	S	.	Polemoniaceae
<i>Linanthus dianthiflorus</i> (Benth.) Greene	Ground Pink	AH	.	Polemoniaceae
<i>Linanthus dichotomus</i> Benth.	Evening Snow	AH	.	Polemoniaceae
<i>Linanthus parryae</i> (Gray) Greene	Parry Linanthus	AH	.	Polemoniaceae
<i>Linanthus pungens</i> (Torr.) J.M. Porter & L.A. Johnson	Granite Prickly Phlox	S	.	Polemoniaceae
<i>Linaria bipartita</i> (Vent.) Willd. *	Toadflax	AH	.	Plantaginaceae
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i>	Toadflax	AH	.	Plantaginaceae
<i>Linaria dalmatica</i> (L.) Mill. ssp. <i>dalmatica</i> *	Dalmatian Toadflax	PH	.	Plantaginaceae
<i>Linaria maroccana</i> Hook. f. *	Moroccan Toadflax	AH	.	Plantaginaceae
<i>Linaria purpurea</i> (L.) Mill. *	Purple Toadflax	PH	.	Plantaginaceae
<i>Linum grandiflorum</i> Desf. *	Large-flowered Flax	AH	.	Linaceae
<i>Linum lewisii</i> Pursh	Western Blue Flax	PH	.	Linaceae
<i>Linum usitatissimum</i> L. *	Common Linen Flax	AH	.	Linaceae
<i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker	Tiny Lipocarpha	AG	FACW	Cyperaceae
<i>Lithophragma affine</i> Gray	Woodland Star	PH	.	Saxifragaceae
<i>Lithophragma bolanderi</i> Gray	Bolander Star	PH	.	Saxifragaceae
<i>Lithophragma cymbalaria</i> T. & G.	Mission Star	PH	.	Saxifragaceae
<i>Lithophragma glabrum</i> Nutt.	Smooth Star	PH	.	Saxifragaceae
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	Hill Star	PH	.	Saxifragaceae
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	Prairie Star	PH	.	Saxifragaceae
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	Dunn Lobelia	PH	(OBL)	Lobeliaceae
<i>Lobularia maritima</i> (L.) Desv. *	Sweet Alyssum	PH	.	Brassicaceae
<i>Loeflingia squarrosa</i> Nuttall var. <i>squarrosa</i>	California Loeflingia	AH	.	Caryophyllaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Loeseliastrum schottii</i> S. Timbrook	Schott Loeseliastrum	AH	.		Polemoniaceae
<i>Logfia arizonica</i> (A. Gray) Holub	Arizona Cottonseed	AH	.		Asteraceae
<i>Logfia depressa</i> (A.Gray) Holub	Low Berberia Impia	AH	.		Asteraceae
<i>Logfia filaginoides</i> (Hook. & Arn.) Morefield	California Filago	AH	.		Asteraceae
<i>Logfia gallica</i> (L.) Coss. & Germ. *	Woolly Filago	AH	.		Asteraceae
<i>Lolium multiflorum</i> Lam. *	Italian Ryegrass	AG	FAC		Poaceae
<i>Lolium perenne</i> L. *	Perennial Ryegrass	PG	FAC		Poaceae
<i>Lolium rigidum</i> Gaudin ssp. <i>rigidum</i> *	Wimmera Ryegrass	AG	.		Poaceae
<i>Lolium temulentum</i> L. *	Darnel	PG	(FAC)		Poaceae
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium	PH	.		Apiaceae
<i>Lomatium caruifolium</i> (H.& A.) J.M. Coult. & Rose var. <i>caruifolium</i>	Alkali Desertparsley	PH	.		Apiaceae
<i>Lomatium dasycarpum</i> (T. & G.) Coulter & Rose ssp. <i>dasycarpum</i>	Hairy Wing-fruit	PH	.		Apiaceae
<i>Lomatium dissectum</i> var. <i>multifidum</i> (T& G.) Mathias & Consance	Carrotleaf Biscuitroot	PH	.		Apiaceae
<i>Lomatium insulare</i> (Eastw.) Munz	San Nicolas Island Lomatium	PH	.		Apiaceae
<i>Lomatium lucidum</i> (T. & G.) Jeps.	Shiny Lomatium	PH	.		Apiaceae
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium	PH	.		Apiaceae
<i>Lomatium mohavense</i> (Coulter. & Rose) Coult. & Rose ssp. <i>mohavense</i>	Desert-parsley	PH	.		Apiaceae
<i>Lomatium nevadense</i> var. <i>parishii</i> (J.M. Coult.) Jeps.	Parish's Lomatium	PH	.		Apiaceae
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	Small-leaved Lomatium	PH	.		Apiaceae
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium	PH	.		Apiaceae
<i>Lomatium vaginatum</i> J.M. Coult. & Rose	Broadsheath Lomatium	PH	.		Apiaceae
<i>Lonicera hispidula</i> Benth.	California Honeysuckle	S	FACU		Caprifoliaceae
<i>Lonicera interrupta</i> Benth.	Chaparral Honeysuckle	S	.		Caprifoliaceae
<i>Lonicera interrupta</i> Benth. X <i>Lonicera hispidula</i> var. <i>vacillans</i> Gray	Chaparral Honeysuckle hybrid	S	.		Caprifoliaceae
<i>Lonicera japonica</i> Thunb. *	Japanese Honeysuckle	S	FACU		Caprifoliaceae
<i>Lonicera subspicata</i> var. <i>denudata</i> Rehder	Southern or San Diego Honeysuckle	S	.		Caprifoliaceae
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	Santa Ynez Mountains Honeysuckle	S	.		Caprifoliaceae
<i>Lotus corniculatus</i> L. *	Birdsfoot Trefoil	PH	FAC		Fabaceae
<i>Lotus tenuis</i> Waldst. & Kit. *	Narrowleaf Trefoil	AH	FACU		Fabaceae
<i>Lotus uliginosus</i> Schkuhr *	Marsh Lotus, Big Trefoil	PH	FACU		Fabaceae
<i>Ludwigia grandiflora</i> (Michx.) Greuter & Burdet ssp. <i>grandiflora</i> *	Large-flowered Primrose-willow	PH	OBL		Onagraceae
<i>Ludwigia hexapetala</i> (Camb.) Hara *	Uruguay Water Primrose	PH	OBL		Onagraceae
<i>Ludwigia palustris</i> (L.) Elliot	Streamside Water Primrose	PH	OBL		Onagraceae
<i>Ludwigia peploides</i> (Kunth) Raven ssp. <i>peploides</i> *	Floating Seedbox	PH	OBL		Onagraceae
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	Silky Lupine	PH	.		Fabaceae
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	Wavyleaf Silky Lupine	PH	.		Fabaceae
<i>Lupinus agardhianus</i> Heller	Agardh's Lupine	PH	.		Fabaceae
<i>Lupinus albicaulis</i> Hooker	Whitestem Lupine	PH	.		Fabaceae
<i>Lupinus albifrons</i> Benth. var. <i>albifrons</i>	Silver Bush Lupine	S	.		Fabaceae
<i>Lupinus albifrons</i> var. <i>austromontanus</i> (A.A. Heller) Jeps.	Southern Mountain Bush Lupine	S	.		Fabaceae
<i>Lupinus albifrons</i> var. <i>collinus</i> E. Greene	Dwarf Silver Bush Lupine	S	.		Fabaceae
<i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith	Island Silver Bush Lupine	S	.		Fabaceae
<i>Lupinus albifrons</i> var. <i>hallii</i> (Abrams) Jeps.	Hall Bush Lupine	S	.		Fabaceae
<i>Lupinus albifrons</i> var. <i>johnstonii</i> (C.P. Smith) Jeps.	Johnston Bush Lupine	S	.		Fabaceae
<i>Lupinus andersonii</i> S. Watson	Anderson Lupine	PH	.		Fabaceae
<i>Lupinus arboreus</i> Sims var. <i>arboreus</i>	Yellow Bush Lupine	S	.		Fabaceae
<i>Lupinus arbustus</i> Douglas	Spur Lupine	PH	.		Fabaceae
<i>Lupinus benthamii</i> Heller var. <i>benthamii</i>	Spider Lupine	AH	.		Fabaceae
<i>Lupinus bicolor</i> Lindley	Bicolored or Miniature Lupine	AH	.		Fabaceae
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine	PH	.		Fabaceae
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	Alpine Brewer Lupine	PH	.		Fabaceae
<i>Lupinus chamissonis</i> Eschsch.	Coastal Bush Lupine	S	.		Fabaceae
<i>Lupinus concinnus</i> J. Agardh spp. <i>concinnus</i>	Bajada Lupine	AH	.		Fabaceae
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	Bajada Lupine	AH	.		Fabaceae
<i>Lupinus concinnus</i> spp. <i>orcutti</i> (S. Watson) D. Dunn	Orcutt Bajada Lupine	AH	.		Fabaceae
<i>Lupinus elatus</i> L.M. Johnston	Johnston Silky Lupine	PH	.		Fabaceae
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	Grape Soda Lupine	S	.		Fabaceae
<i>Lupinus formosus</i> Greene var. <i>formosus</i>	Summer Bush Lupine	PH	.		Fabaceae
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine	PH	.		Fabaceae
<i>Lupinus grayi</i> S. Watson	Gray's Lupine	PH	.		Fabaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status	Indicator	
<i>Lupinus hirsutissimus</i> Benth	Nettle or Stinging Lupine	AH	.	.	Fabaceae
<i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i>	Broad-leaved Lupine	PH	FACW	.	Fabaceae
<i>Lupinus latifolius</i> var. <i>parishii</i> C.P. Smith	Parish Broad-leaved Lupine	PH	FACW	.	Fabaceae
<i>Lupinus lepidus</i> var. <i>confertus</i> (Kellogg) C.P. Smith	Prairie Lupine	PH	.	.	Fabaceae
<i>Lupinus longifolius</i> (S. Watson) Abrams	Long-leaved Bush Lupine	S	.	.	Fabaceae
<i>Lupinus luteolus</i> Kellogg	Butter Lupine	AH	.	.	Fabaceae
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine	AH	.	.	Fabaceae
<i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps.	Prostrate Red-flowered Lupine	AH	.	.	Fabaceae
<i>Lupinus microcarpus</i> Sims var. <i>microcarpus</i>	Red-flowered Lupine	AH	.	.	Fabaceae
<i>Lupinus nanus</i> Benth.	Small Lupine	AH	.	.	Fabaceae
<i>Lupinus paynei</i> Davidson	Payne's Bush Lupine	S	.	.	Fabaceae
<i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc.	Burke's Large-leaved Lupine	PH	FAC	.	Fabaceae
<i>Lupinus sparsiflorus</i> Benth. ssp. <i>sparsiflorus</i>	Few-flowered or Loose-flowered Lupine	AH	.	.	Fabaceae
<i>Lupinus succulentus</i> Douglas	Fleshy Lupine	AH	.	.	Fabaceae
<i>Lupinus truncatus</i> Nuttall	Truncate-leaved Lupine	AH	.	.	Fabaceae
<i>Luzula comosa</i> E. Meyer	Wood Rush	PG	FAC	.	Juncaceae
<i>Luzula subsessilis</i> (S. Watson) Buchenau	Wood Rush	PG	.	.	Juncaceae
<i>Lycium andersonii</i> Gray	Anderson Desert-thorn	S	.	.	Solanaceae
<i>Lycium barbarum</i> L.	Matrimony Vine	S	.	.	Solanaceae
<i>Lycium californicum</i> Nuttall ex Gray	California Desert-thorn	S	.	.	Solanaceae
<i>Lycium chinense</i> Mill. *	Chinese Desert-thorn	S	.	.	Solanaceae
<i>Lycium verrucosum</i> Eastwood	San Nicolas Island Desert-thorn	S	.	.	Solanaceae
<i>Lycopersicon esculentum</i> P. Mill. *	Cherry Tomato	AH	.	.	Solanaceae
<i>Lyonothamnus floribundus</i> A. Gray ssp. <i>floribundus</i> *	Santa Catalina Island Ironwood	T	.	.	Rosaceae
<i>Lyonothamnus floribundus</i> ssp. <i>aspleniifolius</i> (Greene) P.H. Raven*	Santa Cruz Island Ironwood	T	.	.	Rosaceae
<i>Lysimachia</i> [<i>Anagallis</i>] <i>arvensis</i> (L.) U. Manns & Anderb. *	Scarlet Pimpernel	AH	FAC	.	Myrsinaceae
<i>Lysimachia</i> [<i>Anagallis</i>] <i>minima</i> (L.) U. Manns & Anderb. *	Chaffweed	AH	FACW	.	Myrsinaceae
<i>Lysimachia</i> [<i>Anagallis</i>] <i>monelli</i> (L.) U. Manns & Anderb. *	Flaxleaf Pimpernel	PH	.	.	Myrsinaceae
<i>Lythrum californicum</i> T. & G.	California Loosestrife	PH	OBL	.	Lythraceae
<i>Lythrum hyssopifolia</i> L. *	Hyssop Loosestrife	AH	OBL	.	Lythraceae
<i>Maclura pomifera</i> (Raf.) C.K. Schneld. *	Osage Orange	T	OBL	.	Moraceae
<i>Madia elegans</i> D. Don ssp. <i>elegans</i>	Common Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck	Dense-flowered Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	Vernal Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck	Wheeler Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia exigua</i> (Smith) A. Gray	Small or Threadstem Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia gracilis</i> (Smith) Keck	Slender Tarplant or Madia	AH	.	.	Asteraceae
<i>Madia sativa</i> Molina	Coast Tarplant	AH	.	.	Asteraceae
<i>Maianthemum racemosum</i> [ssp. <i>amplexicaule</i> (Nutt.) LaFrankie]	False Solomon's Seal, Wild Lily of the	PG	FAC	.	Ruscaceae
<i>Maianthemum stellatum</i> (L.) Link	False Solomon's Seal, Wild Lily of the	PG	FACU	.	Ruscaceae
<i>Malacothamnus davidsonii</i> (B.L. Rob.) Greene	Davidson's Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus fasciculatus</i> (Nutt.ex T.& G.) Greene var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	Lax-flowered Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus fasciculatus</i> var. <i>nuttallii</i> (Abrams) Kearney	Nuttall Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	Fremont Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus marruboides</i> (D. & H.) Greene	Pink-flowered Bushmallow	S	.	.	Malvaceae
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow	S	.	.	Malvaceae
<i>Malacothrix californica</i> DC. var. <i>californica</i>	California Cliff-aster	PH	.	.	Asteraceae
<i>Malacothrix clevelandii</i> Gray	Cleveland Cliff-aster	AH	.	.	Asteraceae
<i>Malacothrix coulteri</i> Gray	Snake-head	AH	.	.	Asteraceae
<i>Malacothrix floccifera</i> (DC.) Blake	Woolly or Flobose Dandelion	AH	.	.	Asteraceae
<i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i>	Leafy Cliff-aster	AH	.	.	Asteraceae
<i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis	Leafy Cliff-aster	AH	.	.	Asteraceae
<i>Malacothrix foliosa</i> ssp. <i>polycephala</i> W.S. David	Many-headed Leafy Cliff-aster	AH	.	.	Asteraceae
<i>Malacothrix glabrata</i> A. Gray	Desert Dandelion	AH	.	.	Asteraceae
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray	Dunedelion	PH	.	.	Asteraceae
<i>Malacothrix junakii</i> W.S. Davis	Junak Dandelion	AH	.	.	Asteraceae
<i>Malacothrix phaeocarpa</i> W.S. Davis	Brown-fruited Dandelion	AH	.	.	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris	Cliff-aster	PH	.	.	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster	PH	.	.	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall	Implicated Cliff-aster	PH	.	.	Asteraceae
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>	California Cliff-aster	PH	.	.	Asteraceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i> (Nutt.) Gray	Tenuated Cliff-aster	PH	.		Asteraceae
<i>Malacothrix similis</i> W.S. Davis & P.H. Raven	Mexican Cliff-aster	AH	.		Asteraceae
<i>Malacothrix squalida</i> Greene	<u>Island Dandelion</u>	AH	.		Asteraceae
<i>Malephora crocea</i> (Jacq.) Schwantes *	Croceum Iceplant	S	.		Aizoaceae
<i>Malephora luteola</i> (Haw.) Schwantes *	Rocky Point Ice Plant	S	.		Aizoaceae
<i>Malosma laurina</i> Nuttall ex Abrams	Laurelleaf Sumac	S	.		Anacardiaceae
<i>Malus pumila</i> Mill. *	Apple	T	.		Rosaceae
<i>Malva arborea</i> (L.) Webb & Berthel. *	Tree Mallow	S	.		Malvaceae
<i>Malva</i> [<i>Lavatera</i>] <i>assurgentiflora</i> (Kellogg) M.F. Ray	Malva Rose	S	.		Malvaceae
<i>Malva neglecta</i> Wallr. *	Common Mallow, Cheeses	A/BH	.		Malvaceae
<i>Malva nicaeensis</i> All. *	Bull Mallow	A/BH	.		Malvaceae
<i>Malva parviflora</i> L. *	Cheeseweed	AH	.		Malvaceae
<i>Malva pseudolavatera</i> Webb & Berthel. *	False Tree Mallow	S	.		Malvaceae
<i>Malva sylvestris</i> L. *	High Mallow	B/PH	.		Malvaceae
<i>Malva verticillata</i> L. var. <i>crispa</i> L. *	Crisped or Curled Mallow	BH	.		Malvaceae
<i>Malvella leprosa</i> (Ortega) Krapov	Alkali-mallow, White-Weed	PH	FACU		Malvaceae
<i>Marah fabacea</i> (Naudin) Greene	California Man-root	PV	.		Cucurbitaceae
<i>Marah macrocarpus</i> (Greene) Greene var. <i>macrocarpus</i>	Large-fruited Man-root, Chilicothe	PV	.		Cucurbitaceae
<i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking	<u>Island Man-root</u>	PV	.		Cucurbitaceae
<i>Marrubium vulgare</i> L. *	White Horehound	S	FACU		Lamiaceae
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>	Hairy Pepperwort, Clover Fern	PF	OBL		Marsiaceae
<i>Matricaria discoidea</i> DC.	Pineapple Weed, Rayless Chamomile	AH	FACU		Asteraceae
<i>Matricaria occidentalis</i> E. Greene	Valley Mayweed	AH	FACW		Asteraceae
<i>Matthiola incana</i> (L.) W.T. Aiton *	Stock	PH	.		Brassicaceae
<i>Meconella denticulata</i> E. Greene	Tiny Poppy	AH	.		Papaveraceae
<i>Medicago lupulina</i> L. *	Black Medick	AH	FAC		Fabaceae
<i>Medicago minima</i> (L.) Bartal. *	Burclover	AH	.		Fabaceae
<i>Medicago polymorpha</i> L. *	Common Burclover	AH	FACU		Fabaceae
<i>Medicago praecox</i> DC. *	Burclover	PH	.		Fabaceae
<i>Medicago sativa</i> L. ssp. <i>sativa</i> *	Alfalfa	PH	UPL		Fabaceae
<i>Melaleuca armillaris</i> (Soland. ex Gaertn.) Smith *	Bracelet Honey Myrtle	S	.		Myrtaceae
<i>Melia azedarach</i> L. *	China Berry, Persian Lilac	T	UPL		Meliaceae
<i>Melica californica</i> Scribner var. <i>californica</i>	California Melic Grass	PG	.		Poaceae
<i>Melica frutescens</i> Scribner	Melic Grass	PG	.		Poaceae
<i>Melica hanfordii</i> Bol.	Hanford's Oniongrass	PG	.		Poaceae
<i>Melica imperfecta</i> Trin.	Coast Melic Grass	PG	.		Poaceae
<i>Melica stricta</i> Bolander var. <i>stricta</i>	Nodding Melic Grass	PG	.		Poaceae
<i>Melica stricta</i> var. <i>albicaulis</i> Boyle	Whitestem Melic Grass	PG	.		Poaceae
<i>Melilotus albus</i> Medikus *	White Sweetclover	A/BH	(FACU)		Fabaceae
<i>Melilotus indicus</i> (L.) All. *	Sourclover, Yellow Sweetclover	AH	FACU		Fabaceae
<i>Melilotus officinalis</i> (L.) Lam. *	Yellow Sweetclover	BH	FACU		Fabaceae
<i>Mentha aquatica</i> L.	Watermint	PH	FACW		Lamiaceae
<i>Mentha arvensis</i> L.	Field Mint	PH	FACW		Lamiaceae
<i>Mentha canadensis</i> L. *	Canada Mint	PH	.		Lamiaceae
<i>Mentha</i> × <i>gracilis</i> Sole [<i>M. arvensis</i> × <i>M. spicata</i>] *	Gingermint	PH	FACW		Lamiaceae
<i>Mentha</i> × <i>piperita</i> L. *	Peppermint	PH	FACW		Lamiaceae
<i>Mentha pulegium</i> L. *	Pennyroyal	PH	OBL		Lamiaceae
<i>Mentha Xsmithiana</i> R.A. Graham *	Redstem Mint	PH	(FACW)		Lamiaceae
<i>Mentha spicata</i> L. var. <i>spicata</i> *	Spearmint	PH	OBL		Lamiaceae
<i>Mentha suaveolens</i> Ehrh. *	Pineapple Mint	PH	FACW		Lamiaceae
<i>Mentzelia affinis</i> Greene	Orange-spotted Stickleaf	AH	.		Loasaceae
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitestem Stickleaf	AH	.		Loasaceae
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>	Congested Stickleaf	AH	.		Loasaceae
<i>Mentzelia congesta</i> var. <i>davidsoniana</i> (Abrams) J.F. Macbr.	Ventana Stickleaf	AH	.		Loasaceae
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf	AH	.		Loasaceae
<i>Mentzelia eremophila</i> (Jeps.) H.J. Thoms. & J.E. Roberts	Pinyon Blazing Star	AH	.		Loasaceae
<i>Mentzelia gracilenta</i> T. & G.	Slender Stickleaf	AH	.		Loasaceae
<i>Mentzelia laevicaulis</i> (Hooker) Torrey & Gray	Blazing Star	AH	.		Loasaceae
<i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G.	Tiny-flowered Stickleaf	AH	.		Loasaceae
<i>Mentzelia montana</i> (Davidson) Davidson ssp. <i>montana</i>	Mountain Stickleaf	AH	.		Loasaceae
<i>Mentzelia pectinata</i> Kellogg	Stickleaf	AH	.		Loasaceae
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf	AH	.		Loasaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<i>Mesembryanthemum crystallinum</i> L. *	Crystalline Iceplant	AH	FACU	Aizoaceae
<i>Mesembryanthemum nodiflorum</i> L. *	Slenderleaf Iceplant	AH	FAC	Aizoaceae
<i>Micranthes bryophora</i> (A. Gray) Brouillet & Gornall	Bud Saxifrage	PH	.	Saxifragaceae
<i>Micranthes californica</i> (Greene) Small	California Saxifrage	PH	FACW	Saxifragaceae
<i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i>	Douglas Microseris	AH	.	Asteraceae
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers	Slender Douglas Microseris	AH	.	Asteraceae
<i>Microseris elegans</i> A. Gray	Elegant Microseris	AH	.	Asteraceae
<i>Mimethanthe pilosa</i> (Benth.) Greene	Pilose or Downy Monkeyflower	AH	.	Phrymaceae
<i>Mimulus breweri</i> (E. Greene) Cov.	Brewer Monkeyflower	AH	.	Phrymaceae
<i>Mimulus flemingii</i> Munz	<u>Island Bush Monkeyflower</u>	AH	(FACU)	Phrymaceae
<i>Mimulus floribundus</i> Lindley	Floriferous Monkeyflower	AH	OBL	Phrymaceae
<i>Mimulus palmeri</i> A. Gray	Palmer Monkeyflower	AH	.	Phrymaceae
<i>Mimulus parishii</i> E. Greene	Parish's Monkeyflower	AH	FACU	Phrymaceae
<i>Mimulus primuloides</i> Benth. var. <i>primuloides</i>	Primrose Monkeyflower	PH	FACW	Phrymaceae
<i>Mimulus rubellus</i> A. Gray	Little Redstem Monkeyflower	AH	FAC	Phrymaceae
<i>Mimulus suksdorfii</i> Gray	Suksdorf Monkeyflower	AH	FACU	Phrymaceae
<i>Mirabilis jalapa</i> L. var. <i>jalapa</i> *	Four O'Clock	PH	UPL	Nyctaginaceae
<i>Mirabilis laevis</i> var. <i>crassifolia</i> A. Gray (Choisy) Spellenberg	California Wishbone Bush	PH	.	Nyctaginaceae
<i>Mirabilis laevis</i> var. <i>villosa</i> (Kellogg) Spellenberg	Hairy California Wishbone Bush	PH	.	Nyctaginaceae
<i>Mirabilis multiflora</i> var. <i>pubescens</i> S. Watson	Froebel Four O'Clock	PH	.	Nyctaginaceae
<i>Modiola caroliniana</i> (L.) G. Don. *	Wheel-Fruit Mallow	PH	FAC	Malvaceae
<i>Mollugo verticillata</i> L.	Indian Chickweed	AH	FACU	Molluginaceae
<i>Monardella australis</i> Abrams ssp. <i>australis</i>	Southern Coyote Mint	PH	.	Lamiaceae
<i>Monardella australis</i> ssp. <i>occidentalis</i> Elvin, B.A. Burgess & A.C. Sanders	Western Coyote Mint	PH	.	Lamiaceae
<i>Monardella breweri</i> Gray var. <i>breweri</i>	Brewer Coyote Mint	AH	.	Lamiaceae
<i>Monardella breweri</i> var. <i>lanceolata</i> (Gray) A.C. Sanders & Elvin	Mustang Mint	AH	.	Lamiaceae
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i>	White-veined Coyote Mint	PH	.	Lamiaceae
<i>Monardella linoidea</i> A. Gray ssp. <i>linoidea</i>	Flax-leaved Horsemint	PH	FACU	Lamiaceae
<i>Monardella linoidea</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint	PH	FACU	Lamiaceae
<i>Monardella linoidea</i> ssp. <i>stricta</i> (Parish) Epling	Flax-leaved Horsemint	PH	FACU	Lamiaceae
<i>Monardella macrantha</i> Gray ssp. <i>macrantha</i>	Coyote Mint	PH	.	Lamiaceae
<i>Monardella sinuata</i> ssp. <i>gerryi</i> Elvin, A.C. Sanders & R.A. Burgess	Gerry's Curly-leaved Monardella	AH	.	Lamiaceae
<i>Monardella villosa</i> ssp. <i>obispoensis</i> (Hoover) Jokerst	San Luis Obispo Coyote Mint	PH	.	Lamiaceae
<i>Monolepis nuttalliana</i> (Schultes) E. Greene	Nuttall Monolepis, Poverty Weed	AH	FAC	Chenopodiaceae
<i>Monolopia lanceolata</i> Nuttall	Lanceleaf Hilltop Daisy	AH	.	Asteraceae
<i>Monolopia major</i> DC.	Cupped Daisy	AH	.	Asteraceae
<i>Montia chamissoi</i> (Ledeb. Ex Spreng.) Greene	Toad-Lily	PH	OBL	Montiaceae
<i>Morella californica</i> (Chamisso & Schldt.) Wilbur	California Wax-Myrtle, Pacific Bayberry	S	FACW	Myricaceae
<i>Morus alba</i> L. *	White Mulberry	T	FACU	Moraceae
<i>Morus nigra</i> L. *	Black Mulberry	T	.	Moraceae
<i>Mucronea californica</i> Benth. var. <i>californica</i>	California Spineflower	AH	.	Polygonaceae
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i>	Perfoliate Spineflower	AH	.	Polygonaceae
<i>Muhlenbergia andina</i> (Nuttall) A. Hitchc.	Foxtail Muhly	PG	FAC	Poaceae
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi	Scratchgrass	PG	FACW	Poaceae
<i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb. var. <i>filiformis</i>	Pull-Up Muhly	AG	FACW	Poaceae
<i>Muhlenbergia microsperma</i> (DC.) Kunth	Littleseed Muhly	AG	.	Poaceae
<i>Muhlenbergia richardsonis</i> Trin.	Mat Muhly	PG	FAC	Poaceae
<i>Muhlenbergia rigens</i> (Benth.) Hitchc.	Deer Grass	PG	FAC	Poaceae
<i>Muhlenbergia utilis</i> (Torrey) A. Hitchc.	Aparejo Grass	PG	FACW	Poaceae
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla	PG	.	Themidaceae
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>cooperae</i> (D.C. Eaton) Grusz & Windham	Mrs. Cooper Lip-fern	PF	.	Pteridaceae
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>covillei</i> (Maxon) A. Löve & D. Löve	Coville Lip-fern	PF	.	Pteridaceae
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>newberryi</i> (D.C. Eaton) Gusz & Windham	Cotton Fern	PF	.	Pteridaceae
<i>Myoporum laetum</i> Forster f. *	Myoporum, Wax Myrtle	S	FACU	Myoporaceae
<i>Myosurus apetalus</i> var. <i>montanus</i> Whittemore	Petaless Mousetails	PH	OBL	Ranunculaceae
<i>Myosurus minimus</i> L.	Common Mousetails	AH	OBL	Ranunculaceae
<i>Myriophyllum aquaticum</i> (Vell. Conc.) Verdc. *	Parrot's Feather	PH	OBL	Haloragaceae
<i>Myriophyllum hippuroides</i> Torrey & A. Gray	Western Milfoil	PH	OBL	Haloragaceae
<i>Najas guadalupensis</i> (Sprengel) Magnus	Common Water-nymph, Southern Naiad	AG	OBL	Hydrocharitaceae
<i>Najas marina</i> L.	Spiny Naiad	AG	OBL	Hydrocharitaceae
<i>Nama californicum</i> (Gray) J.D. Bacon	Lemmon California Waterleaf	AH	.	Namaceae
<i>Nama demissum</i> var. <i>covillei</i> Brand	Coville's Nama	AH	.	Namaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Narcissus tazetta</i> L. *	Paper White	PG	.		Amaryllidaceae
<i>Nasturtium officinale</i> R. Br.	Water Cress	PH	OBL		Brassicaceae
<i>Navarretia atractyloides</i> (Benth.) Hook. & Arn.	Navarretia	AH	.		Polemoniaceae
<i>Navarretia capillaris</i> (Kellogg) Kuntze	Miniature or Smooth-leaved Gilia	AH	FAC		Polemoniaceae
<i>Navarretia hamata</i> E. Greene ssp. <i>hamata</i>	Skunk Navarretia	AH	.		Polemoniaceae
<i>Navarretia hamata</i> ssp. <i>leptantha</i> (Greene) H. Mason	Skunk Navarretia	AH	.		Polemoniaceae
<i>Navarretia hamata</i> ssp. <i>parviloba</i> A.G. Day	Skunk Navarretia	AH	.		Polemoniaceae
<i>Navarretia intertexta</i> (Benth.) Hook.	Needleleaf Navarretia	AH	FACW		Polemoniaceae
<i>Navarretia mellita</i> E. Greene	Sticky Navarretia	AH	FAC		Polemoniaceae
<i>Navarretia mitracarpa</i> Greene	Mitrefruit Pincushionplant	AH	.		Polemoniaceae
<i>Navarretia ojaiensis</i> Elvin, J.M. Porter & L.A. Johnson	Ojai Navarretia	AH	.		Polemoniaceae
<i>Navarretia peninsularis</i> Greene	Southern California Navarretia	AH	FAC		Polemoniaceae
<i>Navarretia pubescens</i> (Bentham) Hooker & Arnott	Hairy Navarretia	AH	.		Polemoniaceae
<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.	Downy Navarretia	AH	FACU		Polemoniaceae
<i>Nemacladus californicus</i> (A. Gray) Morin	Parishella	AH	.		Lobeliaceae
<i>Nemacladus capilaris</i> Greene	Common Nemacladus	AH	.		Lobeliaceae
<i>Nemacladus gracilis</i> Eastw.	Slender Nemacladus	AH	.		Lobeliaceae
<i>Nemacladus orientalis</i> (McVaugh) Morin	Western Sticky Nemacladus	AH	.		Lobeliaceae
<i>Nemacladus ramosissimus</i> Nuttall	Nuttall's Nemacladus	AH	.		Lobeliaceae
<i>Nemacladus secundiflorus</i> var. <i>robbinsii</i> Morin	Robbins' Nemacladus	AH	.		Lobeliaceae
<i>Nemacladus sigmoideus</i> G.T. Robbins	Thread Stem	AH	.		Lobeliaceae
<i>Nemophila menziesii</i> var. <i>integrifolia</i> Parish	Baby Blue-eyes	AH	.		Hydrophyllaceae
<i>Nemophila menziesii</i> Hook. & Arn. var. <i>menziesii</i>	Baby Blue-eyes	AH	.		Hydrophyllaceae
<i>Nemophila parviflora</i> Douglas ex Bentham var. <i>parviflora</i>	Smallflower Nemophila	AH	.		Hydrophyllaceae
<i>Nemophila parviflora</i> var. <i>quercifolia</i> (Eastw.) Chandler	Oakleaf Nemophila	AH	.		Hydrophyllaceae
<i>Nemophila pedunculata</i> Benth.	Little-foot or Meadow Baby Blue-eyes	AH	FAC		Hydrophyllaceae
<i>Nemophila pulchella</i> var. <i>fremontii</i> (A.D.E. Elmer) Constance	Fremont Baby Blue-eyes	AH	.		Hydrophyllaceae
<i>Nerium oleander</i> L. *	Oleander	S	(FACU)		Apocynaceae
<i>Nicandra physalodes</i> (L.) Gaertn. *	Apple of Peru	AH	.		Solanaceae
<i>Nicotiana acuminata</i> var. <i>multiflora</i> (Phil.) Reiche	Manyflower Tobacco	AH	.		Solanaceae
<i>Nicotiana attenuata</i> Torrey	Coyote Tobacco	AH	FACU		Solanaceae
<i>Nicotiana clevelandii</i> A. Gray	Cleveland Indian Tobacco	AH	.		Solanaceae
<i>Nicotiana glauca</i> Graham *	Tree Tobacco	S	FAC		Solanaceae
<i>Nicotiana quadrivalis</i> Pursh var. <i>quadrivalis</i>	Indian Tobacco	AH	FACU		Solanaceae
<i>Nicotiana quadrivalis</i> var. <i>wallacei</i> (Gray) Mansf.	Wallace's Indian Tobacco	AH	FACU		Solanaceae
<i>Nicotiana sylvestris</i> Speg.& Comes *	Tobacco	PH	.		Solanaceae
<i>Nolina cismontana</i> Dice	Chaparral Bear-grass	S	.		Ruscaceae
<i>Notholaena californica</i> D.C. Eaton ssp. <i>californica</i>	California Cloak Fern	PF	.		Pteridaceae
<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. <i>densiflorus</i>	Tanbark Oak	S/T	.		Fagaceae
<i>Nothoscordum gracile</i> (Drylander) Stearn	Slender False Garlic	PG	.		Alliaceae
<i>Nuttallanthus texanus</i> (Scheele) D.A. Sutton	Toadflax	AH	.		Plantaginaceae
<i>Oenothera biennis</i> L. *	Common Evening-primrose	BH	FACU		Onagraceae
<i>Oenothera californica</i> (S. Watson) S. Watson ssp. <i>californica</i>	California Evening-primrose	PH	.		Onagraceae
<i>Oenothera deltoides</i> ssp. <i>cognata</i> (Jepson) Klein	Devil's Lantern, Lion-in-a-Cage	AH	.		Onagraceae
<i>Oenothera elata</i> ssp. <i>hirsutissima</i> (Gray) W. Dietr.	Great Marsh Evening-primrose	BH	FACW		Onagraceae
<i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr.	Hooker Coast Evening-primrose	BH	FACW		Onagraceae
<i>Oenothera glazionviana</i> Micheli *	Redsepal Evening-primrose	BH	(FACW)		Onagraceae
<i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz	Longstem Evening-primrose	PH	OBL		Onagraceae
<i>Oenothera rosea</i> L'Her.	Rose Evening-primrose	PH	FACW		Onagraceae
<i>Oenothera sinuosa</i> (Ser.) W.L. Wagner & Hoch [<i>Gaura sinuata</i> Ser.] *	Wavy-leaved Gaura	PH	.		Onagraceae
<i>Oenothera speciosa</i> Nuttall *	Common Evening-primrose	PH	.		Onagraceae
<i>Oenothera suffrutescens</i> (Ser.) W.L. Wagner & Hoch [<i>Gaura coccinea</i> Pursh]	Wild Honeysuckle, Linda Tarde	PH	.		Onagraceae
<i>Oenothera xenogaura</i> W.L. Wagner & Hoch [<i>Gaura drummondii</i> (Spach)]	Drummond Gaura	PH	.		Onagraceae
<i>Olea europaea</i> L. *	European Olive	T	.		Oleaceae
<i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr.	Narrowleaf Oligomeris	AH	.		Resedaceae
<i>Onopordum acanthium</i> L. ssp. <i>acanthium</i> *	Scotch Thistle	BH	.		Asteraceae
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i>	Beavertail Cactus	S	.		Cactaceae
<i>Opuntia ficus-indica</i> (L.) Miller *	Indian Fig	S	.		Cactaceae
<i>Opuntia littoralis</i> (Engelm.) Cockerell	Coastal Prickly Pear	S	.		Cactaceae
<i>Opuntia littoralis</i> (Engelm.) Cockerell X <i>O. oricola</i> Philbr.	<u>Coastal-Round-pad Prickly Pear Hybrid</u>	S	.		Cactaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Opuntia microdasys</i> ssp. <i>rufida</i> (Engelm.) U. Guzman & Mandujano*	Cinnamon Bunney Ears	S	.		Cactaceae
<i>Opuntia oricola</i> Philbr.	Round-pad Prickly Pear	S	.		Cactaceae
<i>Opuntia phaeacantha</i> Engelm.	Engelmann Prickly Pear	S	.		Cactaceae
<i>Opuntia stricta</i> (Haw.) Haw. *	Erect Pricklypear Cactus	S	.		Cactaceae
<i>Opuntia Xoccidentalis</i> Engelm. & Bigelow	Western Pricklypear Cactus	S	.		Cactaceae
<i>Opuntia Xvaseyi</i> (J. Coulter) Britton & Rose (<i>O. littoralis</i> X <i>phaeacantha</i>)	Mesa Prickly Pear	S	.		Cactaceae
<i>Orcuttia californica</i> Vasey	California Orcutt Grass	AG	OBL		Poaceae
<i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) Ietsw. *	Oregano	PH	.		Lamiaceae
<i>Orobanche bulbosa</i> (Gray) G. Beck	Chamise Broom-rape	PH	.		Orobanchaceae
<i>Orobanche ramosa</i> L. *	Branched Broomrape	PH	.		Orobanchaceae
<i>Orthocarpus linearilobus</i> Benth	Pallid Owl's Clover	AH	.		Orobanchaceae
<i>Oryza sativa</i> L. *	Rice	AG	OBL		Poaceae
<i>Osmadenia tenella</i> Nuttall	Osmadenia	AH	.		Asteraceae
<i>Osmorhiza brachypoda</i> Torrey	Sweet Cicely	PH	.		Apiaceae
<i>Osmorhiza berteroi</i> DC.	Mountain Sweetroot	PH	.		Apiaceae
<i>Oxalis albicans</i> Kunth ssp. <i>albicans</i>	Radishroot Woodsorrel	PH	.		Oxalidaceae
<i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten	California White Wood Sorrel	PH	.		Oxalidaceae
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel	PH	.		Oxalidaceae
<i>Oxalis corniculata</i> L. *	Creeping Wood Sorrel	PH	FACU		Oxalidaceae
<i>Oxalis crassipes</i> Urb. *	Pink Wood Sorrel or Oxalis	PH	.		Oxalidaceae
<i>Oxalis incarnata</i> L. *	Crimson Wood Sorrel	PH	.		Oxalidaceae
<i>Oxalis latifolia</i> Kunth *	Broadleaf Woodsorrel	PH	.		Oxalidaceae
<i>Oxalis pes-caprae</i> L. *	Bermuda Buttercup	PH	.		Oxalidaceae
<i>Oxytheca perfoliata</i> T. & G.	Perfoliate Oxytheca	AH	.		Polygonaceae
<i>Packera breweri</i> (Burt Davy) W.A. Weber & Löve	Brewer Butterweed or Groundsel	PH	.		Asteraceae
<i>Packera ionophylla</i> (E. Greene) W.A. Weber & Á. Löve	Tehachapi Ragwort	PH	.		Asteraceae
<i>Paeonia californica</i> Nuttall	California Peony	PH	.		Paeoniaceae
<i>Pancratium maritimum</i> L. *	Sea Daffodil	PG	FACU		Amaryllidaceae
<i>Panicum autumnale</i> Bosc ex Spreng. *	Millet	PG	.		Poaceae
<i>Panicum capillare</i> L. ssp. <i>capillare</i>	Witchgrass	AG	FACU		Poaceae
<i>Panicum capillare</i> ssp. <i>hillmanii</i> (Chase) Freckmann & Lelong	Witchgrass	AG	FACU		Poaceae
<i>Panicum mileaceum</i> L. ssp. <i>miliaceum</i> *	Broom Corn Millet	PG	.		Poaceae
<i>Panicum mileaceum</i> ssp. <i>ruderalis</i> (Kitag.) Tzvelev *	Broomcorn	PG	.		Poaceae
<i>Papaver californicum</i> Gray	Wind or Fire Poppy	AH	.		Papaveraceae
<i>Papaver rhoeas</i> L. *	Corn Poppy	AH	.		Papaveraceae
<i>Papaver somniferum</i> L. *	Opium Poppy	AH	.		Papaveraceae
<i>Parapholis incurva</i> (L.) C.E. Hubb. *	Sickle Grass	AG	FAC		Poaceae
<i>Parietaria hespera</i> B.D. Hinton var. <i>hespera</i>	Southwest Pellitory	AH	FACU		Urticaceae
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory	AH	FACU		Urticaceae
<i>Parietaria judaica</i> L. *	Pellitory	AH	.		Urticaceae
<i>Parietaria pensylvanica</i> Muhlenberg ex Willdenow	Pennsylvania Pellitory	AH	FACU		Urticaceae
<i>Parkinsonia aculeata</i> L. *	Palo Verde	T/S	FAC		Fabaceae
<i>Parnassia californica</i> (A. Gray) E. Greene	Grass-of-Parnassus	PH	.		Saxifragaceae
<i>Parthenocissus inserta</i> (Kerner) K. Fritsch	Woodbine	PV	FACU		Vitaceae
<i>Paspalum dilatatum</i> Poiret *	Dallis Grass	PG	FAC		Poaceae
<i>Paspalum distichum</i> L.	Joint Dallis Grass or Knotgrass	PG	FACW		Poaceae
<i>Paspalum notatum</i> var. <i>saurae</i> Parodi *	Bahiagrass	PG	FAC		Poaceae
<i>Paspalum urvillei</i> Steud.	xxxx Dallis Grass	PG	FAC		Poaceae
<i>Paspalum vaginatum</i> Sw.	Seashore Paspalum	PG	FACW		Poaceae
<i>Passiflora caerulea</i> L. *	Blue Passionflower	PV	.		Passifloraceae
<i>Pectocarya anisocarpa</i> Veno	Unequal-fruited Pectocarya	AH	.		Boraginaceae
<i>Pectocarya heterocarpa</i> I.M. Johnston	Two-faced Pectocarya	AH	.		Boraginaceae
<i>Pectocarya linearis</i> ssp. <i>ferocula</i> (I.M. Johnston) Thorne	Linear Pectocarya	AH	.		Boraginaceae
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Winged Pectocarya	AH	.		Boraginaceae
<i>Pectocarya setosa</i> Gray	Setose Pectocarya	AH	.		Boraginaceae
<i>Pedicularis densiflora</i> Hook.	Indian Warrior	PH	.		Orobanchaceae
<i>Pedicularis semibarbata</i> Gray	Pine-woods Louisewort	PH	.		Orobanchaceae
<i>Pediomelum californicum</i> (S. Watson) Rydb.	California Indian Breadroot	PH	.		Fabaceae
<i>Pediomelum castoreum</i> (S. Watson) Rydb.	Desert Indian Breadroot	PH	.		Fabaceae
<i>Pelargonium panduriforme</i> Eckl. & Zeyher *	Oak-leaved Geranium	S	.		Geraniaceae
<i>Pelargonium peltatum</i> (L.) L'Her. ex Aiton *	Ivy Geranium	PH	.		Geraniaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Pelargonium Xhortorum</i> L.H. Bailey *	Fish Geranium	S	.		Geraniaceae
<i>Pelargonium zonale</i> (L.) L'Her. *	Horseshoe Geranium	S	.		Geraniaceae
<i>Pellaea andromedifolia</i> (Haulfuss) Fee	Coffee Fern	PF	.		Pteridaceae
<i>Pellaea mucronata</i> (D.C. Eaton) D.C. Eaton in Emory var. <i>mucronata</i>	Birdsfoot Cliffbrake or Fern	PF	.		Pteridaceae
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston	California Birdsfoot Cliffbrake or Fern	PF	.		Pteridaceae
<i>Pennisetum clandestinum</i> Chiov. *	Kikuyu Grass	PG	(FACU)		Poaceae
<i>Pennisetum purpureum</i> Schum. *	Purple Fountaingrass	PG	.		Poaceae
<i>Pennisetum setaceum</i> Forskal *	African Fountain Grass	PG	.		Poaceae
<i>Pennisetum villosum</i> R.Br. *	Fountain Grass, Feather Top	PG	.		Poaceae
<i>Penstemon centranthifolius</i> Benth	Scarlet Bugler	PH	.		Plantaginaceae
<i>Penstemon gracilentus</i> A. Gray	Slender Beardtongue	PH	.		Plantaginaceae
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue	PH	.		Plantaginaceae
<i>Penstemon grinnellii</i> var. <i>scrophularioides</i> (M.E. Jones) N. Holmgren	Figwort Beardtongue	PH	.		Plantaginaceae
<i>Penstemon heterophyllus</i> Lindley var. <i>heterophyllus</i>	Mountain Penstemon	PH	.		Plantaginaceae
<i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston	Southern Mountain Penstemon	PH	.		Plantaginaceae
<i>Penstemon labrosus</i> (A. Gray) Hooker f.	San Gabriel Penstemon	PH	.		Plantaginaceae
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon	PH	.		Plantaginaceae
<i>Penstemon rostriflorus</i> Kellogg	Bridges Penstemon	PH	.		Plantaginaceae
<i>Penstemon speciosus</i> Lindley	Showy Beardtongue	S	.		Plantaginaceae
<i>Penstemon spectabilis</i> Thurber var. [ssp.] <i>spectabilis</i>	Royal Penstemon	S	.		Plantaginaceae
<i>Penstemon spectabilis</i> var. [ssp.] <i>subviscosus</i> (Keck) McMinn	Sticky Royal Penstemon	S	.		Plantaginaceae
<i>Penstemon Xspeciosus</i> (<i>P. centranthifolius</i> X <i>P. speciosus</i>)	Hybrid Showy Beardtongue	S	.		Plantaginaceae
<i>Pentachaeta fragilis</i> Brandegee	Fragile Pentachaeta	AH	FAC		Asteraceae
<i>Pentachaeta lyonii</i> Gray	Lyon Pentachaeta	AH	.		Asteraceae
<i>Pentagramma triangularis</i> (Kaulf.) Yatskievych, Windham, & E. Wollenweber	Goldenback Fern	PF	.		Pteridaceae
<i>Pentagramma triangularis</i> ssp. <i>semipallida</i> (J.T. Howell) Yatsk., Windham, & E. Wollenw	Silverback Fern	PF	.		Pteridaceae
<i>Pentagramma triangularis</i> ssp. <i>viscosa</i> (D.C. Eaton) Yatsk., Windham, & E. Wollenw.	San Nicolas Island Fern	PF	.		Pteridaceae
<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i>	Gairdner Yampah	PH	FAC		Apiaceae
<i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance	Parish Yampah	PH	FAC		Apiaceae
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah	PH	.		Apiaceae
<i>Peritoma arborea</i> var. <i>angustata</i> (Parish) H.H. Iltis	Slender Bladderpod	S	.		Cleomaceae
<i>Peritoma arborea</i> (Nutt.) H.H. Iltis var. <i>arborea</i>	Bladderpod	S	.		Cleomaceae
<i>Peritoma arborea</i> var. <i>globosa</i> (Coville) H.H. Iltis	Bladderpod	S	.		Cleomaceae
<i>Perityle emoryi</i> Torrey	Rock Daisy	PH	.		Asteraceae
<i>Persicaria amphibia</i> (L.) Delarbre	Kelp, Water-Smartweed	PH	OBL		Polygonaceae
<i>Persicaria capitata</i> (D. Don) H. Gross *	Capitate Knotweed	A/PH	FACU		Polygonaceae
<i>Persicaria hydropperoides</i> (Michaux) Small	Mild Water Pepper, Water Smartweed	PH	OBL		Polygonaceae
<i>Persicaria lapathifolia</i> (L.) Delarbre	Willow Weed	AH	FACW		Polygonaceae
<i>Persicaria maculosa</i> Gray [<i>Polygonum persicaria</i> L.] *	Lady's Thumb, Spotted Persicaria	AH	(FACW)		Polygonaceae
<i>Persicaria punctata</i> (Elliott) Small	Dotted Smartweed	A/PH	OBL		Polygonaceae
<i>Petrorhagia dubia</i> (Raf.) G. Lopez & Romo *	Hairypink	AH	.		Caryophyllaceae
<i>Petroselinum crispum</i> (Mill.) A.W. Hill *	Parsley	BH	.		Apiaceae
<i>Petunia parviflora</i> Juss. *	Petunia	AH	(FACW)		Solanaceae
<i>Petunia violacea</i> Lindley *	Violet Petunia	AH	.		Solanaceae
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Limestone Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia austromontana</i> J.T. Howell	Low Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia bicolor</i> Torrey ex S. Watson	Bicolored Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia brachyloba</i> (Benth.) Gray	Short-lobed Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia cicutaria</i> Greene var. <i>cututaria</i>	Caterpillar Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i> (A. Gray) J.T. Howell	Hispid Caterpillar Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia congdonii</i> Greene	Congdon Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia crenulata</i> var. <i>minutiflora</i> (J.W. Voss ex Munz) Jepson	Small-flowered Crenulate Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia cryptantha</i> E. Greene	Forget-Me-Not Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia curvipes</i> S. Watson var. <i>curvipes</i>	Washoe Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia davidsonii</i> Gray	Davidson Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia distans</i> Benth.	Wild Heliotrope	AH	OBL		Hydrophyllaceae
<i>Phacelia douglasii</i> (Benth.) Torrey var. <i>douglasii</i>	Douglas Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia egena</i> (Brand) J.T. Howell	Rock Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia	AH	.		Hydrophyllaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Phacelia fremontii</i> Torrey	Fremont Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia grandiflora</i> (Benth.) Gray	Large-flowered Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia grisea</i> Gray	White-flowered Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia hastata</i> var. <i>compacta</i> (Brand) Cronquist	Low Silverleaf Scorpionweed	PH	?		Hydrophyllaceae
<i>Phacelia hastata</i> Douglas ex Lehm. var. <i>hastata</i>	Silverleaf Scorpionweed	PH	?		Hydrophyllaceae
<i>Phacelia heterophylla</i> var. <i>virgata</i> (Greene) R.D. Dorn	Virgate Varileaf Phacelia	BH	?		Hydrophyllaceae
<i>Phacelia hubbyi</i> (J.F. Macbr.) L.M. Garrison	Hubby Caterpillar Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia humilis</i> var. <i>dudleyi</i> J. Howell	Dudley Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia imbricata</i> Greene ssp. <i>imbricata</i>	Mountain Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia imbricata</i> ssp. <i>patula</i> (Brand) Heckard	Mountain Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia longipes</i> Gray	Long-stalked Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia minor</i> (Harvey) Thellung	Wild Canterbury Bell	AH	.		Hydrophyllaceae
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia mutabilis</i> Greene	Changeable Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia oreopola</i> Heckard ssp. <i>oreopola</i>	Mountain Phacelia	PH	.		Hydrophyllaceae
<i>Phacelia parryi</i> Torrey	Parry Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia platyloba</i> A. Gray	Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia ramosissima</i> var. <i>australittoralis</i> Munz	South Coast Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia ramosissima</i> Lehm. var. <i>ramosissima</i>	Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia ramosissima</i> var. <i>subsiniata</i> (Greene) J.F. Macbr.	Wavyleaf Branching Phacelia	PH	FACU		Hydrophyllaceae
<i>Phacelia rattanii</i> A. Gray	Brand Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia tanacetifolia</i> Benth.	Tansy Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia viscida</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia	AH	.		Hydrophyllaceae
<i>Phacelia viscida</i> (Benth.) Torrey var. <i>viscida</i>	Viscid Phacelia	AH	.		Hydrophyllaceae
<i>Phalaris arundinacea</i> L.	Reed Canarygrass	AG	FACW		Poaceae
<i>Phalaris aquatica</i> L. *	Harding Canarygrass	PG	FACW		Poaceae
<i>Phalaris canariensis</i> L. *	Canarygrass	AG	FACU		Poaceae
<i>Phalaris caroliniana</i> Vasey *	Carolina Canarygrass	AG	FACW		Poaceae
<i>Phalaris lemmonii</i> Walter	Lemmon Canarygrass	AG	FACW		Poaceae
<i>Phalaris minor</i> Retz *	Littleseed or Mediterranean Canarygrass	AG	.		Poaceae
<i>Phalaris paradoxa</i> L. *	Hood Canarygrass	AG	FAC		Poaceae
<i>Phaseolus vulgaris</i> L. *	Kidney Bean	AV	.		Fabaceae
<i>Phleum pratense</i> L. *	Cultivated Timothy Grass	PG	FACU		Poaceae
<i>Phlox austromontana</i> Coville	Spreading Phlox	PH	.		Polemoniaceae
<i>Phlox caespitosa</i> Nuttall	Rigid Mat Phlox	PH	.		Polemoniaceae
<i>Phlox diffusa</i> Benth.	Mat Phlox	PH	.		Polemoniaceae
<i>Phlox gracilis</i> Greene	Slender Phlox	AH	FACU		Polemoniaceae
<i>Phlox hoodii</i> ssp. <i>canescens</i> (T. & G.) Wherry	Fuzzy Hood Phlox	PH	.		Polemoniaceae
<i>Phoenix canariensis</i> Chabaud *	Canary Island Date Palm	T	(FAC)		Arecaceae
<i>Phoenix dactylifera</i> L. *	Date Palm	T	.		Arecaceae
<i>Pholistoma auritum</i> (Lindley) Lilja var. <i>auritum</i>	Blue Fiesta Flower	AH	.		Hydrophyllaceae
<i>Pholistoma membranaceum</i> (Benth.) Constance	White Fiesta Flower	AH	.		Hydrophyllaceae
<i>Pholistoma racemosum</i> (Nutt. ex Gray) Constance	South Coast Fiesta Flower	B/PH	.		Hydrophyllaceae
<i>Phoradendron bolleanum</i> (Seem.) Eichler	Fir Mistletoe	PH	.		Viscaceae
<i>Phoradendron californicum</i> Nutt.	Desert Mistletoe	PH	.		Viscaceae
<i>Phoradendron juniperum</i> A. Gray	Incense-cedar Mistletoe	PH	.		Viscaceae
<i>Phoradendron leucarpum</i> ssp. <i>macrophyllum</i> (Engelm.) J.R. Abbott & R.L. Thomps.	Bigleaf Mistletoe	PH	.		Viscaceae
<i>Phoradendron leucarpum</i> ssp. <i>tomentosum</i> (DC.) J.R. Abbott & R.L. Thomps.	Oak or Hairy Mistletoe	PH	.		Viscaceae
<i>Phoradendron pauciflorum</i> Torrey	Few-flowered Mistletoe	PH	.		Viscaceae
<i>Phragmites australis</i> (Cav.) Steudel	Common Reed	PG	FACW		Poaceae
<i>Phyla lanceolata</i> (Michx.) Greene	Narrowleaf Frog-fruit	PH	OBL		Verbenaceae
<i>Phyla nodiflora</i> (L.) E. Greene var. <i>nodiflora</i>	Common Frog-fruit	PH	FACW		Verbenaceae
<i>Phyllospadix scouleri</i> Hook.	Scouler Surf-grass	PH	OBL		Zosteraceae
<i>Phyllospadix torreyi</i> S. Watson	Torrey Surf-grass	PH	OBL		Zosteraceae
<i>Phyllostachys aurea</i> A. & C. Riviere *	Golden Bamboo	PG	.		Poaceae
<i>Physalis acutifolia</i> (Miers) Sandwith	Ground-cherry	AH	.		Solanaceae
<i>Physalis philadelphica</i> Lam. *	Tomatillo	AH	.		Solanaceae
<i>Physalis viscosa</i> var. <i>cinerascens</i> (Dunal) Waterfall *	Grape Ground-cherry	PH	.		Solanaceae
<i>Phytolacca amaricana</i> L. *	Pokeweed, Pokeberry	PH	UPL		Phytolaccaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Pickeringia montana</i> Nutt. var. <i>montana</i>	Chaparral Pea	S	.		Fabaceae
<i>Pilularia americana</i> A. Braun	American Pillwort	PF	OBL		Marsiliaceae
<i>Pinus canariensis</i> C. Smith *	Canary Island Pine	T	.		Pinaceae
<i>Pinus contorta</i> ssp. <i>murrayana</i> (Grev. & Balf.) Critchf.	Lodgepole Pine	T	FAC		Pinaceae
<i>Pinus coulteri</i> D. Don	Coulter Pine	T	.		Pinaceae
<i>Pinus flexilis</i> E. James	Limber Pine	T	.		Pinaceae
<i>Pinus halepensis</i> Miller *	Allepo Pine	T	.		Pinaceae
<i>Pinus jeffreyi</i> Greville & Balfour	Jeffrey Pine	T	.		Pinaceae
<i>Pinus lambertiana</i> Douglas	Sugar Pine	T	.		Pinaceae
<i>Pinus monophylla</i> Torrey & Frémont	Singleleaf Pinyon Pine	T	.		Pinaceae
<i>Pinus muricata</i> D. Don *	Bishop Pine	T	.		Pinaceae
<i>Pinus ponderosa</i> var. <i>pacifica</i> J.R. Haller & N.J. Vivrette	Pacific Ponderosa Pine	T	FACU		Pinaceae
<i>Pinus radiata</i> D. Don *	Monterey Pine	T	.		Pinaceae
<i>Pinus sabiniana</i> Douglas	Foothill or Gray Pine	T	.		Pinaceae
<i>Pinus torreyana</i> Carrière ssp. <i>torreyana</i> *	Torrey Pine	T	.		Pinaceae
<i>Piperia cooperi</i> (S. Watson) Rydb.	Chaparral Rein Orchid	PG	.		Orchidaceae
<i>Piperia elegans</i> (Lindl.) Rydb. ssp. <i>elegans</i>	Elegant Rein-orchid	PG	.		Orchidaceae
<i>Piperia elongata</i> Rydb.	Dense-flowered Rein Orchid	PG	.		Orchidaceae
<i>Piperia michaelii</i> (Greene) Rydb.	Michael Piperia	PG	.		Orchidaceae
<i>Piperia unalascensis</i> (Sprengr.) Rydb	Slender-spire Orchid	PG	FACU		Orchidaceae
<i>Pistacia chinensis</i> Bunge *	Chinese Pistachio	T	.		Anacardiaceae
<i>Pistacia vera</i> L. *	Pistachio	T	.		Anacardiaceae
<i>Pisum sativum</i> L. *	Garden or Sugar Pea	AV	.		Fabaceae
<i>Pittosporum crassifolium</i> Banks & Sol. Ex A. Cunn. *	Stiffleaf Cheesewood	T/S	.		Pittosporaceae
<i>Pittosporum undulatum</i> Vent. *	Victorian Box	T/S	.		Pittosporaceae
<i>Pittosporum viridiflorum</i> Sims *	Cape Cheesewood	T/S	.		Pittosporaceae
<i>Plagiobothrys acanthocarpus</i> (Piper) I.M. Johnston	Adobe Popcornflower	AH	OBL		Boraginaceae
<i>Plagiobothrys arizonicus</i> (Gray) Gray	Arizona Popcornflower	AH	.		Boraginaceae
<i>Plagiobothrys canescens</i> Benth. var. <i>canescens</i>	Valley or Bracted Popcornflower	AH	.		Boraginaceae
<i>Plagiobothrys collinus</i> var. <i>californicus</i> (A. Gray) Higgins	California Popcornflower	AH	.		Boraginaceae
<i>Plagiobothrys collinus</i> var. <i>fulvescens</i> (I.M. Johnston) Higgins	Popcornflower	AH	.		Boraginaceae
<i>Plagiobothrys collinus</i> var. <i>gracilis</i> (I.M. Johnston) Higgins	Slender California Popcornflower	AH	.		Boraginaceae
<i>Plagiobothrys hispidulus</i> (E. Greene) I.M. Johnston	Hispid Popcornflower	AH	FACW		Boraginaceae
<i>Plagiobothrys humistratus</i> (E. Greene) I.M. Johnston	Low Popcornflower	AH	OBL		Boraginaceae
<i>Plagiobothrys leptocladus</i> (E. Greene) I.M. Johnston	Alkali Popcornflower	AH	OBL		Boraginaceae
<i>Plagiobothrys nothofulvus</i> (A. Gray) A. Gray	Rusty Popcornflower	AH	FAC		Boraginaceae
<i>Plagiobothrys tenellus</i> (Nuttall) A. Gray	Slender Popcornflower	AH	FACU		Boraginaceae
<i>Plagiobothrys trachycarpus</i> (A. Gray) I.M. Johnston	Rough-nutted Popcornflower	AH	FACW		Boraginaceae
<i>Plagiobothrys undulatus</i> (Piper) I.M. Johnston	Undulate Popcornflower	AH	OBL		Boraginaceae
<i>Plantago arenaria</i> Waldst. & Kit. *	Sand Plantain	AH	UPL		Plantaginaceae
<i>Plantago coronopus</i> L. *	Cut-leaved Plantain	A/BH	FACW		Plantaginaceae
<i>Plantago elongata</i> Pursh	Coastal Plantain	AH	FACW		Plantaginaceae
<i>Plantago erecta</i> E. Morris	California Plantain	AH	.		Plantaginaceae
<i>Plantago lanceolata</i> L. *	Narrowleaf or English Plantain, Ribgrass	PH	FAC-		Plantaginaceae
<i>Plantago major</i> L. *	Broadleaf Plantain	PH	FAC		Plantaginaceae
<i>Plantago ovata</i> var. <i>fastigiata</i> (Morris) S.C. Meyers & A. Liston	Ovate Plantain	AH	FACU		Plantaginaceae
<i>Plantago ovata</i> var. <i>insularis</i> (Eastw.) S.C. Meyers & A. Liston	Ovate Plantain	AH	FACU		Plantaginaceae
<i>Plantago patagonica</i> Jacq.	Patagonia Plantain	AH	.		Plantaginaceae
<i>Plantago pusilla</i> Nuttall *	Plantain	AH	FAC		Plantaginaceae
<i>Platanthera leucostachys</i> Lindley	White-flowered Bog-Orchid	PG	.		Orchidaceae
<i>Platanthera sparsiflora</i> (S. Watson) Schltr.	Few-flowered Rein Orchid	PG	FACW		Orchidaceae
<i>Platanus orientalis</i> L. *	London Plane Tree	T	.		Platanaceae
<i>Platanus racemosa</i> Nuttall var. <i>racemosa</i>	California or Western Sycamore	T	FACU		Platanaceae
<i>Platystemon californicus</i> Benth. [var. <i>californicus</i>]	Cream Cups	AH	.		Papaveraceae
<i>Plectostachys serpyllifolia</i> (P.J. Bergius) Hilliard & B.L. Burt *	Petite-licorace	S	FACU		Asteraceae
<i>Plectritis ciliosa</i> (Greene) Jepson ssp. <i>ciliosa</i>	Long-spurred Plectritis	AH	FACU		Valerianaceae
<i>Plectritis ciliosa</i> ssp. <i>insignis</i> (Suksd.) D. Morey	Petite Long-spurred Plectritis	AH	FACU		Valerianaceae
<i>Plectritis congesta</i> ssp. <i>brachystemon</i> (Fischer & C. Mey.) Morey	Short-spur Seablush	AH	FACU		Valerianaceae
<i>Plectritis macrocera</i> Torrey & A. Gray	White Plectritis	AH	FACU		Valerianaceae
<i>Pluchea odorata</i> (L.) Cass.	Saltmarsh Fleabane	P/AH	FACW		Asteraceae
<i>Pluchea sericea</i> (Nutt.) Coville	Arrow Weed	S	FACW		Asteraceae
<i>Plumbago auriculata</i> Lam. *	Cape Leadwort	S	UPL		Plumbaginaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Poa annua</i> L. *	Annual Bluegrass	AG	FACU		Poaceae
<i>Poa bulbosa</i> L. ssp. <i>bulbosa</i>	Bulbose Bluegrass	PG	FACU		Poaceae
<i>Poa bulbosa</i> ssp. <i>vivipara</i> (Koeler) Arcang. *	Bulbose Bluegrass	PG	FACU		Poaceae
<i>Poa cusickii</i> ssp. <i>epilis</i> (Scribn.) W.A. Weber	Skyline Bluegrass	PG	.		Poaceae
<i>Poa douglasii</i> Nees	Sanddune Bluegrass	PG	FACU		Poaceae
<i>Poa howellii</i> Vasey & Scribn.	Howell's Bluegrass	AG	.		Poaceae
<i>Poa palustris</i> L. *	Palustrine Bluegrass	PG	FAC		Poaceae
<i>Poa pratensis</i> L. ssp. <i>pratensis</i> *	Kentucky Bluegrass	PG	FAC		Poaceae
<i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribner) R. Soreng	Rush Bluegrass	PG	FACU		Poaceae
<i>Poa secunda</i> J.S. Presl ssp. <i>secunda</i>	One-sided Bluegrass	PG	FACU		Poaceae
<i>Poa tenerrima</i> Scribn.	Delicate Bluegrass	PG	.		Poaceae
<i>Poa wheeleri</i> Vasey	Wheeler Bluegrass	PG	.		Poaceae
<i>Podocarpus macrophyllus</i> (Thunb.) C.N. Page *	Yew Plum Pine	T	.		Podocarpaceae
<i>Pogogyne zizyphoroides</i> Benth	Sacramento Mesamint	AH	OBL		Lamiaceae
<i>Polemonium micranthum</i> Benth.	Tiny Phlox	AH	FACU		Polemoniaceae
<i>Polycarpon depressum</i> Nutt.	California Allseed	AH	.		Caryophyllaceae
<i>Polycarpon tetraphyllum</i> (L.) L. *	Four-leaved Allseed	AH	.		Caryophyllaceae
<i>Polygonum argyrocoleon</i> Steudel ex Kunze *	Silver-sheathed Knotweed	AH	FAC		Polygonaceae
<i>Polygonum aviculare</i> L. ssp. <i>aviculare</i> *	Common Knotweed, Doorweed	AH	FACW		Polygonaceae
<i>Polygonum aviculare</i> ssp. <i>depressum</i> Meisner in A.P. DC. & A.L.P.P. DC. *	Common Knotweed, Doorweed	AH	FACW		Polygonaceae
<i>Polygonum aviculare</i> ssp. <i>neglectum</i> (Besser) Arcangeli *	Neglected Common Knotweed	AH	FACW		Polygonaceae
<i>Polygonum aviculare</i> ssp. <i>rurivagum</i> (Boreau) Berher *	Neglected Common Knotweed	AH	FACW		Polygonaceae
<i>Polygonum douglasii</i> E. Greene [ssp. <i>douglasii</i>]	Douglas Knotweed	AH	FACU		Polygonaceae
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J. Hickman	Kellogg Knotweed	AH	FACW		Polygonaceae
<i>Polygonum ramosissimum</i> Michaux *	Yellow-flowered or Bush Knotweed	AH	FAC		Polygonaceae
<i>Polygonum sawatchense</i> Small ssp. <i>sawatchense</i>	Sawatch Knotweed	AH	FACU		Polygonaceae
<i>Polypodium californicum</i> Kaulfuss	California Polypody	PF	.		Polypodiaceae
<i>Polypodium calirhiza</i> S.A. Whitmore & A.R. Sm.	Netted Polypody Fern	PF	.		Polypodiaceae
<i>Polypodium hesperium</i> Maxon	Western Polypody	PF	.		Polypodiaceae
<i>Polyogon australis</i> Brongn. *	Chilean Beardgrass	PG	FACW		Poaceae
<i>Polyogon interruptus</i> Kunth *	Ditch Beardgrass	PG	FACW		Poaceae
<i>Polyogon maritimus</i> Willd. var. <i>maritimus</i> *	Mediterranean Beardgrass	AG	OBL		Poaceae
<i>Polyogon monspeliensis</i> (L.) Desf. *	Rabbitsfoot or Annual Beardgrass	AG	FACW		Poaceae
<i>Polyogon viridis</i> (Gouan) Breistr. *	Green Bentgrass	PG	FACW		Poaceae
<i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner	Imbricate Sword Fern	PF	.		Dryopteridaceae
<i>Polystichum imbricans</i> (D.C. Eaton) D.H. Wagner ssp. <i>imbricans</i>	Imbricate Sword Fern	PF	.		Dryopteridaceae
<i>Polystichum minutum</i> (Kaulf.) C. Presl	Western or Common Sword Fern	PF	.		Dryopteridaceae
<i>Populus alba</i> L. *	White Poplar	T	(FAC)		Salicaceae
<i>Populus fremontii</i> Wats. ssp. <i>fremontii</i>	Fremont Cottonwood	T	(FACW)		Salicaceae
<i>Populus nigra</i> L. var. <i>italica</i> Moench *	Italian Poplar	T	.		Salicaceae
<i>Populus trichocarpa</i> Torrey & A. Gray	Black Cottonwood	T	FAC		Salicaceae
<i>Populus Xparryi</i> Sargent	Parry Cottonwood	T	FAC		Salicaceae
<i>Portulaca oleracea</i> L. *	Common Purslane	AH	FAC		Portulacaceae
<i>Portulacaria afra</i> Jacq. *	Elephant Bush	S	.		Portulacaceae
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed	PH	OBL		Potamogetonaceae
<i>Potamogeton nodosus</i> Poir	Long-leaved Pondweed	PH	OBL		Potamogetonaceae
<i>Potentilla angelica</i> Laichard. *	English Cinquefoil	PH	FACW		Rosaceae
<i>Potentilla biennis</i> Greene	Biennial Cinquifol	BH	FACW		Rosaceae
<i>Potentilla gracilis</i> var. <i>elmeri</i> (Rydb.) Jepson	Elmer Slender Cinquifol	PH	(FACW)		Rosaceae
<i>Potentilla norvegica</i> (L.) Scop. *	Rough Cinquifol	A/BH	FAC		Rosaceae
<i>Primula clevelandii</i> (E. Greene) Mast & Reveal var. <i>clevelandii</i>	Cleveland Shooting Star	PH	.		Primulaceae
<i>Primula clevelandii</i> var. <i>insulare</i> (H.L. Thompson) Mast & Reveal	Island Shooting Star	PH	.		Primulaceae
<i>Primula clevelandii</i> var. <i>patula</i> (E. Greene) Mast & Reveal	Lowland Padre Shooting Star	PH	.		Primulaceae
<i>Primula clevelandii</i> var. <i>gracilis</i> (E. Greene) Mast & Reveal	Cleveland Shooting Star	PH	.		Primulaceae
<i>Proboscidea louisianica</i> (Miller) Thell. ssp. <i>louisianica</i> *	Common Unicorn-plant	AH	FACU		Martyniaceae
<i>Prosopis glandulosa</i> var. <i>torreyana</i> (L. Benson) M.C. Johnston *	Western Honey Mesquite	T/S	(FACW)		Fabaceae
<i>Prosopis pubescens</i> Benth. *	Screwbean Mesquite	T/S	FAC		Fabaceae
<i>Prunella vulgaris</i> L. var. <i>vulgaris</i> *	Common Selfheal	PH	FACU		Lamiaceae
<i>Prunus armeniaca</i> L. *	Plum	T	.		Rosaceae
<i>Prunus cerasifera</i> Ehrh. *	Cherry Plum	T	.		Rosaceae
<i>Prunus caroliniana</i> (Mill.) Aiton *	Carolina Cherry	S	FACU		Rosaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Prunus emarginata</i> (Hooker) Walp.	Bitter Cherry	S	FACU		Rosaceae
<i>Prunus ilicifolia</i> (Nutt.) Walp. ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	.		Rosaceae
<i>Prunus ilicifolia</i> ssp. <i>lyonii</i> (Eastw.) P. Raven	Catalina Cherry	S	.		Rosaceae
<i>Prunus persica</i> (L.) Batsch *	Peach	T			Rosaceae
<i>Prunus virginiana</i> var. <i>demissa</i> (Nuttall) Torrey	Western Choke Cherry	S	FAC		Rosaceae
<i>Pseudognaphalium beneolens</i> (A. Davidson) Anderberg	Coastal Everlasting	B/PH	.		Asteraceae
<i>Pseudognaphalium bioletti</i> Anderberg	Bicolored Everlasting	A/BH	.		Asteraceae
<i>Pseudognaphalium californicum</i> (DC.) Anderberg	Green Everlasting	A/BH	.		Asteraceae
<i>Pseudognaphalium canescens</i> (de Candolle) Anderberg	Wright's Rabbit-tobacco	A/PH	FACU		Asteraceae
<i>Pseudognaphalium leucocephalum</i> (A.Gray) Anderberg	White or Sonora Everlasting	A/BH	(FACU)		Asteraceae
<i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L. Burt *	Cudweed Everlasting	AH	FAC		Asteraceae
<i>Pseudognaphalium microcephalum</i> (Nuttall) Anderberg	White Everlasting	B/PH	.		Asteraceae
<i>Pseudognaphalium ramosissimum</i> (Nutt.) Anderberg	Pink Everlasting	BH	.		Asteraceae
<i>Pseudognaphalium roseum</i> (Kunth) Anderberg *	Rosy Rabbit-tobacco	PH	.		Asteraceae
<i>Pseudognaphalium stramineum</i> (Kunth) Anderberg	Western Everlasting, Cotton-batting Plant	A/BH	FAC		Asteraceae
<i>Pseudognaphalium thermale</i> (E.E. Nelson) G.L. Nesom	Wright's Cudweed-everlasting	PH	.		Asteraceae
<i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman	False Chickweed	PH	.		Caryophyllaceae
<i>Pseudotsuga macrocarpa</i> (Vasey) Mayr	Bigcone Spruce or False Hemlock	T	.		Pinaceae
<i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i>	Woolly Marbles	AH	FACW		Asteraceae
<i>Psilocarphus chilensis</i> A. Gray	Round Woolly Marbles	AH	FACW		Asteraceae
<i>Psilocarphus tenellus</i> Nutt.	Slender Woolly Marbles	AH	OBL		Asteraceae
<i>Pteridium aquilinum</i> var. <i>pubescens</i> L. Underw.	Western Bracken [Fern]	PF	FACU		Dennstaedtiaceae
<i>Pterospora andromedea</i> Nuttall	Woodland Pinedrops	PH	.		Monotropaceae
<i>Pterostegia drymarioides</i> Fischer & C. Meyer	Fairy Mist	AH	.		Polygonaceae
<i>Pulicaria paludosa</i> Link *	Spanish Sunflower	PH	(FACW)		Asteraceae
<i>Pulsatilla</i> [<i>Anemone</i>] <i>occidentalis</i> (S. Watson) Freyn *	Western Anemone	PH	.		Ranunculaceae
<i>Punica granatum</i> L. *	Pomegranate	S/T	.		Punicaceae
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Bush	S	.		Rosaceae
<i>Pyracantha coccinea</i> M. Roem. *	Scarlet Firethorn	S	.		Rosaceae
<i>Pyracantha fortuneana</i> (Maxim.) Li *	Chinese Firethorn	S	.		Rosaceae
<i>Pyracantha koidzumii</i> (Hayata) Rehder *	Formosa Firethorn	S	.		Rosaceae
<i>Pyrola asarifolia</i> Michx. ssp. <i>asarifolia</i>	Bog Wintergreen	PH	FAC		Pyrolaceae
<i>Pyrola picta</i> Smith	White-veined Wintergreen	PH	.		Pyrolaceae
<i>Pyrrcoma racemosa</i> var. <i>paniculata</i> (Nutt.) J. Kartesz & K. Gandhi	Pyrrcoma	S	FAC		Asteraceae
<i>Pyrrcoma racemosa</i> var. <i>sessiliflora</i> (Greene) G.K. Br. & D.J. Keil	Clustered Goldenweed	S	FAC		Asteraceae
<i>Pyrus communis</i> L. *	Pear	T	.		Rosaceae
<i>Quercus agrifolia</i> Nee var. <i>agrifolia</i>	Coast Live Oak	T	(FACU)		Fagaceae
<i>Quercus berberidifolia</i> Leibm.	California Scrub Oak	S	.		Fagaceae
<i>Quercus chrysolepis</i> Liebm.	Canyon Live or Goldencup Oak	T	.		Fagaceae
<i>Quercus douglasii</i> H. & A.	Blue Oak	T	.		Fagaceae
<i>Quercus douglasii</i> H. & A. X <i>Quercus lobata</i> Nee	White Oak Hybrid	T	.		Fagaceae
<i>Quercus dumosa</i> Nutt.	Nuttall or Coastal Sage Scrub Oak	S	.		Fagaceae
<i>Quercus garryana</i> var. <i>breweri</i> (Engelm.) Jeps.	Brewer Oregon Oak	S	.		Fagaceae
<i>Quercus ilex</i> L. *	Holly Oak	T	.		Fagaceae
<i>Quercus john-tuckeri</i> K. Nixon & C.H. Muller	Tucker Oak, Desert Scrub Oak	S	.		Fagaceae
<i>Quercus kelloggii</i> Newberry	Black Oak	T	.		Fagaceae
<i>Quercus lobata</i> Nee	Valley Oak	T	FACU		Fagaceae
<i>Quercus macrocarpa</i> Michaux *	Burr Oak	T	(FAC)		Fagaceae
<i>Quercus palmeri</i> Engelm.	Palmer Oak	T	.		Fagaceae
<i>Quercus tomentella</i> Engelm.	Channel Island Oak	S	.		Fagaceae
<i>Quercus turbinella</i> E. Greene ssp. <i>turbinella</i>	Desert Oak	S	.		Fagaceae
<i>Quercus wislizenii</i> A. de Candolle ssp. <i>wislizenii</i>	Interior Live Oak	T	.		Fagaceae
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak	S	.		Fagaceae
<i>Quercus Xalvordiana</i> Eastwood	Alvord Oak	S/T	.		Fagaceae
<i>Quercus Xmacdonaldii</i> Greene	MacDonald Oak	T	.		Fagaceae
<i>Quercus Xmoreha</i> Kellogg	Oracle Oak	T	.		Fagaceae
<i>Rafinesquia californica</i> Nutt.	California Rafinesquia or Chicory	AH	.		Asteraceae
<i>Ranunculus alismifolius</i> Geyer ex Benth. var. <i>alismellus</i> A. Gray	Water-plantain Buttercup	AH	FACW		Ranunculaceae
<i>Ranunculus aquatilis</i> var. <i>diffusus</i> Withering	White Water Crowfoot	AH	OBL		Ranunculaceae
<i>Ranunculus asiaticus</i> L.	Persian Buttercup	PH	.		Ranunculaceae
<i>Ranunculus californicus</i> Bentham var. <i>californicus</i>	California Buttercup	PH	FACU		Ranunculaceae
<i>Ranunculus canus</i> var. <i>ludovicianus</i> (E. Greene) L.D. Benson	Transverse Ranges Buttercup	PH	FAC		Ranunculaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Ranunculus cymbalaria</i> Pursh	Desert Buttercup	PH	(OBL)		Ranunculaceae
<i>Ranunculus flammula</i> var. <i>ovalis</i> (J.M. Bigelow) L.D. Benson	Spearwort Buttercup	AH	OBL		Ranunculaceae
<i>Ranunculus glaberrimus</i> Hook. var. <i>glaberrimus</i>	Sagebrush Buttercup	PH	FAC		Ranunculaceae
<i>Ranunculus hebecarpus</i> Hooker & Arnott	Hebe-fruited Buttercup	AH	.		Ranunculaceae
<i>Ranunculus muricatus</i> L. *	Spinyfruit Buttercup	A/BH	FACW		Ranunculaceae
<i>Ranunculus sardous</i> Crantz *	Sardinian Buttercup	A/BH	FACW		Ranunculaceae
<i>Ranunculus testiculatus</i> Crantz *	Testicular Buttercup	AH	.		Ranunculaceae
<i>Raphanus raphanistrum</i> L. *	Wild Radish	AH	.		Brassicaceae
<i>Raphanus sativus</i> L. *	Wild Radish	AH	.		Brassicaceae
<i>Reseda alba</i> L. *	White Mignonette	PH	.		Resedaceae
<i>Rhamnus crocea</i> Nuttall	Spiny Redberry	S	.		Rhamnaceae
<i>Rhamnus ilicifolia</i> Kellogg	Hollyleaf Redberry, Buckthorn	S	.		Rhamnaceae
<i>Rhinotropis cornuta</i> var. <i>fishiae</i> (C. Parry) J.R. Abbott	Fish's Milkwort	S	(FAC)		Polygalaceae
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson	Lemonade Berry	S	.		Anacardiaceae
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson X <i>R. ovata</i> S. Watson	Lemonade Berry-Sugar Bush Hybrid	S	.		Anacardiaceae
<i>Rhus lancea</i> L.f. *	African Sumac	S/T	.		Anacardiaceae
<i>Rhus ovata</i> S. Watson	Sugar Bush	S	.		Anacardiaceae
<i>Rhus trilobata</i> var. <i>quinata</i> Jepson	Skunkbrush	S	FACU		Anacardiaceae
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush	S	FACU		Anacardiaceae
<i>Ribes amarum</i> McClatchie var. <i>amarum</i>	Bitter Gooseberry	S	.		Grossulariaceae
<i>Ribes amarum</i> var. <i>hoffmannii</i> Munz	Hoffmann's Gooseberry	S	.		Grossulariaceae
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	Slender Golden Currant	S	FAC		Grossulariaceae
<i>Ribes californicum</i> Hook. & Arn. var. <i>californicum</i>	California Gooseberry	S	.		Grossulariaceae
<i>Ribes californicum</i> var. <i>hesperium</i> (McClatchie) Jeps.	Southern Calif. Gooseberry	S	.		Grossulariaceae
<i>Ribes cereum</i> Douglas var. <i>cereum</i>	Wax Currant	S	.		Grossulariaceae
<i>Ribes indecorum</i> Eastw.	White-flowered Currant	S	.		Grossulariaceae
<i>Ribes malvaceum</i> Sm. var. <i>malvaceum</i>	Chaparral Currant	S	.		Grossulariaceae
<i>Ribes malvaceum</i> var. <i>viridifolium</i> Abrams	Sticky Chaparral Currant	S	.		Grossulariaceae
<i>Ribes menziesii</i> Pursh var. <i>menziesii</i>	Shaggy Gooseberry	S	.		Grossulariaceae
<i>Ribes montigenum</i> McClatchie	Mountain Gooseberry	S	.		Grossulariaceae
<i>Ribes nevadense</i> Kellogg	Mountain Pink Currant	S	FAC		Grossulariaceae
<i>Ribes quercetorum</i> Greene	Oak Gooseberry	S	.		Grossulariaceae
<i>Ribes roezlii</i> Regel var. <i>roezlii</i>	Sierra Gooseberry	S	.		Grossulariaceae
<i>Ribes speciosum</i> Pursh	Fuchsia-flowered Gooseberry	S	.		Grossulariaceae
<i>Ribes velutinum</i> Greene	Plateau Gooseberry	S	.		Grossulariaceae
<i>Ricinus communis</i> L. *	Castor Bean	S	FACU		Euphorbiaceae
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus	AH	.		Asteraceae
<i>Robinia pseudoacacia</i> L. *	Black Locust	T	FACU		Fabaceae
<i>Roldana petasitis</i> (Sims) H. Rob. & Brettell *	Velvet Groundsel	S	?		Asteraceae
<i>Romneya coulteri</i> Harvey	Coulter Matilija Poppy	S	.		Papaveraceae
<i>Romneya trichocalyx</i> Eastwood	Hairy Matilija Poppy	S	.		Papaveraceae
<i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton	Curved-pod Watercress	AH	OBL		Brassicaceae
<i>Rorippa palustris</i> (L.) Besser var. <i>palustris</i>	Western Riparian Yellow-cress	A/BH	OBL		Brassicaceae
<i>Rorippa sylvestris</i> (L.) Besser *	Creeping Yellowcress	PH	OBL		Brassicaceae
<i>Rosa californica</i> Cham. & Schldl.	California Wild Rose	S	FAC		Rosaceae
<i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Erter var. <i>gratissima</i>	Mojave Wild Rose	S	FACU		Rosaceae
<i>Rosa woodsii</i> ssp. <i>ultramontana</i> (S. Watson) Roy L. Taylor & MacBryde	Interior Wild Rose	S	FACU		Rosaceae
<i>Rosmarinus officinalis</i> L. *	Rosemary	S	.		Lamiaceae
<i>Rotala ramosoia</i> (L.) Koehne	Lowland Toothcup	AH	OBL		Lythraceae
<i>Rubus bifrons</i> Vest, Steyermark [<i>Rubus armeniacus</i> Focke] *	Himalayan Blackberry	PV	FACU		Rosaceae
<i>Rubus leucodermis</i> Torrey & A. Gray	Whitebark or Western Raspberry	PV	FACU		Rosaceae
<i>Rubus parviflorus</i> Nuttall	Thimbleberry	S	FAC		Rosaceae
<i>Rubus pensilvanicus</i> Poiret *	Pensylvania Blackberry	PV	FAC		Rosaceae
<i>Rubus ulmifolius</i> var. <i>anoplothrysus</i> Sudre *	Elmleaf Blackberry	PV	(FACW)		Rosaceae
<i>Rubus ursinus</i> Cham. & Schldl.	Pacific Blackberry	PV	FAC		Rosaceae
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i> Farw. *	Black-eyed Susan	A/PH	?		Asteraceae
<i>Rumex acetosella</i> L. *	Sheep Sorrel	PH	FACU		Polygonaceae
<i>Rumex californicus</i> Rech. F.	California Dock	PH	FACW		Polygonaceae
<i>Rumex conglomerates</i> Murray *	Green, Clustered, or Whorled Dock	PH	FACW		Polygonaceae
<i>Rumex crassus</i> Rech. f.	Willow-leaved Dock	PH	FACW		Polygonaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Rumex crispus</i> L. *	Curly Dock	PH	FAC		Polygonaceae
<i>Rumex dentatus</i> L. *	India or Toothed Dock	PH	FACW		Polygonaceae
<i>Rumex fueginus</i> Philippi var. <i>fueginus</i>	Golden Dock	PH	FACW		Polygonaceae
<i>Rumex fueginus</i> var. <i>ovato-cordatus</i> Rech. f.	Oxnard Dock	PH	FACW		Polygonaceae
<i>Rumex hymenosepalus</i> Torrey	Wild Rhubarb, Canaigre	PH	.		Polygonaceae
<i>Rumex kernerii</i> Borbas *	Kerner's Dock	PH	FACW		Polygonaceae
<i>Rumex obtusifolius</i> L. *	Bitter Dock	PH	FAC		Polygonaceae
<i>Rumex persicarioides</i> L.	Smartweed Dock	A/BH	FACW		Polygonaceae
<i>Rumex pulcher</i> L. *	Fiddle dock	PH	FAC		Polygonaceae
<i>Rumex salicifolius</i> J.A. Weinm. [var. <i>salicifolius</i>]	Willow Dock	PH	FACW		Polygonaceae
<i>Rumex stenophyllus</i> Ledeb. *	Slenderleaf Dock	PH	FACW		Polygonaceae
<i>Rumex transitorius</i> Rech. f.	Transitory Dock	PH	FACW		Polygonaceae
<i>Rumex violascens</i> Reck. f.	Violet Dock	A/BH	FACW		Polygonaceae
<i>Rupertia physodes</i> (Hook.) Grimes	Scurf-pea	PH	.		Fabaceae
<i>Ruppia cirrhosa</i> (Petagna) Grande	Spiral Wigeon-grass or Ditch-grass	PH	OBL		Potamogetonaceae
<i>Ruppia maritima</i> L.	Wigeon-grass, Ditch-grass	PH	OBL		Potamogetonaceae
<i>Sabulina californica</i> (A. Gray) Dellenb.& Kabereit	California Sandwort	AH	.		Caryophyllaceae
<i>Sabulina douglasii</i> (Fenzl ex T. & G.) Dellenb.& Kabereit	Douglas Sandwort	AH	.		Caryophyllaceae
<i>Sabulina pusilla</i> (S. Watson) Dellenb.& Kabereit	Sandwort	AH	.		Caryophyllaceae
<i>Sagina apetala</i> L. ssp. <i>apetala</i> *	Dwarf Pearlwort	AH	FAC		Caryophyllaceae
<i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow	Western Pearlwort	AH	FACU		Caryophyllaceae
<i>Sagina saginoides</i> (L.) H. Karst.	Sagina, Arctic Pearlwort	AH	FACW		Caryophyllaceae
<i>Sagittaria calycina</i> Engelm. var. <i>calycina</i>	Hooded Arrowhead	PH	OBL		Alismataceae
<i>Sagittaria latifolia</i> Willd.	Broadleaf Arrow-head	PH	OBL		Alismataceae
<i>Sagittaria sanfordii</i> Greene	Sanford Arrow-head	PH	OBL		Alismataceae
<i>Salicornia bigelovii</i> Torrey	Bigelow Pickleweed	AH	OBL		Chenopodiaceae
<i>Salicornia depressa</i> Standley	Pickleweed	AH	OBL		Chenopodiaceae
<i>Salix babylonica</i> L. *	Weeping Willow	T	FAC		Salicaceae
<i>Salix exigua</i> Nuttall var. <i>exigua</i>	Narrowleaf Willow	S	FACW		Salicaceae
<i>Salix exigua</i> var. <i>hindsiana</i> (Benth) Dorn	Hind's Willow	S	FACW		Salicaceae
<i>Salix gooddingii</i> C. Ball	Goodding Black Willow	T	FACW		Salicaceae
<i>Salix laevigata</i> Bebb.	Red Willow	T	FACW		Salicaceae
<i>Salix lasiandra</i> Benth. var. <i>lasiandra</i>	Shining [Yellow] Willow	T	FACW		Salicaceae
<i>Salix lasiolepis</i> Benth. var. <i>lasiolepis</i>	Arroyo Willow	T	FACW		Salicaceae
<i>Salix lasiolepis</i> var. <i>bigelovii</i> (Torrey) Bebb.	Bigelow Arroyo Willow	T/S	FACW		Salicaceae
<i>Salix melanopsis</i> Nuttall	Dusky Willow	S	OBL		Salicaceae
<i>Salix sitchensis</i> Bong.	Sitka Willow	S/T	FACW		Salicaceae
<i>Salpichroa organifolia</i> (Lam.) Baill. *	Salpichroa	PH	.		Solanaceae
<i>Salsola australis</i> R. Br. *	Australian Thistle	AH	(FACU)		Chenopodiaceae
<i>Salsola gobicola</i> Iljin *	Gobi Thistle	AH	.		Chenopodiaceae
<i>Salsola paulsenii</i> Litv. *	Barbwire Thistle	AH	.		Chenopodiaceae
<i>Salsola tragus</i> L. *	Russian Thistle, Tumbleweed	AH	FACU		Chenopodiaceae
<i>Saltugilia australis</i> (Mason & A. Grant) L.A. Johnson	Southern Woodland-gilia	AH	.		Polemoniaceae
<i>Saltugilia latimeri</i> T.L. Weese & L.A. Johnson	Latimer's Woodland-gilia	AH	.		Polemoniaceae
<i>Saltugilia splendens</i> (H. Mason & A. Grant) L.A. Johnson ssp. <i>splendens</i>	Splendid Woodland-gilia	AH	.		Polemoniaceae
<i>Saltugilia splendens</i> ssp. <i>grantii</i> (Brand) L.A. Johnson	Grant's Woodland-gilia	AH	.		Polemoniaceae
<i>Salvia apiana</i> Jepson var. <i>apiana</i>	White Sage	S	.		Lamiaceae
<i>Salvia apiana</i> Jeps. X <i>Salvia leucophylla</i> E. Greene	Hybrid White Sage	S	.		Lamiaceae
<i>Salvia azurea</i> var. <i>grandiflora</i> Bentham *	Prairie Sage	PH	.		Lamiaceae
<i>Salvia Xbernardina</i> Parish ex Greene	Bernard's Sage	S	.		Lamiaceae
<i>Salvia carduacea</i> Benth.	Thistle Sage	PH	.		Lamiaceae
<i>Salvia columbariae</i> Benth.	Chia	AH	.		Lamiaceae
<i>Salvia dorrii</i> (Kellogg) Abrams var. <i>dorrii</i>	Desert Sage	S	.		Lamiaceae
<i>Salvia dorrii</i> var. <i>pilosa</i> (Gray) Strachan & Reveal	Pilose Desert Sage	S	.		Lamiaceae
<i>Salvia leucantha</i> Cav. *	Mexican Bush Sage	S	.		Lamiaceae
<i>Salvia leucophylla</i> Greene	Purple Sage	S	.		Lamiaceae
<i>Salvia mellifera</i> Greene	Black Sage	S	.		Lamiaceae
<i>Salvia spathacea</i> Greene	Hummingbird Sage	PH	.		Lamiaceae
<i>Sambucus nigra</i> ssp. <i>caerulea</i> (Raf.) Bolli	Blue Elderberry	S	FAC		Adoxaceae
<i>Samolus parviflorus</i> Raf.	Seaside Brookweed	PH	OBL		Theophrastaceae
<i>Sanicula arguta</i> J. Coulter & Rose	Southern California Sanicle	PH	.		Apiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Sanicula bipinnata</i> Hooker & Arnott	Poison Sanicle	PH	.		Apiaceae
<i>Sanicula crassicaulis</i> Poepp. ex DC. var. <i>crassicaulis</i>	Pacific Sanicle, Snakeroot	PH	.		Apiaceae
<i>Sanicula graveolens</i> Peopp. ex DC.	Sanicle	PH	.		Apiaceae
<i>Sanicula hoffmannii</i> (Munz) Shan & Constance	Hoffmann's Sanicle	PH	.		Apiaceae
<i>Sanicula tuberosa</i> Torrey	Tuberose Sanicle	PH	.		Apiaceae
<i>Sarcocornia</i> [<i>Salicornia</i>] <i>pacifica</i> (Standley) A.J. Scott	Virginia Pickleweed or Swampfire	S	OBL		Chenopodiaceae
<i>Sarcodes sanguinea</i> Torrey	Snow Plant	PH	.		Monotropaceae
<i>Saussurea americana</i> D. Eaton	American Sawwort	PH	FACW		Asteraceae
<i>Scabiosa atropurpurea</i> L. *	Pincushion Flower, Mourningbride	AH	.		Dipsacaceae
<i>Scandix pecten-veneris</i> L. *	Venus' Needle	AH	.		Apiaceae
<i>Schinus molle</i> L. *	Peruvian Pepper Tree	T	FACU		Anacardiaceae
<i>Schinus terebenthifolius</i> Raddi *	Brazilian Pepper Tree	T	FAC		Anacardiaceae
<i>Schismus arabicus</i> Nees *	Arabian Grass, Abu Mashī	AG	.		Poaceae
<i>Schismus barbatus</i> (L.) Thell. *	Mediterranean Grass	AG	.		Poaceae
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i> (S. Watson) S.G. Smith	Viscid Tule	PG	OBL		Cyperaceae
<i>Schoenoplectus americanus</i> (Pers.) Volkart ex Schinz & R. Keller	American Bulrush	PG	OBL		Cyperaceae
<i>Schoenoplectus californicus</i> (C. Meyer) Soják, Čas. Nár.	California Bulrush	PG	OBL		Cyperaceae
<i>Schoenoplectus pungens</i> var. <i>badius</i> (J. Presl & C. Presl) S.G. Smith	Common Threesquare	PG	OBL		Cyperaceae
<i>Schoenoplectus pungens</i> var. <i>longispicatus</i> (Britton) S.G. Smith	Common Threesquare	PG	OBL		Cyperaceae
<i>Schoenoplectus saximontanus</i> (Fern.) J. Raynal	Rocky Mountain Bulrush	AG	OBL		Cyperaceae
<i>Schoenoplectus tabernaemontani</i> (C. Gmelin) Palla	Soft-stem Bulrush	PG	OBL		Cyperaceae
<i>Scirpus microcarpus</i> J. Presl & C. Presl	Small-fruited Bulrush	PG	OBL		Cyperaceae
<i>Scrophularia californica</i> Cham. & Schldl. ssp. <i>californica</i>	California Figwort	PH	FAC		Scrophulariaceae
<i>Scrophularia californica</i> ssp. <i>floribunda</i> (E. Greene) Shaw	Many-flowered Figwort	PH	FAC		Scrophulariaceae
<i>Scutellaria antirrhinoides</i> Benth.	Snapdragon Skullcap	PH	?		Lamiaceae
<i>Scutellaria bolanderi</i> ssp. <i>austrorontana</i> Epling	Southern Skullcap	PH	FACW		Lamiaceae
<i>Scutellaria siphocampyloides</i> Vatke	Skullcap	PH	FACU		Lamiaceae
<i>Scutellaria tuberosa</i> Benth.	Danny Skullcap	PH	.		Lamiaceae
<i>Sedum praealtum</i> A. DC. *	Green Cockscomb	S	.		Crassulaceae
<i>Selaginella bigelovii</i> Underwood	Bigelow Spike-moss, Bigelow Little	PF	.		Selaginellaceae
<i>Senecio aphanactis</i> Greene	California Groundsel, Rayless Ragwort	AH	.		Asteraceae
<i>Senecio californicus</i> DC.	California Ragwort	AH	.		Asteraceae
<i>Senecio cineraria</i> DC.	Dusty Miller	S	.		Asteraceae
<i>Senecio flaccidus</i> var. <i>douglasii</i> (DC.) B.L. Turner & T.M. Barkley	Shrubby Butterweed	S	.		Asteraceae
<i>Senecio flaccidus</i> var. <i>monoensis</i> (Greene) B.L. Turner & T.M. Barkley	Mono Butterweed	S	.		Asteraceae
<i>Senecio mikanioides</i> Walp. *	Cape or German Ivy	PV	(FAC)		Asteraceae
<i>Senecio vulgaris</i> L. *	Common Groundsel, Old Man-in-the-Spring	AH	FACU		Asteraceae
<i>Senna artemisioides</i> (Gaudich. ex DC.) Randell *	Silver Senna	S	.		Fabaceae
<i>Setaria adhaerens</i> (Forssk.) Chiov. *	Bur Bristlegrass	AG	FACU		Poaceae
<i>Setaria parviflora</i> (Poir.) Kerguelen	Knotroot Bristlegrass	PG	FAC		Poaceae
<i>Setaria pumila</i> (Poir.) Roem. & Schult. ssp. <i>pumila</i> *	Yellow Foxtail	AG	FAC		Poaceae
<i>Setaria verticillata</i> (L.) Beauv. *	Hooked Beardgrass	AG	FACU		Poaceae
<i>Setaria viridis</i> (L.) P. Beauv. var. <i>viridis</i> *	Green Foxtail	AG	.		Poaceae
<i>Shepherdia argentea</i> Nutt.	Buffalo Berry, Silver Buffaloberry	S	FACU		Elaeagnaceae
<i>Sherardia arvensis</i> L. *	Field Madder	AH	.		Rubiaceae
<i>Sidalcea malviflora</i> ssp. <i>californica</i> (T. & G.) C.L. Hitchc.	California Globemallow	S	FACW		Malvaceae
<i>Sidalcea malviflora</i> ssp. <i>dolosa</i> C.L. Hitchcock	Dwarf Globemallow	PH	FACW		Malvaceae
<i>Sidalcea neomexicana</i> Gray	Salt Spring Checkermallow	PH	FACW		Malvaceae
<i>Sidalcea pedata</i> Gray	Bird-footed Checkerbloom	PH	OBL		Malvaceae
<i>Sidalcea sparsifolia</i> (C.L. Hitchc.) S.R. Hill	Few-leaved Globemallow	S	.		Malvaceae
<i>Sidotheca caryophylloides</i> (C. Parry) Reveal	Chickweed Oxytheca	AH	.		Polygonaceae
<i>Sidotheca trilobata</i> (A. Gray) Reveal	Three-lobed Spineflower	AH	.		Polygonaceae
<i>Silene antirrhina</i> L.	Snapdragon Campion, Catchfly	AH	.		Caryophyllaceae
<i>Silene bernardina</i> S. Watson	Palmer Campion	PH	.		Caryophyllaceae
<i>Silene coniflora</i> Nees ex Otth *	Many-veined Campion	AH	.		Caryophyllaceae
<i>Silene dichotoma</i> Ehrh. ssp. <i>dichotoma</i> *	Catchfly	AH	.		Caryophyllaceae
<i>Silene gallica</i> L. *	Windmill Pink	AH	.		Caryophyllaceae
<i>Silene major</i> (C. Hitchc. & Maguire) Simono	Mexican or Indian Pink	PH	.		Caryophyllaceae
<i>Silene laciniata</i> ssp. <i>californica</i> (Durand) J.K. Morton	California Indian Pink	PH	.		Caryophyllaceae
<i>Silene lemmonii</i> S. Watson	Lemmon Campion or Catchfly	PH	.		Caryophyllaceae
<i>Silene nuda</i> (S. Watson) C.L. Hitchc. & Maguire	Sticky Catchfly	PH	.		Caryophyllaceae
<i>Silene verecunda</i> S. Watson	Cuyamaca or San Francisco Campion	PH	.		Caryophyllaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland		Family
			Indicator	Status	
<i>Silybum marianum</i> (L.) Gaertner *	Milk Thistle	AH	.		Asteraceae
<i>Sinapis alba</i> L. *	White Charlock	AH	FAC		Brassicaceae
<i>Sinapis arvensis</i> L. *	Charlock	AH	.		Brassicaceae
<i>Sisymbrium altissimum</i> L. *	Tumble Mustard	AH	FACU		Brassicaceae
<i>Sisymbrium irio</i> L. *	London Rocket	AH	.		Brassicaceae
<i>Sisymbrium officinale</i> L. *	Hedge Mustard	AH	.		Brassicaceae
<i>Sisymbrium orientale</i> L. *	Eastern Mustard, Hare's Ear Cabbage	AH	.		Brassicaceae
<i>Sisyrinchium bellum</i> S. Watson	Blue-eyed Grass	PH	FACU		Iridaceae
<i>Solanum americanum</i> Miller	White Nightshade	A/PH	FACU		Solanaceae
<i>Solanum carolinense</i> L. *	Carolina Horse Nettle	PH	FACU		Solanaceae
<i>Solanum dimidiatum</i> Raf. *	Torrey's Nightshade	PH	.		Solanaceae
<i>Solanum douglasii</i> Dunal	Douglas Nightshade	PH	FAC		Solanaceae
<i>Solanum elaeagnifolium</i> Cav. *	Silverleaf Horse-nettle	PH	.		Solanaceae
<i>Solanum lanceolatum</i> Cav. *	Lanceleaf Nightshade	S	.		Solanaceae
<i>Solanum mauritanium</i> Scop. *	Earleaf Nightshade	PH	.		Solanaceae
<i>Solanum nigrum</i> L. *	Black Nightshade	AH	FACU		Solanaceae
<i>Solanum parishii</i> A.A. Heller	Parish Nightshade	S	.		Solanaceae
<i>Solanum physalifolium</i> var. <i>nitidibaccatum</i> (Bitter) Edmonds *	xxxx Nightshade	PH	.		Solanaceae
<i>Solanum pseudocapsicum</i> L. *	Jerusalem Cherry	AH	.		Solanaceae
<i>Solanum rantonnetii</i> Carriere ex Lescuy. *	Blue Potatobush	S	.		Solanaceae
<i>Solanum rostratum</i> Dunal *	Buffalo-bur	AH	.		Solanaceae
<i>Solanum sarrachoides</i> Sendtner *	Hairy Nightshade	AH	.		Solanaceae
<i>Solanum umbelliferum</i> Eschsch.	Blue Witch	S	.		Solanaceae
<i>Solanum wallacei</i> (A. Gray) Parish	Wallace's Nightshade	S	.		Solanaceae
<i>Solanum xanti</i> A. Gray var. <i>xanti</i>	Chaparral Nightshade	S	.		Solanaceae
<i>Soleirolia soleirolii</i> (Requien) Dandy *	Baby-tears	AH	(FACW)		Urticaceae
<i>Solidago altissima</i> L. var. <i>altissima</i> *	Late Goldenrod	PH	FACU		Asteraceae
<i>Solidago altissima</i> var. <i>gilvosanescens</i> (Rydb.) Semple *	Great Plains Late Goldenrod	PH	FACU		Asteraceae
<i>Solidago confinis</i> Gray	Southern Goldenrod	PH	OBL		Asteraceae
<i>Solidago guiradonis</i> Gray	Guirado Goldenrod	PH	(FACW)		Asteraceae
<i>Solidago spectabilis</i> (D.C. Eaton) A. Gray	Showy Goldenrod	PH	?		Asteraceae
<i>Solidago velutina</i> ssp. <i>californica</i> (Nutt.) Semple	California Goldenrod	PH	.		Asteraceae
<i>Solidago velutina</i> ssp. <i>sparsiflora</i> (A. Gray) Semple	Few-flowered Goldenrod	PH	.		Asteraceae
<i>Soliva sessilis</i> Ruiz Lopez & Ravon *	Common Soliva	AH	FACU		Asteraceae
<i>Sonchus asper</i> (L.) Hill ssp. <i>asper</i> *	Prickly Sow-thistle	AH	FAC		Asteraceae
<i>Sonchus oleraceus</i> L. *	Common Sow-thistle	AH	(FACU)		Asteraceae
<i>Sonchus tenerrimus</i> L. *	<u>Sow-thistle</u>	A/BH	.		Asteraceae
<i>Sorghum bicolor</i> (L.) Moench var. <i>bicolor</i> *	Sorghum	AG	FACU		Poaceae
<i>Sorghum bicolor</i> ssp. <i>drummondii</i> (Nees ex Steud.) de Wet & Harlan *	Sudangrass	PG	FACU		Poaceae
<i>Sorghum halapense</i> (L.) Pers. *	Johnson Grass	PG	FACU		Poaceae
<i>Spartina foliosa</i> Trin.	California Cordgrass	PG	OBL		Poaceae
<i>Spartium junceum</i> L. *	Spanish Broom	S	.		Fabaceae
<i>Spergula arvensis</i> L. ssp. <i>arvensis</i> *	Stickwort, Starwort	AH	.		Caryophyllaceae
<i>Spergularia bocconii</i> (Scheele) Merino *	Sandspurrey	AH	FACW		Caryophyllaceae
<i>Spergularia macrotheca</i> (Hornem.) Heynh. var. <i>macrotheca</i>	Large[-flowered] Sandspurrey	AH	FAC		Caryophyllaceae
<i>Spergularia macrotheca</i> var. <i>leucantha</i> (E. Greene) Robinson	White Large[-flowered] Sandspurrey	AH	FAC		Caryophyllaceae
<i>Spergularia marina</i> (L.) Griseb.	Saltmarsh Sandspurrey	AH	OBL		Caryophyllaceae
<i>Spergularia rubra</i> (L.) J.S. Presl & C. Presl *	Purple or Red Sandspurrey	A/PH	FAC		Caryophyllaceae
<i>Spergularia villosa</i> (Pers.) Cambess. *	Hairy Sandspurrey	AH	.		Caryophyllaceae
<i>Sphaeralcea ambigua</i> A. Gray var. <i>ambigua</i>	Apricot Mallow	S	.		Malvaceae
<i>Sphenosciadium capitellatum</i> Gray	Ranger Buttons, Swamp White Heads	PH	FACW		Apiaceae
<i>Spinacia oleracea</i> L. *	Spinach	BH	.		Chenopodiaceae
<i>Spirodela polyrrhiza</i> (L.) Schlied.	Duckmeat	AG	OBL		Araceae
<i>Spirodela punctata</i> C. Thompson	Duckmeat	AH	OBL		Lemnaceae
<i>Sporobolus airoides</i> Torrey	Alkali Sacaton	PG	OBL		Poaceae
<i>Sporobolus cryptandrus</i> (Torrey) A. Gray	Sand Dropseed	PG	FACU		Poaceae
<i>Sporobolus indicus</i> (L.) R. Br. var. <i>indicus</i> *	Smitgrass	PG	FACU		Poaceae
<i>Stachys ajugoides</i> Benth.	Hedge Nettle	PH	OBL		Lamiaceae
<i>Stachys albens</i> A. Gray	Woolly or Whitestem Hedge Nettle	PH	OBL		Lamiaceae
<i>Stachys bullata</i> Benth.	Pink Hedge Nettle, Common Woodmint	PH	.		Lamiaceae
<i>Stachys pycnantha</i> Benth.	Short-spiked Hedge-nettle	PH	FACW		Lamiaceae
<i>Stachys rigida</i> Benth. var. <i>rigida</i>	Rigid Hedge Nettle	PH	FACW		Lamiaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Stanleya pinnata</i> (Pursh) Britton var. <i>pinnata</i>	Prince's Plume	S	.		Brassicaceae
<i>Stebbinsoseris heterocarpa</i> (Nuttall) Chambers	Chicory Microseris	AH	.		Asteraceae
<i>Stellaria media</i> (L.) Vill. *	Common Chickweed	AH	FACU		Caryophyllaceae
<i>Stellaria nitens</i> Nuttall	Shining Chickweed	AH	.		Caryophyllaceae
<i>Stellaria pallida</i> (Dumort.) Piré *	Pallid Chickweed	AH	(FACU)		Caryophyllaceae
<i>Stephanomeria cichoriacea</i> A. Gray	Fort Tejon Milk-aster, Chicory-leaved Milk-	PH	.		Asteraceae
<i>Stephanomeria diegensis</i> Gottlieb	Diego Wirelettuce	AH	.		Asteraceae
<i>Stephanomeria exigua</i> Nuttall ssp. <i>exigua</i>	Small Stephanomeria	AH	.		Asteraceae
<i>Stephanomeria exigua</i> ssp. <i>carotifera</i> (Hoover) Gottlieb	Carot Stephanomeria	AH	.		Asteraceae
<i>Stephanomeria exigua</i> ssp. <i>coronaria</i> (Greene) Gottlieb	Small Stephanomeria	AH	.		Asteraceae
<i>Stephanomeria paniculata</i> Nutt.	Paniculate Wire Lettuce	AH	.		Asteraceae
<i>Stephanomeria pauciflora</i> (Nutt.) Nelson var. <i>pauciflora</i>	Wire-lettuce	PH	.		Asteraceae
<i>Stephanomeria virgata</i> Benth. ssp. <i>virgata</i>	Twiggy Wreath Plant, Tall Stephanomeria	AH	.		Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>pleurocarpa</i> (Greene) Gottlieb	Two-fruited Wreath Plant	AH	.		Asteraceae
<i>Stillingia linearifolia</i> S. Watson	Narrowleaf Stillingia	PH	(FAC-)		Euphorbiaceae
<i>Stillingia spinulosa</i> Torrey	Annual Toothleaf	PH	.		Euphorbiaceae
<i>Stipa arida</i> M.E. Jones	Mormon Needlegrass	PG	.		Poaceae
<i>Stipa brachychaeta</i> Godr. *	Shortbristled Needlegrass	PH	.		Poaceae
<i>Stipa cernua</i> Stebbins & Löve	Foothill Needlegrass	PG	.		Poaceae
<i>Stipa coronata</i> Thurber	Giant Needlegrass	PG	.		Poaceae
<i>Stipa diegoense</i> Swallen	<u>San Diego Needlegrass</u>	PG	.		Poaceae
<i>Stipa hymenoides</i> Roemer & Schultes	Indian Ricegrass	PG	.		Poaceae
<i>Stipa latiglumis</i> Swallen	Thurber Needlegrass	PG	.		Poaceae
<i>Stipa lepida</i> A. Hitchc.	Foothill Needlegrass	PG	.		Poaceae
<i>Stipa miliacea</i> (L.) Hoover var. <i>miliacea</i> *	Smilo Grass	PG	(FACU)		Poaceae
<i>Stipa occidentalis</i> S. Watson var. <i>occidentalis</i>	Western Needlegrass	PG	.		Poaceae
<i>Stipa occidentalis</i> ssp. <i>pubescens</i> (Vasey) J.R. Maze et al.	Elmer Needlegrass	PG	.		Poaceae
<i>Stipa parishii</i> Vasey var. <i>parishii</i>	Parish Needlegrass	PG	.		Poaceae
<i>Stipa pulchra</i> A. Hitchc.	Purple Needlegrass	PG	.		Poaceae
<i>Stipa speciosa</i> Trin. & Rupr.	Desert Needlegrass	PG	.		Poaceae
<i>Stipa tenuissima</i> Trin. *	Finestem Needlegrass	PG	.		Poaceae
<i>Stipa thurberiana</i> Piper	Thurber Needlegrass	PG	.		Poaceae
<i>Streptanthella longirostris</i> Rydb.	Dwarf Jewelflower	AH	.		Brassicaceae
<i>Streptanthus campestris</i> S. Watson	Southern Jewelflower	B/PH	.		Brassicaceae
<i>Stuckenia pectinata</i> (L.) Börner	Fennel-leaf Pondweed	PH	OBL		Potamogetonaceae
<i>Stutzia</i> [<i>Atriplex</i>] <i>dioica</i> (Nutt.) E.H. Zacharias	Thickleaf Orach	AH	FAC		Chenopodiaceae
<i>Stylocline gnaphaloides</i> Nuttall	Everlasting Nest Straw	AH	.		Asteraceae
<i>Stylomecon heterophylla</i> (Benth.) G.C. Taylor	Wind Poppy	AH	.		Papaveraceae
<i>Suaeda calceoliformis</i> (Hook.) Moq.	Horned Seablite	AH	FACW		Chenopodiaceae
<i>Suaeda californica</i> S. Watson var. <i>californica</i>	California Seablite	PH	FACW		Chenopodiaceae
<i>Suaeda esteroa</i> Ferren & Whitmore	Estuary Seablite	S	FACW		Chenopodiaceae
<i>Suaeda nigra</i> (Rafinesque) J.F. Macbride	Bush Seepweed	S	OBL		Chenopodiaceae
<i>Suaeda taxifolia</i> (Standley) Standley	Woolly Seablite	S	FACW		Chenopodiaceae
<i>Symphoricarpos albus</i> var. <i>laevigatus</i> (Fern.) S.F. Blake	Common Snowberry	S	FACU		Caprifoliaceae
<i>Symphoricarpos mollis</i> Nuttall	Creeping or Trailing Snowberry	S	FACU		Caprifoliaceae
<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i> (Rydb.) Dempster	Parish Snowberry	S	.		Caprifoliaceae
<i>Symphyotrichum ascendens</i> (Lindl.) G.L. Nesom	Long-leaved Aster	PH	FAC		Asteraceae
<i>Symphyotrichum chilense</i> (Nees) G.L. Nesom	Common California Aster	AH	FAC		Asteraceae
<i>Symphyotrichum dumosum</i> (L.) G.L. Nesom var. <i>dumosum</i> *	Button Rice Aster	PH	?		Asteraceae
<i>Symphyotrichum frondosum</i> (Nutt.) G.L. Nesom	Leafy Rayless Aster	AH	FACW		Asteraceae
<i>Symphyotrichum greatae</i> (Parish) G.L. Nesom	Greata's Aster	PH	(FACW)		Asteraceae
<i>Symphyotrichum lanceolatum</i> var. <i>hesperium</i> (A.Gray) G.L. Nesom	Siskiyou Aster	PH	OBL		Asteraceae
<i>Symphyotrichum lentum</i> (E. Greene) G.L. Nesom	Suisun Marsh Aster	PH	OBL		Asteraceae
<i>Symphyotrichum spathulatum</i> (Lindl.) G.L. Nesom var. <i>spathulatum</i>	Western Mountain Aster	PH	FAC		Asteraceae
<i>Symphyotrichum subspicatum</i> (Nees) G.L. Nesom var. <i>subspicatum</i>	Douglas Aster	PH	FACW		Asteraceae
<i>Symphyotrichum subulatum</i> var. <i>elongatum</i> (A.G. Jones & Lowry) S.D. Sundb. *	Annual Saltmarsh Aster	AH	OBL		Asteraceae
<i>Symphyotrichum subulatum</i> var. <i>parviflorum</i> (Nees) S.D. Sundb.	Annual Saltmarsh Aster	AH	OBL		Asteraceae
<i>Syntrichopappus lemmonii</i> (A. Gray) A. Gray	Lemmon's Xerasid	AH	.		Asteraceae
<i>Tagetes erecta</i> L. *	African or French Marigold	AH	.		Asteraceae
<i>Tamarix aphylla</i> (L.) H. Karst. *	Athel	S/T	FAC		Tamaricaceae
<i>Tamarix chinensis</i> Lour. *	Fivestamen Tamarisk	S	FAC		Tamaricaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Tamarix gallica</i> L. *	French Tamarisk	S/T	FACW		Tamaricaceae
<i>Tamarix parviflora</i> DC. *	Smallflower Tamarisk	S/T	FAC		Tamaricaceae
<i>Tamarix ramosissima</i> Ledeb. *	Tamarisk	T/S	(FACW)		Tamaricaceae
<i>Tanacetum parthenium</i> (L.) Sch. Bip. *	Feverfew	PH	.		Asteraceae
<i>Taraxacum erythrospermum</i> Besser *	Red-seeded Dandelion	AH	?		Asteraceae
<i>Taraxacum officinale</i> F.H. Wigg. *	Common Dandelion	AH	FACU		Asteraceae
<i>Tauschia arguta</i> (Torrey & Gray) J.F. Macbr.	Southern Tauschia	PH	.		Apiaceae
<i>Tauschia hartwegii</i> (A.Gray) J.F. Macbr.	Hartweg Tauschia	PH	.		Apiaceae
<i>Tauschia parishii</i> (Coulter & Rose) Macbr.	Parish Tauschia	PH	.		Apiaceae
<i>Tetradymia canescens</i> DC.	Cottonthorn, Horsebush	S	.		Asteraceae
<i>Tetradymia comosa</i> Gray	Cottonthorn, Horsebush	S	.		Asteraceae
<i>Tetragonia tetragonioides</i> (Pallas) Kuntze *	New Zealand Spinach	AH	.		Aizoaceae
<i>Tetrapteron graciliflorum</i> (Hook. & Arn.) W.L. Wagner & Hoch	Hill Sun-cup	AH	.		Onagraceae
<i>Tetrapteron palmeri</i> (S. Watson) W.L. Wagner & Hoch	Palmer Primrose	AH	.		Onagraceae
<i>Thalictrum fendleri</i> Engelman ex Gray var. <i>fendleri</i>	Fendler Meadow-rue	PH	FAC		Ranunculaceae
<i>Thalictrum fendleri</i> var. <i>polycarpum</i> Torrey	Tall Western Meadow-rue	PH	FAC		Ranunculaceae
<i>Thelypteris puberula</i> var. <i>sonorensis</i> A.R. Smith	Sonoran Maiden Fern	PF	FACW		Thelypteridiaceae
<i>Thermopsis californica</i> var. <i>argentata</i> (Greene) Chen & Turner	Silvery False-Lupine	AH	.		Fabaceae
<i>Thermopsis macrophylla</i> Hook. & Arn. var. <i>macrophylla</i>	False-Lupine	PH	.		Fabaceae
<i>Thermopsis macrophylla</i> var. <i>venosa</i> (Eastwood) Isely	Slender Santa Ynez False-lupine	PH	.		Fabaceae
<i>Thysanocarpus conchuliferus</i> E. Greene	Santa Cruz Island Fringepod	AH	.		Brassicaceae
<i>Thysanocarpus curvipes</i> Hooker var. <i>curvipes</i>	Fringe or Hairy Lace Pod	AH	.		Brassicaceae
<i>Thysanocarpus lacinatus</i> Torrey & Gray var. <i>laciniatus</i>	Lace Pod	AH	.		Brassicaceae
<i>Torilis arvensis</i> (Hudson) Link *	Hedge-parsley	AH	.		Apiaceae
<i>Torilis nodosa</i> (L.) Gaertner *	Rattlesnake Weed	AH	.		Apiaceae
<i>Toxicodendron diversilobum</i> (T. & G.) Greene	Western Poison Oak	S/V	FACU		Anacardiaceae
<i>Toxicoscordion</i> [<i>Zigadenus</i>] <i>fremontii</i> (Torrey) Rydberg	Star Lily	PH	.		Melanthiaceae
<i>Tragopogon dubius</i> Scop. *	Yellow Salsify	A/BH	?		Asteraceae
<i>Tragopogon porrifolius</i> L. *	Salsify	PH	.		Asteraceae
<i>Tribulus terrestris</i> L. *	Puncture Vine, Caltrop	AH	.		Zygophyllaceae
<i>Trichostema austromontanum</i> Harlan Lewis ssp. <i>austromontanum</i>	San Jacinto Bluecurls	AH	OBL		Lamiaceae
<i>Trichostema lanatum</i> Benth	Woolly Bluecurls, Romero	S	.		Lamiaceae
<i>Trichostema lanceolatum</i> Benth.	Vinegar Weed	AH	FACU		Lamiaceae
<i>Trichostema micranthum</i> Gray	Small-flowered Bluecurls	AH	FAC		Lamiaceae
<i>Trichostema ovatum</i> Curran	Ovate Bluecurls	AH	.		Lamiaceae
<i>Trichostema parishii</i> Vasey	Parish Bluecurls	S	.		Lamiaceae
<i>Trifolium albopurpureum</i> T. & G. var. <i>albopurpureum</i>	Rancheria Clover	AH	FACU		Fabaceae
<i>Trifolium bifidum</i> var. <i>decipiens</i> E. Greene	Pinole Clover	AH	.		Fabaceae
<i>Trifolium ciliolatum</i> Benth.	Ciliate or Tree Clover	AH	.		Fabaceae
<i>Trifolium cyathiferum</i> Lindley	Mountain Clover	AH	FAC		Fabaceae
<i>Trifolium depauperatum</i> var. <i>amplectens</i> (T. & G.) L.F. McDermott	Dwarf Sack Clover	AH	FAC		Fabaceae
<i>Trifolium depauperatum</i> var. <i>truncatum</i> (Greene) Islay	Truncate Dwarf Sack Clover	AH	FAC		Fabaceae
<i>Trifolium dichotomum</i> Hook. & Arn.	Branched Indian Clover	AH	.		Fabaceae
<i>Trifolium dubium</i> Sibth. *	Little Hop Clover	AH	UPL		Fabaceae
<i>Trifolium fragiferum</i> L. *	Strawberry Clover	PH	FACU		Fabaceae
<i>Trifolium fucatum</i> Lindley	Bull Clover	AH	FACU		Fabaceae
<i>Trifolium gracilentum</i> T. & G. var. <i>gracilentum</i>	Pin-point Clover	AH	.		Fabaceae
<i>Trifolium hirtum</i> All.	Rose Clover	AH	.		Fabaceae
<i>Trifolium longipes</i> ssp. <i>atrorubens</i> (Greene) J.M. Gillett	Purple Clover	AH	FACW		Fabaceae
<i>Trifolium microcephalum</i> Pursh	Tiny-head Clover	AH	FACU		Fabaceae
<i>Trifolium microdon</i> Hook. & Arn.	<u>Tiny-head Clover</u>	AH	(FAC)		Fabaceae
<i>Trifolium monanthum</i> Gray var. <i>monanthum</i>	Carpet Clover	PH	FAC		Fabaceae
<i>Trifolium monanthum</i> var. <i>grantianum</i> (A.A. Heller) Parish	Carpet Clover	PH	FAC		Fabaceae
<i>Trifolium obtusiflorum</i> Hooker & Arnott	Creek Clover	PH	FAC		Fabaceae
<i>Trifolium palmeri</i> S. Watson	<u>Palmer Pinpoint Clover</u>	AH	.		Fabaceae
<i>Trifolium repens</i> L. *	White Clover	AH	FACU		Fabaceae
<i>Trifolium resupinatum</i> L. *	Reversed Clover	AH	UPL		Fabaceae
<i>Trifolium</i> species nova	new Clover	AH	.		Fabaceae
<i>Trifolium variegatum</i> var. <i>major</i> Lojac.	Large Whitetip Clover	AH	FAC		Fabaceae
<i>Trifolium variegatum</i> Nutt. var. <i>variegatum</i>	Whitetip Clover	AH	FAC		Fabaceae
<i>Trifolium willdenovii</i> Sprengel	Tomcat Clover	AH	FACW		Fabaceae
<i>Trifolium wormskioldii</i> Lehm.	Cows Clover	PH	FACW		Fabaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Triglochin concinna</i> Davy var. <i>concinna</i>	Utah Arrow-grass	PG	OBL		Juncaginaceae
<i>Triglochin maritima</i> L.	Seaside Arrow-grass	PG	OBL		Juncaginaceae
<i>Triglochin scilloides</i> (Poir.) Mering & Kadereit	Flowering Quillwort	AH	OBL		Juncaginaceae
<i>Triglochin striata</i> R. & P.	Three-ribbed Arrow-grass	PG	OBL		Juncaginaceae
<i>Triodanis biflora</i> (Ruiz Lopez & Pavon) Greene	Venus Looking-glass	AH	.		Campanulaceae
<i>Tripleurospermum inodorum</i> (L.) Sch. Bip. *	Sentless Matricaria, False Chamomile	AH	(FACU)		Asteraceae
<i>Triteleia dudleyi</i> Hoover	Dudley Triteleia	PH	.		Themidaceae
<i>Triteleia hyacinthina</i> (Lindley) E. Greene	White Triteleia	PH	FAC		Themidaceae
<i>Triteleia ixioides</i> (Aif. F.) Greene ssp. <i>ixioides</i>	Golden Brodiaea	PH	FAC		Themidaceae
<i>Triteleia ixioides</i> ssp. <i>scabra</i> (E. Greene) L. Lenz	Golden Brodiaea	PH	.		Themidaceae
<i>Triteleia laxa</i> Benthham	Ithuriel's Spear	PH	.		Themidaceae
<i>Triticum aestivum</i> L. *	Cultivated Wheat	AG	.		Poaceae
<i>Tropaeolum majus</i> L. *	Garden Nasturtium	PH	(FACU)		Tropaeolaceae
<i>Tropidocarpum gracile</i> Hook.	Slender Tropidocarpum	AH	.		Brassicaceae
<i>Turricula parryi</i> (A. Gray) J.F. Macbr.	Poodle-dog Bush	S	.		Namaceae
<i>Turritis glabra</i> L.	Tower Mustard	BH	.		Brassicaceae
<i>Typha angustifolia</i> L.	Slender Cattail	PH	OBL		Typhaceae
<i>Typha domingensis</i> Pers.	Southern Cattail	PH	OBL		Typhaceae
<i>Typha latifolia</i> L.	Broad-leaved Cattail, Soft Flag	PH	OBL		Typhaceae
<i>Typha Xdomingensis</i> Pers.	Southern Cattail Hybrid	PH	OBL		Typhaceae
<i>Ulmus minor</i> Mill. *	English Elm	T	.		Ulmaceae
<i>Ulmus parvifolia</i> Jacquin *	Chinese Elm, Lacebark Elm	T	UPL		Ulmaceae
<i>Ulmus pumila</i> L. *	Siberian Elm	T	UPL		Ulmaceae
<i>Umbellularia californica</i> (Hook. & Arn.) Nutt. var. <i>californica</i>	California Bay	T	FAC		Lauraceae
<i>Uropappus lindleyi</i> (DC.) Nutt.	Silver Puffs	AH	.		Asteraceae
<i>Urospermum picroides</i> (L.) Scop. ex Schmidt *	Prickly Goldenfleece	A/PH	.		Asteraceae
<i>Urtica dioica</i> L. ssp. <i>holosericea</i> (Nutt.) Thorne	Hoary or Giant Stinging Nettle	PH	FAC		Urticaceae
<i>Urtica urens</i> L. *	Dwarf or Dog Nettle	AH	.		Urticaceae
<i>Utricularia vulgaris</i> L.	Bladderwort	PH	(OBL)		Lentibulariaceae
<i>Vaccinium ovatum</i> Pursh	California Huckleberry	S	UPL		Ericaceae
<i>Venegasia carpesioides</i> DC.	Canyon Sunflower	PH/S	.		Asteraceae
<i>Veratrum californicum</i> Durand var. <i>californicum</i>	California False Hellebore	PG	FACW		Melanthiaceae
<i>Verbascum blattaria</i> L. *	Moth Mullein	BH	UPL		Scrophulariaceae
<i>Verbascum thapsus</i> L. *	Woolly Mullein	BH	FACU		Scrophulariaceae
<i>Verbascum virgatum</i> Stokes *	Wand Mullein	BH	(FACW)		Scrophulariaceae
<i>Verbena bracteata</i> Lagasca & J.D. Rodriguez	Prostrate Verbena	A/BH	FAC		Verbenaceae
<i>Verbena lasiostachys</i> Link. var. <i>lasiostachys</i>	Western Verbena	AH	FAC		Verbenaceae
<i>Verbena lasiostachys</i> var. <i>scabrida</i> Mold.	Rough Western Verbena	AH	OBL		Verbenaceae
<i>Verbena littoralis</i> Kunth *	Seashore Verbena, Shore Vervain	B/PH	(FAC)		Verbenaceae
<i>Verbena tenuisecta</i> Briq. *	Paraguay Verbena	PH	(FAC)		Verbenaceae
<i>Verbesina encelioides</i> (Cav.) A.Gray ssp. <i>encelioides</i> *	Big-leaved Crownbeard	AH	FACU		Asteraceae
<i>Verbesina encelioides</i> ssp. <i>exauriculata</i> Robinson & Greenman *	Golden Crownbeard	AH	FACU		Asteraceae
<i>Veronica americana</i> (Raf.) Schwiene.	American Brooklime	PH	OBL		Plantaginaceae
<i>Veronica anagallis-aquatica</i> L. *	Water or Common Speedwell	PH	OBL		Plantaginaceae
<i>Veronica arvensis</i> L. *	Common Speedwell	AH	FACU		Plantaginaceae
<i>Veronica peregrina</i> ssp. <i>xalapensis</i> (Kunth) Pennell	Purslane Speedwell	AH	OBL		Plantaginaceae
<i>Veronica persica</i> Poiret *	Persian Speedwell	AH	.		Plantaginaceae
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i> (Dickson) Syme	Tyme-leaved Speedwell	AH	FAC		Plantaginaceae
<i>Vicia americana</i> Willd. var. <i>americana</i>	American Vetch	PH	FAC		Fabaceae
<i>Vicia benghalensis</i> L. *	Mediterranean Vetch	AH	.		Fabaceae
<i>Vicia faba</i> L. *	Broad or Horse Bean	AH	.		Fabaceae
<i>Vicia hassei</i> S. Watson	Hasse Vetch	AH	.		Fabaceae
<i>Vicia hirsuta</i> (L.) S.F. Gray *	Hirsute Vetch	AH	.		Fabaceae
<i>Vicia ludoviciana</i> Nutt. var. <i>ludoviciana</i>	Vetch	AH	UPL		Fabaceae
<i>Vicia sativa</i> L. ssp. <i>sativa</i> *	Common or Spring Vetch	AH	FACU		Fabaceae
<i>Vicia sativa</i> ssp. <i>nigra</i> (L.) Erhart *	Narrow-leaved Vetch	AH	FACU		Fabaceae
<i>Vicia tetrasperma</i> (L.) Schreb. *	Sparrow Vetch	AV	.		Fabaceae
<i>Vicia villosa</i> Roth ssp. <i>villosa</i> *	Hairy or Winter Vetch	AH	.		Fabaceae
<i>Vicia villosa</i> ssp. <i>varia</i> (Host) Corbière *	Hairy or Winter Vetch	AH	.		Fabaceae
<i>Vinca major</i> L. *	Greater Periwinkle	PV	(FAC)		Apocynaceae
<i>Vinca minor</i> L. *	Lesser Periwinkle	PV	.		Apocynaceae
<i>Viola aurea</i> Kellogg	Golden Violet	PH	.		Violaceae

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator		Family
			Status		
<i>Viola macloskeyi</i> F.E. Lloyd ssp. <i>macloskeyi</i>	Small White Violet	PH	OBL		Violaceae
<i>Viola pedunculata</i> T. & G. ssp. <i>pedunculata</i>	Johnny-Jump-Up	PH	.		Violaceae
<i>Viola pinetorum</i> Greene ssp. <i>pinetorum</i>	Mountain Violet	PH	.		Violaceae
<i>Viola pinetorum</i> ssp. <i>grisea</i> (Jeps.) R.J. Little	Gray-leaved Violet	PH	.		Violaceae
<i>Viola purpurea</i> Kellogg ssp. <i>purpurea</i>	Purple or Mountain Violet	PH	.		Violaceae
<i>Viola purpurea</i> ssp. <i>mohavensis</i> (M. Baker & J. Clausen) J. Clausen	Mojave Yellow Violet	PH	.		Violaceae
<i>Viola purpurea</i> ssp. <i>quercetorum</i> (M. Baker & J. Clausen) R.J. Little	Oak Violet	PH	.		Violaceae
<i>Viola purpurea</i> ssp. <i>venosa</i> (S. Watson) M.S. Baker & J.C. Clausen	Mountain Violet	PH	.		Violaceae
<i>Viola sheltonii</i> Torrey	Shelton Violet	PH	.		Violaceae
<i>Viola tricolor</i> L. *	Wild Pansy	PH	.		Violaceae
<i>Vitis aestivalis</i> Michx. var. <i>aestivalis</i> *	Summer Grape	PV	FACU		Vitaceae
<i>Vitis californica</i> Benth.	California Wild Grape	PV	FACU		Vitaceae
<i>Vitis girdiana</i> Munson	Desert Wild Grape	PV	FAC		Vitaceae
<i>Vitis labrusca</i> L. *	Grape	PV	FACU		Vitaceae
<i>Vitis vinifera</i> L. *	Wine Grape	PV	.		Vitaceae
<i>Vulpia bromoides</i> (L.) S.F. Gray *	Slender Fescue	AG	FAC		Poaceae
<i>Vulpia microstachys</i> (Nutt.) Benth. var. <i>microstachys</i>	Small Fescue	AG	.		Poaceae
<i>Vulpia microstachys</i> var. <i>ciliata</i> (Beal) Lonard & Gould	Ciliate Fescue	AG	.		Poaceae
<i>Vulpia microstachys</i> var. <i>confusa</i> (Piper) Lonard & Gould	Fescue	AG	.		Poaceae
<i>Vulpia microstachys</i> var. <i>pauciflora</i> (Beal) Lonard & Gould	Few-flowered Side-oats	AG	.		Poaceae
<i>Vulpia myuros</i> (L.) C. Gnelin forma <i>myuros</i> *	Rattail Fescue	AG	FACU		Poaceae
<i>Vulpia myuros</i> forma <i>megalura</i> (Nutt.) Stace & R. Cotton *	Foxtail Fescue	AG	FACU		Poaceae
<i>Vulpia octoflora</i> (Walter) Rydb. var. <i>octoflora</i>	Sixweeks Fescue	AG	UPL		Poaceae
<i>Vulpia octoflora</i> var. <i>hirtella</i> (Piper) Henrard	Sixweeks Fescue	AG	UPL		Poaceae
<i>Washingtonia filifera</i> (André) de Bary *	California Fan Palm	T	FACW		Areaceae
<i>Washingtonia robusta</i> H. Wendl. *	Mexican Fan Palm	T	FACW		Areaceae
<i>Wolffia borealis</i> Landolt & O. Wildi	Water-meal	AG	OBL		Araceae
<i>Wolffia columbiana</i> Karsten	Coastal Water-meal	AG	OBL		Araceae
<i>Wolffia globosa</i> Hartog & Plas	Globe Water-meal	AG	OBL		Araceae
<i>Wolffiella lingulata</i> Hegelm.	Mud-midget	AG	OBL		Araceae
<i>Wolffiella oblonga</i> (Phil.) Hegelm.	Oblong Water-meal	AG	OBL		Araceae
<i>Woodwardia fimbriata</i> Smith in Rees	Giant Chain Fern	PF	FACW		Blechnaceae
<i>Wyethia ovata</i> T. & G.	Mule-ears	PH	.		Asteraceae
<i>Xanthium spinosum</i> L.	Spiny or Spring Clotbur	AH	FACU		Asteraceae
<i>Xanthium strumarium</i> L.	Cocklebur	AH	FAC		Asteraceae
<i>Yabea microcarpa</i> (Hooker & Arnott) Koso-Pol.	Yabea	AH	FACU		Apiaceae
<i>Youngia japonica</i> (L.) DC. var. <i>japonica</i> *	Oriental False Hawkweed	AH	?		Asteraceae
<i>Yosemitea repanda</i> (S. Watson) P.J. Alexander & Windham	Yosemite Rock Cress	PH	.		Brassicaceae
<i>Yucca brevifolia</i> var. <i>herbertii</i> (J.M. Webber) Munz	Herbert Joshua Tree	S	.		Agavaceae
<i>Zannichellia palustris</i> L.	Horned-Pondweed	PG	OBL		Potamogetonaceae
<i>Zantedeschia aethiopica</i> (L.) Springel *	Calla Lily	PG	OBL		Araceae
<i>Zeltnera exaltata</i> (Griseb.) G. Mans.	Great Basin Centaury	AH	FACW		Gentianaceae
<i>Zeltnera muhlenbergii</i> (Griseb.) G. Mans	Monterey Centaury	AH	FAC		Gentianaceae
<i>Zeltnera venusta</i> (A. Gray) G. Mans	Beautiful Centaury, Canchalagua	AH	.		Gentianaceae
<i>Zigadenus brevibracteatus</i> (M.E. Jones) H.M. Hall	Desert Zigadene or Death Camas	PH	.		Melanthiaceae
<i>Zimmia violacea</i> Cavanilles *	Elegant or Garden Zinnia	AH	.		Asteraceae
<i>Zostera marina</i> L.	Eel-grass	PH	OBL		Zosteraceae

Notes: Scientific nomenclature follows the Flora of North America Editorial Committee (1993-2018), *The Jepson Manual* (Baldwin et al. 2012), Baker et al. (2012 for Phrymaceae), Nesom (2012a & 2012b for *Erythranthe*, 2013 for *Diplacus*), Tulig & Nesom (2012 for *Diplacus*), Hasenstab-Lehman & Simpson (2012 for *Cryptantha*), Burge & Zhukovsky (2013 for *Ceanothus vestitus* complex), Schneider (2016 for *Aphyllon*), Colwell et al. (2017 for *Aphyllon*), and Broich (1987 for *Lathyrus vestitus*).

Most current taxonomy is followed when changed have occurred since publication of the above listed references.

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

An "*" indicates non-native taxa that have become naturalized or persist without cultivation.

Entry in red typeface are expected to occur in the County but have not been seen.

Habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Checklist of Vascular Plants of Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	Wetland Indicator Status	Family
<p>Wetland indicator status (Lichvar et al. 2016): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability) FACW = facultative wetland species, usually found in wetlands (67-99% probability). FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability). FACU = facultative upland species, usually occur in nonwetlands (67-99% probability). A period "." indicates that no wetland indicator status has been given in Lichvar et al. (2016). Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.</p>				
<p>Abundance status definitions:</p>				
R = Rare (1-5 extant populations known)	FE = Federally listed Endangered		1A = CNPS 1A	
U = Uncommon (6-10 extant populations known)	FT = Federally listed Threatened		1B.x = CNPS 1B	
S = Scattered (11-20 extant populations known)	SE = California listed Endangered		2.x = CNPS 2	
O = Occasional (21-30 extant populations known)	ST = California listed Threatened		3.x = CNPS 3	
C = Common (>30 extant populations known)	SR = California listed Rare		4.x = CNPS 4	
X = Expected but not yet found	FS = Forest Service Sensitive Species			
T = Type Locality				
<p>Developed by David L. Magney 2011, updated 2021. Checklist may be used for educational and nonprofit purposes only. Based on voucher specimens at one or more California public herbaria and direct observations by author.</p>				